Dräger

Accessory catalogue 2011/ 2012

www.o2sensor.ru

Dräger. Technology for Life®

Dear Customer,

You have chosen Dräger's high-quality acute care workstations.

Our accessories offer you a tailor-made solution for your application, original accessories from Dräger, to ensure that they support your therapy as ideally as possible. We take just as much care in their specification, development and manufacture as we do in the manufacture of our ventilators, anesthesia workstations and monitoring products.

In addition, Dräger Accessories are underpinned by our own strict quality guidelines. Dräger's high standards of quality and innovation are ensured by testing processes in an accredited test center. For Dräger doesn't just design and manufacture technology, but technology for life. For over 100 years our medical devices and solutions have been used for one purpose – to support you in treatment and care every day in your task of protecting and preserving life.

Something you can count on. Dräger – technology for life.

Brigitte Dautzenberg
President strategic business field Lifecycle solutions

The original accessories

SOMETHING YOU CAN COUNT ON: ORIGINAL ACCESSORIES BY DRÄGER

Day in, day out in the hospital you are faced with enormous time and cost pressures at the same time you are taking care of the welfare of your patients. You need technical medical accessories which you can use to unlock the full potential of your equipment, which work smoothly, guarantee the best possible care of your patients and help you to improve your processes. In short: accessories you can rely on, Dräger can supply it for you.

ORIGINAL QUALITY PAYS OFF

Whether for patient monitoring, care and treatment of neonates, anesthesia, intensive care, the emergency department or on the ward: each original accessory from Dräger doesn't just fulfil all the official quality standards. We also measure our accessories against our own strict Dräger quality standards.

INDIVIDUAL

THE IDEAL SOLUTION FOR EVERY APPLICATION

Dräger supplies over 2,000 accessory items which offer a solution for almost every need – from breathing bags to flowsensors to headbands in either disposable or re-usable. Because we design and develop all of our products according to the specific requirements of hospitals the world over – you get all accessories from one company and you have just one contact person.

COMPATIBLE

TESTED WITH SAFETY

Our original accessories have been tested and approved for use in conjunction with the respective Dräger device or connector, this ensures perfect interaction between device and accessory.

This means for you:

- The operating time of your Dräger devices is optimized.
- Your Dräger devices develop their full potential and thus ensure optimal patient care.

STANDARDIZED

ONE ORDER FOR ALL WARDS

There are comprehensively developed accessories based on proven technologies for the entire portfolio of Dräger devices. These accessories are not intended just for one specific Dräger device but can be used for nearly every Dräger device – and even across wards.

This means for you:

- Your logistics are simplified.
- This saves you labor, cost and time.

from Dräger – at a glance

VENTILATION ACCESSORIES

> on page 8 onward 1

SENSORS

> on page 84 onward 2

SODA LIME

> on page 90 onward 3

MONITORING ACCESSORIES

> on page 96 onward 4

WARD EQUIPMENT

> on page 190 onward 5

NEONATAL CARE AND THERMOREGULATION

> on page 266 onward 6

On this way you'll find your accessories:

1. FIND ACCESSORIES IN THE CATALOG

Looking for a new expiratory valve? In the back of the catalog, from page 359 onwards, you will find an index with key words listed alphabetically. They lead directly to the product page.



INDEX

Expiratory valve for Babylog® VN 500, reusable	8415270	70
Expiratory valve for Carina, disposable	MP00220	70
Expiratory valve for Evita Infinity® V500, reusable	8416750	70
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776	70
Expiratory valve for Evita® V500, disposable, Infinity ID, 10 pcs.	MP01060	70
Expiratory valve for Evita®, reusable	8410580	70
Expiratory valve for Savina® 300, reusable	8417050	70
Expiratory valve for Savina®, disposable, 10 pcs.	MP01061	70
Expiratory valve for Savina®, reusable	8413660	70
Expiratory valve for TI 500 Globetrotter, disposable, 50 pcs.	MU04772	288
Expiratory valve housing	8409898	304

Fixation strap BabyFl… size L, green, 10 pcs
Fixation strap BabyFl… size M, red, 10 pcs.
Fixation strap BabyFl… size S, yellow, 10 pc
Fixation strap BabyFl… size XL, orange, 10 p
Fixation strap BabyFl… size XS, white, 10 pc
Fixation strap BabyFl… size XXL, blue, 10 pc
Flow measuring line … Oxylog® 2000/3000 … 2 pcs.
Flow measuring line … Oxylog® 2000/3000 … 2 pcs.

2. NOTE DOWN ORDER NUMBER

Have you chosen a particular accessory? Simply note down the order number.



DEVICE RELATED ACCESSORIES

6. DEVICE RELATED ACCESSORIES

A	Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776
	Expiratory valve for Evita®, reusable	8410580
	Membrane for Evita 2 dura®, Evita® 4, Evita® XL, for expiratory valve	8412015
	Water trap for Evita 2 dura®, Evita® 4, Evita® XL, reusable	8413125
B	Expiratory valve for Evita® V500, disposable, Infinity ID, 10 pcs.	MP01060
	Expiratory valve for Evita Infinity® V500, reusable	8416750
C	Expiratory valve for Savina®, disposable, 10 pcs.	MP01061
	Expiratory valve for Savina®, reusable	8413660
	Expiratory valve for Savina® 300, reusable	8417050
D	Expiratory valve for Carina, disposable	MP00220
E	Leakage valve for Carina SyncVent, disposable, 5 pcs.	MP00224
	Expiratory valve for Babylog® 8000	8408950
	Expiratory valve for Babylog® VN 500, reusable	8415270

3. ORDER ACCESSORIES

There are three options for ordering Dräger accessories:

a) online using the Dräger Shop*

- simply register at: **www.draegershop.de**
- enter the order number using the search form
- add the quantity required
- click on the shopping list/shopping cart

The Dräger Shop allows you to directly inquire about your price and availability of the product.

*Germany only

b) by telephone, mail or fax

Please refer to the back of this catalog for your region's contact details.

c) do you have a direct line to Dräger field sales?

Use it and mail or fax your order to your contact.

If you have any questions or suggestions regarding the Dräger Accessory Catalog, please contact: Accessory.Catalogue@draeger.com

OVERVIEW

VENTILATION ACCESSORIES 08

1. Breathing circuits
2. Breathing system filters and HMEs
3. CO_2 cuvettes
4. Catheter mounts and airway connectors
5. Breathing masks
6. Device related accessories
7. Non dedicated accessories
8. Pack2Go®
9. Humidifier and nebulizer

SENSORS 84

SODA LIME 90

MONITORING ACCESSORIES 96

1. Infinity® Monitoring: Gamma, Delta, Kappa and Vista series
2. Infinity® Acute Care System
3. Infinity® M300
4. Infinity® TruST™ Telemetrie
5. Infinity® MicrO_2+®
6. PM 8010, PM 8014, PM 8060, PM 8060 Vitara, Julian®, Cicero® EM, Parameterbox, Dialog 2000

WARD EQUIPMENT 190

1. Oxygen therapy
2. Aerosol therapy
3. Medical aspiration
4. Rail accessories
5. Central supply hoses

NEONATAL CARE AND THERMOREGULATIONS 266

1. Warming therapy
2. Ventilation accessories
3. Sensors
4. Monitoring accessories
5. Ward equipment

Ventilation accessories

1

SOMETHING YOU CAN COUNT ON:

- All system components from a single source: uniform accessories for all departments – from the emergency department, to the surgical area, and to intensive care and neonate wards
- A system of closely matched ventilation accessories – from the Dräger device to the patient
- The right product for each patient and the various forms of therapy – high quality materials that ensure that your patients are perfectly cared for

CONTENT

VENTILATION ACCESSORIES

1. Breathing circuits 11

1.1 Disposable breathing circuits/sets and related accessories 11

1.2 Reusable breathing circuits/sets and related accessories 25

2. Breathing system filters and HMEs 47

3. CO_2 cuvettes 55

3.1 Disposable 55

3.2 Reusable 55

4. Catheter mounts and airway connectors 56

5. Breathing masks 57

5.1 Non-invasive ventilation masks 57

5.2 Anesthesia and ventilation face masks 60

5.3 Aerosol and oxygen (O_2) therapy masks 66

5.4 Mask accessories 67

6. Device related accessories 70

7. Non dedicated accessories 72

8. Pack2Go® 73

9. Humidifier and nebulizer 76

NOTES

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

1. BREATHING CIRCUITS

1.1 DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

With VentStar® Family Dräger offers a wide range of disposable breathing circuits for different applications as well as for different patient groups (neo, ped, adult). Customers can choose between various kinds of materials. All disposable breathing circuits are made of high quality material and all gas leading components are PVC-free (no harm through softeners like e.g. DEHP).
Special focus at Dräger is – additionally to CE – the interaction between Dräger device and related breathing circuit what is documented in our declarations of system compatibility.
Declarations of system compatibility underlie intensive testing in various scenarios which are based on our long-time experience concerning interaction of device with accessory.
With respect to the newest device generation we enlarged our portfolio with ID breathing circuits which support the Infinity® ID functionality of the relevant Dräger devices.

A	**Breathing circuit Vent Set, latex-free, disposable, 1.5 m, basic, 25 pcs.**	**MP00300**
B	**Breathing circuit VentStar®, latex-free, disp., 1.8 m, basic, 25 pcs.**	**MP00349**
C	**Breathing circuit VentStar®, latex-free, disp., 2.5 m, basic, 10 pcs.**	**MP00350**

A

MT-038-2006

B

D-24203-2009

C

D-19281-2009

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Breathing circuit VentStar®, latex-free, disp., P, 1.5 m, basic, w/o LL, 25 pcs.**	**MP00338**
B	**Breathing circuit VentStar®, latex-free, disp., P, 1.8 m, basic, 25 pcs.**	**MP00351**
C	**Breathing circuit VentStar®, latex-free, disposable, P, basic, 2.5 m, 25 pcs.**	**MP00352**
D	**Breathing circuit VentStar®, latex-free, disposable, N, basic, 1.8 m, 25 pcs.**	**MP00353**

A

D-560-2009

B

D-24201-2009

C

D-7164-2010

D

D-24200-2009

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit VentStar®, latex-free, disp., water trap, w/o LL, 1.8m, 25pcs.	MP00334
B	Breathing circuit VentStar®, latex-free, disp., water trap, 1.8 m, 25 pcs.	MP00337
C	Breathing circuit VentStar®, latex-free, disp., P, water trap, 1.8 m, 25 pcs.	MP00361
D	Breathing circuit VentStar®, latex-free, disp., P, water trap,w/o LL, 1.8m, 25pcs	MP00362
E	Breathing circuit VentStar®, latex-free, disp., N, water trap, 1.8 m, 25 pcs.	MP00363

A

MT-327-2008

B

MT-330-2008

C

D-19293-2009

D

D-19292-2009

E

D-19285-2009

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Breathing circuit Vent Set, latex-free, disp., extendable, 1.8 m, 25 pcs.**	**MP00305**
B	**Breathing circuit VentStar®, latex-free, disp., extendable, 2.2 m, 25 pcs.**	**MP00355**
C	**Breathing circuit Vent Set, latex-free, disposable, coaxial, 1.5 m, 20 pcs.**	**MP00315**
D	**Breathing circuit Vent Set, latex-free, disp., coax, with holder, 1.5 m, 20 pcs.**	**MP00316**
E	**Breathing circuit VentStar®, latex-free, disposable, coaxial, 1.8 m, 20 pcs.**	**MP00356**
F	**Breathing circuit VentStar®, latex-free, disp., smoothbore, f. MRI, 3 m, 10 pcs.**	**MP00327**
G	**Breathing circuit VentStar®, latex-free, disposable, N, MRI, 3 m, 10 pcs.**	**MP00329**

A

MT-041-2006

B



D-24183-2009

C

MT-5713-2006

D

MT-5203-2006

E

D-24204-2009

F

D-559-2009

G

D-34334-2009

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing bag set VentStar®, latex-free, disp., 2 L, 0.8 m, 25 pcs.	MP00222
B	Breathing bag set VentStar®, latex-free, disp., 2 L, 1.2 m, 25 pcs.	MP00380
B	Breathing bag set VentStar®, latex-free, disp., 2 L, 1.5 m, 25 pcs.	MP00381
C	Breathing bag set VentStar®, latex-free, disp., P, 1 L, 1.1 m, 25 pcs.	MP00384
D	Breathing bag set VentStar®, latex-free, disp., N, 0.5 L, 1.1 m, 25 pcs.	MP00383

A

D-10106-2009

B

D-10105-2009

C

D-562-2009

D

D-24211-2009

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Anesthesia set, latex-free, disposable, basic, 1.5 m/0.8 m, 25 pcs.**	**MP00301**
B	**Anesthesia set, latex, disposable, basic, 1.5 m/0.8 m, 25 pcs.**	**MP00302**
C	**Anesthesia set, latex-free, disposable, extendable, 1.8 m/0.8 m, 25pcs.**	**MP00303**
D	**Anesthesia set, latex, disposable, extendable, 1.8 m/0.8 m, 25 pcs.**	**MP00304**
E	**Anesthesia set VentStar®, latex-free, disp., w/o Luer Lock, 1.8 m/0.8 m, 25 pcs.**	**MP00330**
F	**Anesthesia set VentStar®, ltx-fr., disp., P, w/o Luer Lock, 1.5 m/1.1 m, 25 pcs.**	**MP00331**
G	**Anesthesia set VentStar®, latex-free, disposable, N, 1.8 m/1.1 m, 25 pcs.**	**MP00333**

A

MT-037-2006

B

MT-036-2006

C

MT-039-2006

D

MT-040-2006

E

MT-326-2008

F

MT-335-2008

G

D-19284-2009

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Anesthesia set VentStar®, latex-free, disp., basic, 2 L, 1.8 m/1.5 m, 25 pcs.	MP00365
B	Anesthesia set VentStar®, latex-free, disp., basic, 2 L, 2.5 m/1.5 m, 10 pcs.	MP00366
C	Anesthesia set VentStar®, ltx-fr., disp., WT, w/o LL, 2 L, 1.8 m/1.5 m, 10 pcs.	MP00371
D	Anesthesia set VentStar®, latex-free, disposable, WT, 2 L, 1.8 m/1.5 m, 10 pcs.	MP00372
E	Anesthesia set VentStar®, ltx-free, disp., P, WT, w/o LL, 1L, 1.8m/1.1m, 10 pcs.	MP00375
F	Anesthesia set VentStar®, latex-free, disposable, P, WT, 1 L, 1.8m/1.1m, 10 pcs.	MP00374

A

D-7153-2010

B

D-7157-2010

C

D-7156-2010

D

D-7154-2010

E

D-7158-2010

F

D-7159-2010

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Breathing circuit VentStar®, latex-free, disp., dual heated, 1.5 m, 10 pcs.**	**MP00306**
B	**Breathing circuit VentStar®, latex-free, disp., heated, 1.5 m, 10 pcs.**	**MP00307**
C	**Breathing circuit VentStar®, latex-free, disp., N, heated, 1.2m, 10 pcs.**	**MP00308**
D	**Breathing circuit VentStar®, ltx-fr.,disp.,N, heated, w/o chamber, 1.2m,10 pcs.**	**MP00309**
E	**Humidifier chamber VentStar®, disposable, 10 pcs.**	**MP00234**

A

D-19274-2009

B

D-19273-2009

C

D-10093-2009

D

D-19276-2009

E

D-24199-2009

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Breathing circuit for Oxylog 1000 VentStar®, latex-free, disp., 1.8m, 25 pcs. set**	**2M86837**
B	**Breathing circuit for Oxylog 2000, latex-free, disp., 1.8m, 5 pcs. set**	**2M86841**
C	**Breathing circuit Oxylog3000,3000+,2000+VentStar®, ltx-fr.,disp., 1.5m, 5pcs. set**	**5703041**
D	**Breathing circuit for Oxylog 3000F 2000+ VentStar®, latex-fr.,disp., 3m, 5 pcs.**	**MP00335**
E	**Breathing circuit Oxylog 3000,3000+ VentStar®, ltx-fr., disp., P, 1.9 m, 5 pcs.**	**5704964**
	Oxylog 3000: ≥ SW 1.20.	

A



D-35686-2009

B

MT-672-2001

C

D-7307-2010

D

D-7306-2010

E

D-24213-2009

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Breathing circuit VentStar® Carina® LeakV, latex-free, disposable, 1.5 m, 5 pcs.**	**MP00312**
B	**Breathing circuit VentStar® Carina® ExpV, latex-free, disposable, 1.5 m, 5 pcs.**	**MP00313**
C	**Breathing circuit for Resuscitaire VentStar®, latex-free, disp., N, 1 m, 25 pcs.**	**MP00310**
D	**Breath. circ. f. Resuscitaire VentStar®, ltx-fr,disp,N,press. meas. line,1m,25pcs**	**MP00311**

A

MT-2010-2008

B

MT-9633-2006

C

D-19278-2009

D

D-7352-2011

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit Infinity® ID, latex-free, disposable, basic, 1.8 m	MP01350
B	Breathing circuit Infinity® ID, latex-free, disposable, basic, 2.5 m, 10 pcs.	MP01348
C	Breathing circuit Infinity® ID, latex-free, disposable, P, basic, 1.8 m, 25 pcs.	MP01340
D	Breathing circuit Infinity® ID, latex-free, disp., water trap, 1.8 m, 25 pcs.	MP01326
	Breathing circuit Infinity® ID, latex-free, disp.,P, water trap, 1.8 m,25 pcs.	MP01341
E	Breathing circuit Infinity® ID, latex-free, disposable, coaxial, 1.6 m, 20 pcs.	MP00342
F	Breathing circuit Infinity® ID, latex-free, disp., smoothbore, 1.6 m, 25 pcs.	MP00340

A

D-2444-2011

B

D-7152-2010

C

D-19282-2009

D

D-19280-2009

E

D-25811-2009

F

D-25810-2009

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A **Breathing circuit Infinity® ID, latex-free, disposable, smoothbore, 3 m, 10 pcs.** **MP01325**

B **Breathing circuit Infinity® ID, latex-free, disp., extendable, 2.2m, 25 pcs.** **MP01347**

A

D-19275-2009

B

D-19288-2009

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Breathing bag set Infinity® ID, latex-free, disp., 2 L, 1.2m, 25 pcs.**	**MP00341**
B	**Breathing bag set Infinity® ID, latex-free, disp., 2 L, 1.5 m, 25 pcs.**	**MP01330**
C	**Breathing bag set Infinity® ID, latex-free, disp., P, 1 L, 1.1 m, 25 pcs.**	**MP01343**
D	**Breathing bag set Infinity® ID, latex-free, disp., N, 0.5 L, 1.1 m, 25 pcs.**	**MP01329**

A

D-25804-2009

B

D-19287-2009

C

D-19291-2009

D

D-25803-2009

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit Infinity® ID, latex-free, disp., dual heated, 1.5 m, 10 pcs.	MP00344
B	Breathing circuit Infinity® ID, latex-free, disposable, heated, 1.5 m, 10 pcs.	MP00345
C	Breathing circuit Infinity® ID, latex-free, disp., N, heated, 1.2 m, 10 pcs.	MP00343

TRADEWARE

Breathing circuit Fisher & Paykel RT212, disp., inspiratory heated, 10 pcs.	8414991
Breathing circuit Fisher & Paykel RT225, disp., N, insp. heated, 10 pcs.	8414994

A

D-19277-2009

B

D-24214-2009

C

D-31560-2011

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

1.2 REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Anesthesia set, reusable, A, silicone breathing bag 2.3 L**	**M30146**
	Consists of:	
❶	**Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm**	**2166046**
❷	**Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm**	**2166038**
❸	**Breathing bag, silicone, reusable, 2.3 L**	**2166062**
❹	**Y-piece, polyamide, reusable, A, with angled Luer Lock**	**M33278**
❺	**ISO double connector, reusable, 22 mm/22 mm**	**M25647**

A



MT-0813-2008

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Anesthesia set, reusable, P, latex breathing bag 0.5 L**	**M33681**
	Consists of:	
❶	**Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm**	**2165961**
❷	**Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm**	**2165678**
❸	**Breathing bag, latex, reusable, 0.5 L**	**2165686**
❹	**ISO double connector, reusable, 22 mm/22 mm**	**M25647**
❺	**Y-piece, reusable, P, angled, with suction opening**	**8403075**
❻	**Y-connector, 5 mm**	**2M12754**
❼	**Test lung, silicone, N, with hose**	**8410079**
❽	**Cap set, reusable, 7 mm, 5 pcs.**	**8402953**
❾	**Connector for endotracheal tube, plastic, reusable, 2.5 mm**	**M19334**
❾	**Connector for endotracheal tube, plastic, reusable, 3 mm**	**M19335**
❾	**Connector for endotracheal tube, plastic, reusable, 3.5 mm**	**M19336**
❾	**Connector for endotracheal tube, plastic, reusable, 4.5 mm**	**M19338**
❿	**Sample line, silicone, 4 x 1.5**	**1190520**
⓫	**Luer Lock elbow, N**	**M34568**

A



Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Anesthesia set, reusable, P, latex breathing bag 0.5 L**	**M27542**
	Consists of:	
❶	**Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm**	**2165961**
❷	**Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm**	**2165678**
❸	**Breathing bag, latex, reusable, 0.5 L**	**2165686**
❹	**ISO double connector, reusable, 22 mm/22 mm**	**M25647**
❺	**Y-piece, reusable, P, angled, with suction opening**	**8403075**
❻	**Y-piece, reusable, P, straight**	**M27077**
❼	**Luer Lock elbow, N**	**M34568**
❽	**Cap set, reusable, 7 mm, 5 pcs.**	**8402953**

A



MT-2693-2004

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Anesthesia set for Zeus®, reusable, P/A, 2.3 L, tidal volume above 100 mL**	**MK04248**
	Consists of:	
❶	**Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm**	**2166011**
❷	**Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm**	**2166038**
❸	**ISO double connector, reusable, 22 mm/22 mm**	**M25647**
❹	**Water trap, reusable, A**	**8404985**
❺	**Y-piece, reusable, for temperature probe adapter 900 MR 532**	**8412888**
❻	**Elbow, reusable**	**M25649**
❼	**Breathing bag, silicone, reusable, 2.3 L**	**2166062**

A



Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Anesthesia set for Zeus®, reusable, P, tidal volume up to 200 mL**	**MK04249**
	Consists of:	
❶	**Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm**	**2165848**
❷	**Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm**	**2165678**
❸	**Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm**	**2165821**
❹	**ISO double connector, reusable, 22 mm/22 mm**	**M25647**
❺	**Water trap, reusable, N**	**8409627**
❻	**Breathing bag, chloroprene, reusable, 0.5 L**	**MX50045**
❼	**Y-piece, reusable, P, straight**	**M27077**
❽	**T-piece for sample gas**	**8600224**
❾	**Filter for T-piece**	**8600225**

A



MT-1366-2008

B	**Breathing hose set for Zeus®, reusable, N, tidal volume up to 200 mL**	**MK02935**
	Consists of:	
❶	**Breathing hose for breathing hose set Zeus®, reus., N, 1.5m, connector 15mm/22mm**	**AM00354**
❷	**Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm**	**2165678**
❸	**ISO double connector, reusable, 22 mm/22 mm**	**M25647**
❹	**Y-piece, disposable, P, 15 mm, 10 pcs.**	**AM00209**
❺	**Connector with Luer Lock port, reusable, part of breathing hose set Zeus®**	**AM00202**
❻	**Elbow with Luer Lock**	**AM00201**

B



D-11502-2010

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Breathing hose set for Zeus®, reusable, P/A, tidal volume above 100 mL**	**MK02933**
	Consists of:	
❶	**Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm**	**2166038**
❷	**Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm**	**2166011**
❸	**ISO double connector, reusable, 22 mm/22 mm**	**M25647**
❹	**Water trap, reusable, A**	**8404985**
B	**Breathing hose set for Zeus®, reusable, N/P, tidal volume up to 200 mL**	**MK02934**
	Consists of:	
❶	**Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm**	**2165678**
❷	**Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm**	**2165821**
❸	**Water trap, reusable, N**	**8409627**
❹	**ISO double connector, reusable, 22 mm/22 mm**	**M25647**
	Optional:	
	Elbow, reusable	**M25649**
	Elbow, reusable	**8412235**
	Breathing bag, chloroprene, reusable, 0.5 L	**MX50045**
	Breathing bag, chloroprene, reusable, 1 L	**MX50046**

A



MT-4629-2005

B



MT-7731-2006

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Breathing hose set for Aquapor EL, A, for active humidification**	**8412092**
	Consists of:	
❶	**Hose clip, 10 pcs.**	**8403566**
❷	**Connector for endotracheal tube, reusable, size 12.5 mm**	**M23840**
❸	**Corrugated hose, reusable, catheter mount**	**8402041**
❹	**Elbow, reusable**	**M25649**
❺	**Y-piece, reusable, for Dräger temperature probe**	**8405435**
❻	**Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm**	**2165627**
❼	**Water trap, reusable, A**	**8404985**
❽	**Cap set, reusable, 11 mm, 5 pcs.**	**8402918**
❾	**Connector set for endotracheal tube, reusable, size 6 mm - 12.5 mm, 12 pcs.**	**8403685**
❿	**Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm**	**2165619**
⓫	**ISO double connector, reusable, 22 mm/22 mm**	**M25647**
⓬	**Connector for breathing hose, reusable, A**	**8403076**

A



Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Breathing hose set for Aquapor EL, P, for active humidification**	**8412344**
	Consists of:	
❶	**Y-piece, reusable, P, angled, with suction opening**	**8403075**
❷	**Corrugated hose, P, 14 cm, catheter mount**	**8403333**
❸	**Connector for thermometer, reusable, for breathing hose set Aquapor EL**	**8403056**
❹	**Water trap, reusable, P**	**8404760**
❺	**Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm**	**2165848**
❻	**Water trap, reusable, N**	**8409627**
❼	**Cap, reusable, 7 mm**	**8401645**
❽	**Connector, aluminum, reusable, 22 mm/11 mm**	**8405752**
❾	**Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm**	**2165856**
❿	**Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm**	**2165821**

A



MT-3308-2003

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**HME breathing hose set, silicone, reusable, 1.5 m, w/o water traps**	**8412860**
	Consists of:	
❶	**Breathing hose for Oxylog® 2000Family/ 3000Family, reusable, A, 1.5 m**	**2165643**
❷	**Y-piece, reusable, for temperature probe adapter 900 MR 532**	**8412888**
	Breathing hose for Babylog® 2000, reusable, N, for ward use	**8411352**
	Breathing hose for Babylog® 2000, reusable, N, for TI 5400	**8411353**
	Breathing hose set for Babylog® 2000/Aquapor EL, reusable	**8411471**
	Breathing hose set for Babylog® 2000/F&P MR730, reusable	**8411472**

A



MT-3310-2003

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing hose for Oxylog® 1000, reusable, silicone, 1.5 m	2M86511
	Breathing hose for Oxylog® 1000, reusable, silicone, 3 m	2112760
B	Ventilation valve for Oxylog® 1000, reusable	2M86800
C	PEEP valve for Oxylog® 1000, reusable, adjustable from 0-10 mbar	8407475
D	PEEP valve for Oxylog® 1000, disposable, adjustable from 5-20 mbar	2M86832
E	Connector set for endotracheal tube, reusable, size 6 mm - 12.5 mm, 12 pcs.	8403685

A

MT-2650-2004

B

MT-161-2001

C

MT-1311-2007

D

D-14955-2010

E



D-35656-2009

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Breathing hose set for Oxylog® 2000/3000 family, reus.,w/ flow meas. line, 1.5 m**	**8412068**
	Consists of:	
	Breathing hose for Oxylog® 2000Family/3000Family, reusable, A, 1.5 m	**2165643**
	Flow measuring line for Oxylog® 2000/3000 family, 1.5 m, 2 pcs.	**8410929**
A	**Breathing hose set for Oxylog® 2000/3000 family, reus., w/ flow meas. line, 3 m**	**8412913**
	Consists of:	
	Breathing hose for Oxylog® 1000, reusable, silicone, 3 m	**2112760**
	Flow measuring line for Oxylog® 2000/3000 family, 3 m, 2 pcs.	**8413293**
B	**Ventilation valve for Oxylog® 2000/3000, reusable**	**8412001**
C	**Pressure difference flow sensor, PPSU, disinfectable and sterilizable**	**8412034**
D	**Elbow, reusable**	**8412235**

A

D-6634-2011

B

MT-2682-2004

C

MT-3017-2004

D

MT-2688-2004

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Breathing hose set, reusable, heated, for Fisher & Paykel MR 850**	**8414986**
	Consists of:	
❶	**Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm**	**2165635**
❷	**Hose clip, 10 pcs.**	**8403566**
❸	**Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm**	**2165627**
❹	**Connector for breathing hose, reusable, A**	**8403076**
❺	**Water trap, reusable, A**	**8404985**
❻	**ISO double connector, reusable, 22 mm/22 mm**	**M25647**
❼	**Connector set for endotracheal tube, reusable, size 6 mm - 12.5 mm, 12 pcs.**	**8403685**
❽	**Connector for endotracheal tube, reusable, size 12.5 mm**	**M23840**
❾	**Cap, reusable, 11 mm**	**8401644**
❿	**Corrugated hose, reusable, catheter mount**	**8402041**
⓫	**Y-piece, reusable, for temperature probe adapter 900 MR 532**	**8412888**
⓫	**Temperature probe adapter 900 MR 532, for F&P humidifiers**	**MP01007**
⓬	**Elbow, reusable**	**M25649**
⓭	**Hose heater, A , 1.1 m**	**8411045**
⓮	**Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm**	**2165619**

A



Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Breathing hose set for Evita XL NeoFlow, reusable, heated, for F&P MR850**	**8414987**
	Consists of:	
❶	**Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm**	**2165651**
❷	**Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm**	**2165848**
❸	**Corrugated hose, silicone, 13 cm, Ø 10 mm, catheter mount, 2 pcs.**	**8409634**
❹	**Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm**	**2165856**
❺	**Water trap, reusable, N**	**8409627**
❻	**Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit**	**8414993**
❼	**Cap, reusable, 7 mm**	**8401645**
❽	**Y-piece, reusable, P, angled, with suction opening**	**8403075**
❾	**Connector for endotracheal tube, reusable, size 11 mm**	**M19351**
❿	**T-piece connector, reusable**	**8411044**
⓫	**Double connector, outer diameter 11 mm**	**8409897**
⓬	**Test lung NeoTestLung, N, latex-free, bellows**	**8409742**
⓭	**Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm**	**2165821**

A



MT-2690-2004

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Breathing hose set for Babylog 8000/8000+, reusable, heated, for F&P MR 850**	**8411041**
	Consists of:	
❶	**Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm**	**2165651**
❷	**Breathing hose, silicone, reusable, P/N, 1 m, Ø 10 mm**	**8403080**
❸	**Breathing hose, silicone, reusable, P/N, 35 cm, Ø 10 mm**	**8403070**
❹	**Test lung NeoTestLung, N, latex-free, bellows**	**8409742**
❺	**Water trap, reusable, N**	**8409627**
❻	**Elbow, reusable**	**8418289**
❼	**Double connector, outer diameter 11 mm**	**8409897**
❽	**Connector for endotracheal tube, reusable, size 11 mm**	**M19351**
❾	**T-piece connector, reusable**	**8411044**
❿	**Hose heater, A , 1.1 m**	**8411045**
⓫	**Corrugated hose, silicone, N, 20 cm, catheter mount**	**8410709**
⓬	**Breathing hose, silicone, reusable, N, 50 cm, Ø 10 mm**	**8418458**

A



MT-2677-2004

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**HFO breathing hose set, w/ lightweight hoses made of Hytrel, autoclav., heated**	**8411153**
	Consists of:	
❶	**Breathing hose, Hytrel, 70 cm**	**8418404**
❷	**Breathing hose, Hytrel, 65 cm**	**8410814**
❸	**Test lung NeoTestLung, N, latex-free, bellows**	**8409742**
❹	**Connector 900 MR 533, for HFV breathing circuit by F&P**	**8418407**
❺	**Connector 900 MR 830, for HFV breathing circuit by F&P**	**8418455**
❻	**Connector for endotracheal tube, reusable, size 11 mm**	**M19351**
❼	**Water trap, reusable, N**	**8409627**
❽	**Elbow, reusable**	**8418289**
❾	**Hose heater for F&P MR 700/730, 70 cm**	**8411154**
❿	**Breathing hose, Hytrel, 40 cm**	**8410816**
⓫	**T-piece connector, reusable, for F&P temperature probe**	**8418405**
	Breathing hose set for Babylog® 8000+/Aquamod, reusable, P	**8410813**
	HFV breathing hose set f. Aquamod, w/ lightweight hoses made of Hytrel,autoclav.	**8411148**
	Breathing hose set for Babylog® 8000/Aquapor EL, with thermometer	**8411040**

A



Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Silicone breathing hose (adult) with long sleeves 22 mm/22 mm (0.9 in/0.9 in)	
	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	**2166011**
	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	**2166038**
	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	**2166046**
B	Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in)	
	Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm	**2165619**
	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	**2165627**
	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	**2165635**
	Breathing hose, silicone, reusable, A, 1.5 m	**8603839**
	Breathing hose for Oxylog® 2000Family/3000Family, reusable, A, 1.5 m	**2165643**

A

MT-0727-2008

B

MT-0898-2008

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter

❶ **Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm**	**2165848**
❶ **Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/10 mm**	**2165600**

A Silicone breathing hose (pediatric) with standard sleeves 22 mm (0.9 in) on both sides and 10 mm (0.4 in) inner diameter

❷ **Breathing hose, silicone, reusable, P, 60 cm, connector 22 mm/22 mm, Ø 10 mm**	**2165902**
❷ **Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm**	**2165678**

B Silicone breathing hose (pediatric) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter

Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm	**2165856**
Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm	**2165821**
Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm	**2165651**
Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	**2165961**

A

MT-1797-2004

B

D-1530-2009

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Y-piece, polyamide, reusable, A, straight	M25650
B	Y-piece, reusable, P, straight	M27077
C	Y-piece, polyamide, reusable, A, angled, without Luer Lock	M25682
D	Y-piece, polyamide, reusable, A, with angled Luer Lock	M33278
E	Y-piece, polyamide, reusable, A, temperature tap	M30543
F	Y-piece, reusable, for temperature probe adapter 900 MR 532	8412888
G	Temperature probe adapter 900 MR 532, for F&P humidifiers	MP01007

A

MT-0805-2008

B

MT-520-2002

C

MT-392-98

D

MT-0809-2008

E

D-1534-2009

F

MT-1321-2008

G

MT-4036-2006

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Y-piece, reusable, for Dräger temperature probe	8405435
	Y-piece, reusable, P, angled	8403077
	Y-piece, disposable, A, 22 mm, 10 pcs.	AM00203
B	Y-piece, reusable, P, angled, with suction opening	8403075
	Cap, reusable, 7 mm	8401645
C	Luer Lock elbow, N	M34568
	Elbow, reusable	8412235
D	Elbow, reusable	M25649

A

MT-2668-2004

B

MT-2728-2004

C

D-1529-2009

D

MT-2688-2004

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	ISO double connector, reusable, 22 mm/22 mm	M25647
B	Connector with Luer Lock port, reusable, 15 mm/22 mm	8290285
	Connector for breathing hose, reusable, A	8403076
	Connector for thermometer, reusable, for breathing hose set Aquapor EL	8403056
	T-piece connector, reusable	8411044
	Double connector, outer diameter 11 mm	8409897
	Connector, aluminum, reusable, 22 mm/11 mm	8405752
	Connector set for endotracheal tube, reusable, size 1.5 mm - 5.5 mm, 9 pcs.	8403684
C	Water trap, reusable, A	8404985
D	Water trap, reusable, N	8409627

A

MT-0732-2008

B

MT-2904-95

C

D-35676-2009

D

D-35677-2009

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Transparent breathing bags of silicone elastomer, latex free

❶	**Breathing bag, silicone, reusable, 0.5 L**	**2166054**
❷	**Breathing bag, silicone, reusable, 1.5 L**	**2166127**
❸	**Breathing bag, silicone, reusable, 2.3 L**	**2166062**
❹	**Breathing bag, silicone, reusable, 3 L**	**2166070**

B Latex breathing bags

❶	**Breathing bag, latex, reusable, 0.5 L**	**2165686**
	Breathing bag, latex, reusable, 1.5 L	**2165953**
	Breathing bag, latex, reusable, 2 L	**2165694**
❷	**Breathing bag, latex, reusable, 2.3 L**	**2165708**
	Breathing bag, latex, reusable, 3 L	**2165716**
	Breathing bag, latex, reusable, 5 L	**2165724**

C Latex breathing bags with a hole.
For anesthetic set Kuhn type.

❶	**Breathing bag with hole, latex, reusable, 0.5 L, for Kuhn set**	**2165763**
	Breathing bag with hole, latex, reusable, 1.5 L, for Kuhn set	**2165775**
❷	**Breathing bag with hole, latex, reusable, 2.3 L, for Kuhn set**	**2165783**

D Chloroprene breathing bags for use as reservoir e.g. on anesthesia devices

❶	**Breathing bag, chloroprene, reusable, 0.5 L**	**MX50045**
❷	**Breathing bag, chloroprene, reusable, 1 L**	**MX50046**
❸	**Breathing bag, chloroprene, reusable, 2 L**	**MX50047**
❹	**Breathing bag, chloroprene, reusable, 3 L**	**MX50048**

A

MT-0810-2008

B

MT-0811-2008

C

D-1536-2009

D

MT-097-2003

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Test lung SelfTestLung, latex-free, reusable, max. 1 L	MP02400
	Spare parts set SelfTestLung, with locking brace and attachment bolt	MP02401
B	Demo lung SmartLung, latex-free, reusable, max.1 L	MP02405
C	Test lung 2-liter bag lung, latex	8403201
D	Test lung NeoTestLung, N, latex-free, bellows	8409742
	Test lung, silicone, N, with hose	8410079
	Test lung, silicone, N	8403208

A

D-24583-2009

B

D-34901-2009

C

D-14925-2010

D

MT-2673-2004

Not all articles are available worldwide.

BREATHING SYSTEM FILTERS AND HMEs

2. BREATHING SYSTEM FILTERS AND HMEs

The TwinStar® filter/HME from Dräger Medical is a combination of an efficient HME and a high-performance breathing system filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance breathing system filter
- High retention rates for bacteria and viruses
- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and blue color coding for quick identification.

A	**Electrostatic filter and HME TwinStar® 90, disp., 90 mL deadspace, 50 pcs.**	**MP01800**
B	**Electrostatic filter and HME TwinStar® 65A, disp, 65mL deadspace, angled, 50 pcs**	**MP01810**
C	**Electrostatic filter and HME TwinStar® 55, disp., 55 mL deadspace, 50 pcs.**	**MP01805**
D	**Electrostatic filter and HME TwinStar® 25, disp., 25 mL deadspace, 50 pcs.**	**MP01815**
E	**Electrostatic filter and HME TwinStar® 10A, disp, 10mL deadspace, angled, 50 pcs**	**MP01825**
F	**Electrostatic filter and HME TwinStar® 8, disp., 8 mL deadspace, 50 pcs.**	**MP01820**
G	**Mechanical filter and HME TwinStar® HEPA, disp., 55 mL deadspace, 50 pcs.**	**MP01801**

A

MT-4386-2007

B

MT-4745-2007

C

MT-11164-2006

D

MT-0105-2008

E

MT-4397-2007

F

MT-4396-2007

G

MT-4388-2007

Not all articles are available worldwide.

BREATHING SYSTEM FILTERS

The CareStar® breathing system filter significantly contributes to infection prophylaxis in anesthesia and ventilation treatment through high retention rates.

- High-performance electrostatic filter
- Patient-side or device-side use
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and red color coding for quick identification.

A	**Electrostatic filter CareStar® 45, disp., 45 mL deadspace, 50 pcs.**	**MP01755**
B	**Electrostatic filter CareStar® 40A, disp., 40 mL deadspace, angled, 50 pcs.**	**MP01765**
C	**Electrostatic filter CareStar® 30, disp., 30 mL deadspace, 50 pcs.**	**MP01770**

A

MT-4387-2007

B

MT-4747-2007

C

MT-0011-2007

Not all articles are available worldwide.

BREATHING SYSTEM FILTERS

The SafeStar® mechanical high performance breathing system filter shows excellent retention rates, thereby significantly contributing to infection prophylaxis in anesthesia and ventilation treatment.

- High-performance mechanical HEPA filter
- High hydrophoticity
- Patient-side or device-side use
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and red color coding for quick identification.

A	**Mechanical filter SafeStar® 80, disp., 80 mL deadspace, 50 pcs.**	**MP01785**
B	**Mechanical filter SafeStar® 60A, disp., 60 mL deadspace, angled, 50 pcs.**	**MP01795**
C	**Mechanical filter SafeStar® 55, disp., 55 mL deadspace, 50 pcs.**	**MP01790**

A

MT-4386-2007

B

MT-4746-2007

C

MT-11165-2006

Not all articles are available worldwide.

HMEs

HumidStar® heat and moisture exchangers from Dräger Medical partially take over the function of the upper airways and efficiently heat and humidify the inspired air.

- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and green color coding for quick identification.

A	**HME HumidStar® 55, disp., 55 mL deadspace, 50 pcs.**	**MP01730**
B	**HME HumidStar® 25, disp., 25 mL deadspace, 50 pcs.**	**MP01735**
C	**HME HumidStar® 10A, disp., 10 mL deadspace, angled, 50 pcs.**	**MP01740**
D	**HME HumidStar® 2, disp., 2 mL deadspace, 50 pcs.**	**MP01745**
E	**HME HumidStar® Trach, disp., 8 mL deadspace, for tracheostomy tube, 50 pcs.**	**MP01750**

A

MT-11163-2006

B

MT-0106-2008

C

MT-4395-2007

D

D-959-2010

E

MT-11161-2006

Not all articles are available worldwide.

BREATHING SYSTEM FILTERS AND HMEs

SPECIFICATIONS

	Filter/HME TwinStar® 90	Filter/HME TwinStar® 65A	Filter/HME TwinStar® 55	Filter/HME TwinStar® 25
Deadspace (ml)	90	65	55	25
Recommended tidal volume (ml)	300 to 1,500	300 to 1,500	300 to 1,500	75 to 500
Bacterial retention (%)	99.999	99.999	99.999	99.999
Viral retention (%)	99.999	99.99	99.99	99.99
Filtration method	Electrostatic	Electrostatic	Electrostatic	Electrostatic
Moisture loss* (mg H_2O/l air)	4.7 @ Vt 500 ml	6.9 @ Vt 500 ml	7.2 @ Vt 500 ml	5.8 @ Vt 250 ml
Moisture output (mg H_2O/l air)	39.3	37.1	36.8	38.2
Resistance (mbar)	1.0 at 30 l/min	1.1 at 30 l/min	0.9 at 30 l/min	1.3 at 15 l/min
Weight (g)	37	30	28	18
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer-Lock with tethered cap	Luer-Lock with tethered cap	Luer-Lock with tethered cap	Luer-Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	3 years	3 years
Product	PVC-free/Latex free	PVC-free/Latex free	PVC-free/Latex free	PVC-free/Latex free

SPECIFICATIONS

	Filter/HME TwinStar® 10A	Filter/HME TwinStar® 8	Filter/HME TwinStar® HEPA
Deadspace (ml)	10	8	55
Recommended tidal volume (ml)	30 to 200	30 to 200	300 to 1,500
Bacterial retention (%)	99.9	99.9	99.9999
Viral retention (%)	99.9	99.9	99.9999
Filtration method	Electrostatic	Electrostatic	Mechanical (HEPA**)
Moisture loss* (mg H_2O/l air)	6.4 @ Vt 50 ml	6.1 @ Vt 50 ml	9.8 @ Vt 500 ml
Moisture output (mg H_2O/l air)	37.6	37.9	34.2
Resistance (mbar)	0.4 at 5 l/min	0.6 at 5 l/min	1.3 at 30 l/min
Weight (g)	9	9	40
ISO connectors	22M/15F – 15M	22M/15F – 15F/8.5M	22M/15F – 22F/15M
Sampling port	Luer-Lock with tethered cap	Luer-Lock with tethered cap	Luer-Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	5 years
Product	PVC-free/Latex free	PVC-free/Latex free	PVC-free/Latex free

Cleanroom manufactured according to EN ISO 14644-1:1999.

*According to ISO EN 9360-1:2000.
**According to EN 1822-1:1998.

Not all articles are available worldwide.

BREATHING SYSTEM FILTERS

SPECIFICATIONS

	Filter SafeStar® 80	Filter SafeStar® 60A	Filter SafeStar® 55
Deadspace (ml)	80	60	55
Recommended tidal volume (ml)	300 to 1,500	300 to 1,500	300 to 1,500
Bacterial retention (%)	99.9999	99.9999	99.9999
Viral retention (%)	99.9999	99.9999	99.9999
Filtration method	Mechanical (HEPA**)	Mechanical (HEPA**)	Mechanical (HEPA**)
Moisture loss* (mg H_2O/l air)	–	–	–
Moisture output (mg H_2O/l air)	–	–	–
Resistance (mbar)	1.4 at 30 l/min	1.5 at 30 l/min	1.3 at 30 l/min
Weight (g)	47	42	39
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer-Lock with tethered cap	Luer-Lock with tethered cap	Luer-Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years	5 years
Product	PVC-free/Latex free	PVC-free/Latex free	PVC-free/Latex free

SPECIFICATIONS

	Filter CareStar® 45	Filter CareStar® 40A	Filter CareStar® 30
Deadspace (ml)	45	40	30
Recommended tidal volume (ml)	300 to 1,500	300 to 1,500	100 to 1,500
Bacterial retention (%)	99.999	99.999	99.999
Viral retention (%)	99.999	99.99	99.99
Filtration method	Electrostatic	Electrostatic	Electrostatic
Moisture loss* (mg H_2O/l air)	–	–	–
Moisture output (mg H_2O/l air)	–	–	–
Resistance (mbar)	0.7 at 30 l/min	1.0 at 30 l/min	0.6 at 30 l/min
Weight (g)	29	25	23
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer-Lock with tethered cap	Luer-Lock with tethered cap	Luer-Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	3 years
Product	PVC-free/Latex free	PVC-free/Latex free	PVC-free/Latex free

Cleanroom manufactured according to EN ISO 14644-1:1999.

*According to ISO EN 9360-1:2000.
**According to EN 1822-1:1998.

Not all articles are available worldwide.

HMEs

SPECIFICATIONS

	HME HumidStar® 55	HME HumidStar® 25	HME HumidStar® 10A
Deadspace (ml)	55	25	10
Recommended tidal volume (ml)	300 to 1,500	75 to 500	30 to 200
Moisture loss* (mg H_2O/l air)	6.3 @ Vt 500 ml	6.2 @ Vt 250 ml	6.4 @ Vt 50 ml
Moisture output (mg H_2O/l air)	37.7	37.8	37.6
Resistance (mbar)	0.4 @ 30 l/min	0.4 @ 30 l/min	0.1 @ 5 l/min
Weight (g)	28	18	9
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 15M
Sampling port	Luer-Lock with tethered cap	Luer-Lock with tethered cap	Luer-Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years	5 years
Product	PVC-free/Latex free	PVC-free/Latex free	PVC-free/Latex free

SPECIFICATIONS

	HME HumidStar® 2	HME HumidStar® Trach
Deadspace (ml)	2	8
Recommended tidal volume (ml)	10 to 30	100 to 1,500
Moisture loss* (mg H_2O/l air)	6.4 @ Vt 50 ml	10.8 @ Vt 500 ml
Moisture output (mg H_2O/l air)	37.6	33.2
Resistance (mbar)	1.9 @ 15 l/min	0.2 @ 30 l/min
Weight (g)	3.5	4.5
ISO connectors	15M – 15F	15F
Sampling port	–	O_2 port
Housing	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years
Product	PVC-free/Latex free	PVC-free/Latex free

Cleanroom manufactured according to EN ISO 14644-1:1999.

*According to ISO EN 9360-1:2000.
**According to EN 1822-1:1998.

Not all articles are available worldwide.

BREATHING SYSTEM FILTERS AND HMEs

A	**Microbial filter for breathing system, ISO-CLIC, reusable, 5 pcs.**	**6733895**
B	**Bacterial filter connection set, for inspiratory port of Babylog, without filter**	**8410230**

A

MT-865-2002

B

MT-0108-2008

Not all articles are available worldwide.

CO_2 CUVETTES

3. CO_2 CUVETTES

CO_2 cuvettes are designed for the monitoring of CO_2 concentration during patient ventilation.

3.1 DISPOSABLE

A	**CO_2 cuvette disposable, A, 10 pcs.**	**MP01062**
B	**CO_2 cuvette disposable, P, 10 pcs.**	**MP01063**

3.2 REUSABLE

C	**CO_2 cuvette reusable, A, for CO_2 sensors 6871500, 6870300, 6871950**	**6870279**
D	**CO_2 cuvette reusable, P, for CO_2 sensors 6871500, 6870300, 6871950**	**6870280**
E	**CO_2-mainstream sensor, for Evita 2 dura®, Evita® 4 Edition and Evita® XL**	**6871500**
F	**CO_2-mainstream sensor, for Evita® Infinity® V500, Babylog VN500, Infinity® M540 and Oxylog® 3000 plus**	**6871950**

A

D-7059-2009

B

D-7061-2009

C

D-7062-2009

D

D-7060-2009

E

MT-0986-2007

F

D-14953-2010

Not all articles are available worldwide.

CATHETER MOUNTS AND AIRWAY CONNECTORS

4. CATHETER MOUNTS AND AIRWAY CONNECTORS

- Smoothbore products provide low resistance to flow while external coil reduces kinks and blockages
- Extendable product provides a lightweight and flexible solution
- Double swivel connector increases ease of use
- Double cap to maintain PEEP during suctioning or bronchoscopy
- Each catheter mount and airway connector is equipped with a red safety cap so that the system is completely closed and protected until directly prior to use on the patient
- 22F/15M connector on device side as a two-in-one solution
- Standardized connectors for safe connection to other components
- Luer-Lock port for gas sampling
- Disposable convenience enhances workflow
- PVC-free design of gas leading components eliminates risk of softeners such as DEHP.

A	**Catheter mount ErgoStar® CM 40, disp., 10 cm, double swivel elbow, 50 pcs.**	**MP01840**
B	**Catheter mount ErgoStar® CM 45, disp., 15 cm, double swivel elbow, 50 pcs.**	**MP01845**
C	**Catheter mount ErgoStar® CM 50, disp., 10 - 16 cm, extendable, 50 pcs.**	**MP01850**
D	**Catheter mount ErgoStar® CM 55, disp., 15 cm, straight, 50 pcs.**	**MP01855**
E	**Catheter mount ErgoStar® CM 60, disp., 10cm, small, double swivel elbow, 50 pcs**	**MP01860**
F	**Airway connector ErgoStar® AC 90, disp.,double-swivel elbow w/ double cap,50 pcs**	**MP01890**
G	**Airway connector ErgoStar® AC 95, disp., w/ Luer-Lock sampling port, 50 pcs.**	**MP01895**

A

MT-1922-2008

B

MT-1924-2008

C

MT-1919-2008

D

MT-1925-2008

E

MT-1923-2008

F

MT-1927-2008

G

MT-1926-2008

Not all articles are available worldwide.

NON-INVASIVE VENTILATION MASKS

5. BREATHING MASKS

5.1 NON-INVASIVE VENTILATION MASKS

ClassicStar® NIV full-face masks cover the nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing.
The mask design ensures high patient comfort combined with anatomical fit and effective seal due to individually adjustable mask cushion. The 6-point headgear provides a stable and secure fixation. Adjustable forehead support and forehead pad allow for distributing the pressure from the bridge of nose towards the forehead for more patient comfort.
All ClassicStar® NIV masks are for single patient use.
Sizing gauges for easy mask size identification as well as a pumpball are available individually (cf. Mask accessories).

A	**NIV full-face mask ClassicStar® SE, single-patient use, size S**	**MP01573**
	NIV full-face mask ClassicStar® SE, single-patient use, size M	**MP01574**
	NIV full-face mask ClassicStar® SE, single-patient use, size L	**MP01575**
B	**NIV full-face mask ClassicStar® AAV, single-patient use, size S**	**MP01570**
	NIV full-face mask ClassicStar® AAV, single-patient use, size M	**MP01571**
	NIV full-face mask ClassicStar® AAV, single-patient use, size L	**MP01572**

A

MT-0575-2007

B

D-5548-2010

Not all articles are available worldwide.

NON-INVASIVE VENTILATION MASKS

Full-face masks are often the first-line strategy in the initial management of acute respiratory failure as they cover nose and mouth. Nasal masks are often chosen if NIV therapy has to be prolonged due to improved comfort and reduced complications associated with full-face masks. Similar to ClassicStar full-face masks, the nasal mask cushion can be individually adjusted to the patient's face providing high patient comofort and effective seal. The 4-point-headgear ensures a stable and secure fixation reducing mask displacement.
All ClasssicStar NIV nasal masks are for single patient use.
Sizing gauges for easy mask size identification as well as a pumpball are available individually (cf. Mask accessories).

A	**NIV nasal mask ClassicStar® non-vented, single-patient use, size S**	**MP01623**
	NIV nasal mask ClassicStar® non-vented, single-patient use, size M	**MP01624**
	NIV nasal mask ClassicStar® non-vented, single-patient use, size L	**MP01625**
B	**NIV nasal mask ClassicStar® vented, single-patient use, size S**	**MP01620**
	NIV nasal mask ClassicStar® vented, single-patient use, size M	**MP01621**
	NIV nasal mask ClassicStar® vented, single-patient use, size L	**MP01622**

A

D-6409-2009

B

D-6399-2009

Not all articles are available worldwide.

NON-INVASIVE VENTILATION MASKS

NovaStar® TS NIV full-face masks cover the nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing. The NovaStar® TS NIV masks have very soft silicone-gel filled mask cushion. In combination with the pliable ring embedded inside the flexible, clear mask body, – which allows the mask to be bent and adjusted individually to the patient's face ('customized fit'), – the masks provide ultimate comfort and effective seal. The forehead support and forehead pad can be adapted gradually to the patient's forehead providing stable mask position and enhanced comfort. The unique magnetic clips support fast and easy fixation.
All NovaStar® TS NIV masks are for multi patient use. They can be disinfected thermally with hot steam or chemically (manually). Sizing gauges for easy mask size identification as well as replacement headgears and clips are available individually (cf. Mask accessories).

A	**NIV full-face mask NovaStar® TS SE, reusable, size S**	**MP01579**
	NIV full-face mask NovaStar® TS SE, reusable, size M	**MP01580**
	NIV full-face mask NovaStar® TS SE, reusable, size L	**MP01581**
B	**NIV full-face mask NovaStar® TS AAV, reusable, size S**	**MP01576**
	NIV full-face mask NovaStar® TS AAV, reusable, size M	**MP01577**
	NIV full-face mask NovaStar® TS AAV, reusable, size L	**MP01578**

A

D-2300-2011

B

D-2301-2011

Not all articles are available worldwide.

ANESTHESIA AND VENTILATION FACE MASKS

5.2 ANESTHESIA AND VENTILATION FACE MASKS

A

LiteStar® anesthesia face mask is for disposable use.
The teardrop shape of the mask supports an anatomical fit. The transparent mask body allows for continuous observation of the patient's condition.
The colored reinforcing ring along the mask connector provides a secure connection with the ventilation system.
The color coding of the reinforcing rings contributes to easy size identification.
Additional disposable hook rings and disposable headgears for fixation are available (cf. Mask accessories).

A	❶ **Anesthesia face mask LiteStar®, disp., w/o hook ring, size 1, premat., 30 pcs.**	**MP01501**
	❷ **Anesthesia face mask LiteStar®, disp., w/o hook ring, size 2, baby, 30 pcs.**	**MP01502**
	❸ **Anesthesia face mask LiteStar®, disp., w/o hook ring, size 3, infant, 30 pcs.**	**MP01503**
	❹ **Anesthesia face mask LiteStar®, disp., w/o hook ring, size 4, adult S, 30 pcs.**	**MP01504**
	❺ **Anesthesia face mask LiteStar®, disp., w/o hook ring, size 5, adult M, 30 pcs.**	**MP01505**
	❻ **Anesthesia face mask LiteStar®, disp., w/o hook ring, size 6, adult L, 30 pcs.**	**MP01506**

Not all articles are available worldwide.

ANESTHESIA AND VENTILATION FACE MASKS

Patient comfort and ease of use were the top priorities when developing the Dräger disposable ComfortStar® anesthesia face mask portfolio. Patient comfort is supported by teardrop or round-shaped masks and adjustable (inflatable) mask cushion which provide anatomical fit with effective seal. Non-slip ridges (sizes 4-6) and a flexible mask body provide healthcare professionals an easy and comfortable grip.
ComfortStar® scented anesthesia face masks have the same excellent benefits of the ComfortStar® standard masks, but in addition, they have added aromas. The appropriate color scheme provides optical stimulation and is intended to reduce pre-operative anxiety in patients.
All masks are pre-equipped with 'Traffic Light' colored hook rings. They are color coded for easier size identification.
Smaller sizes (0-1) have reddish color, mid-sizes (2-3) yellowish color and large sizes (4-6) grenish color.
All ComfortStar® masks are compatible with all Dräger anesthesia devices.
Pumpball as well as different headgears for fixation are available (cf. Mask accessories).

A



MT-4205-2008

A	❶ **Anesth. face mask ComfortStar®, disp., hook rg, std., size 0, premat., 20 pcs**	**MP01510**
	❷ **Anesth. face mask ComfortStar®, disp., hook rg, std., size 1, neo., 20 pcs.**	**MP01511**
	❸ **Anesth. face mask ComfortStar®, disp., hook rg, std., size 2, baby, 20 pcs.**	**MP01512**
	❹ **Anesth. face mask ComfortStar®, disp., hook rg, std., size 3, inf., 20 pcs.**	**MP01513**
	❺ **Anesth. face mask ComfortStar®, disp., hook rg, std., size 4, adt. S, 20 pcs**	**MP01514**
	❻ **Anesth. face mask ComfortStar®, disp., hook rg, std., size 5, adt. M, 20 pcs**	**MP01515**
	❼ **Anesth. face mask ComfortStar®, disp., hook rg, std., size 6, adt. L, 20 pcs**	**MP01516**

Not all articles are available worldwide.

ANESTHESIA AND VENTILATION FACE MASKS

A	❶ Anesth. face mask ComfortStar®, disp., hook rg, strawb., size 1, neo., 20 pcs.	MP01521
	❷ Anesth. face mask ComfortStar®, disp., hook rg, strawb., size 2, baby, 20 pcs.	MP01522
	❸ Anesth. face mask ComfortStar®, disp., hook rg, strawb., size 3, inf., 20 pcs.	MP01523
	❹ Anesth. face mask ComfortStar®, disp., hook rg, strawb., size 4, adt. S, 20 pcs	MP01524
B	❶ Anesth. face mask ComfortStar®, disp., hook rg, bubblg., size 1, neo., 20 pcs.	MP01531
	❷ Anesth. face mask ComfortStar®, disp., hook rg, bubblg., size 2, baby, 20 pcs.	MP01532
	❸ Anesth. face mask ComfortStar®, disp., hook rg, bubblg., size 3, inf., 20 pcs.	MP01533
	❹ Anesth. face mask ComfortStar®, disp., hook rg, bubblg., size 4, adt. S, 20 pcs	MP01534
C	❶ Anesthesia face mask ComfortStar®, disp., hook rg, mint, size 3, inf., 20 pcs.	MP01543
	❷ Anesth. face mask ComfortStar®, disp., hook rg, mint, size 4, adult S, 20 pcs.	MP01544
	❸ Anesth. face mask ComfortStar®, disp., hook rg, mint, size 5, adult M, 20 pcs.	MP01545
	❹ Anesth. face mask ComfortStar®, disp., hook rg, mint, size 6, adult L, 20 pcs.	MP01546

A

MT-4170-2008

B

MT-4126-2008

C

MT-4149-2008

Not all articles are available worldwide.

ANESTHESIA AND VENTILATION FACE MASKS

All-round masks can be adjusted to the patient's face by increasing or decreasing the air in the mask cushion. Thus, the mask provides enhanced patient comfort and effective seal. The All-round masks are for application on pediatrics and adults. They are reusable.

A	❶ Face mask All-round, reusable, size 1, small	2165732
	❷ Face mask All-round, reusable, size 2, medium	2165740
	❸ Face mask All-round, reusable, size 3, large	2165759
	Sealing plug for All-round face masks	M14737

A

MT-22-97

R. Foregger, a chemist and manufacturer of anesthesia equipment, participated in and contributed to numerous practical and scientific endeavors that have been benefitted the development of anesthesiology throughout the world during the first half of the 20th century.
The Foregger anesthesia masks have become well-known for the application of anesthetics in pediatrics as well as in adults. They are reusable.

B	Foregger face mask, reusable, size 1, extrasmall	2165910
	Foregger face mask, reusable, size 2, small	2166097
	Foregger face mask, reusable, size 3, medium	2166100
	Foregger face mask, reusable, size 4, large	2166119

B

MT-0729-2008

Not all articles are available worldwide.

ANESTHESIA AND VENTILATION FACE MASKS

L. Rendell-Baker, one of the leading anesthetists in the U.K. and U.S., developed together with D. Soucek a face mask especially for newborns and pediatrics, which increased patient safety in the operation rooms in the ‘60s.
Since then, the Rendell-Baker mask has become a worldwide standard for the application of anesthetics in newborns and pediatrics. Rendell-Baker masks are reusable.

A

MT-0731-2008

A	**Rendell-Baker face mask, reusable, size 0, premature baby**	**M22764**
	Rendell-Baker face mask, reusable, size 1, neonate	**M14631**
	Rendell-Baker face mask, reusable, size 2, baby	**M14632**
	Rendell-Baker face mask, reusable, w/ hook ring, size 3, infant	**M14633**

Not all articles are available worldwide.

ANESTHESIA AND VENTILATION FACE MASKS

New silicone masks are made of medical grade silicone because this is generally considered the material of choice for its superior ability to conform to the patient's facial anatomy. The field of application for the masks includes anesthesia and mask ventilation for pediatric and adult patients. The masks are available in various shapes and sizes. The smaller sizes have a rather round shape in order to provide comfortable fit and effective seal for the faces of infants. The bigger sizes have an anatomically formed teardrop shape to ensure convenient fit and seal for facial contours of adult patients. New silicone face masks have a flexible, soft and transparent mask body. The mask body design provides a comfortable grip. Shape and material allow for safe handling by doctors and nurses. The silicone masks are reusable.

A



D-2299-2011

B



D-9399-2011

A	❶	**Silicone face mask, reusable, size 0, small neonate**	**MP01910**
	❷	**Silicone face mask, reusable, size 1, large neonate**	**MP01911**
	❸	**Silicone face mask, reusable, size 2, small child**	**MP01912**
	❹	**Silicone face mask, reusable, size 3, large child**	**MP01913**
	❺	**Silicone face mask, reusable, size 4, small adult**	**MP01914**
	❻	**Silicone face mask, reusable, size 5, large adult**	**MP01915**
B	❶	**Silicone face mask, reusable, size 0, small neonate**	**2121018**
	❷	**Silicone face mask, reusable, size 1, large neonate**	**2121026**
	❸	**Silicone face mask, reusable, size 2, round, small child**	**2121034**
	❹	**Silicone face mask, reusable, size 2, teardrop, small adult**	**2120194**
	❺	**Silicone face mask, reusable, size 5, large adult**	**2120186**

Additional mask accessories, e. g. reusable hook rings as well as reusable headgears are available for fixation (cf. Mask accessories).

Not all articles are available worldwide.

AEROSOL AND OXYGEN (O_2) THERAPY MASKS

5.3 AEROSOL AND OXYGEN (O_2) THERAPY MASKS

Oxygen therapy is the administration of oxygen at a concentration higher than in ambient air.
The purpose is to prevent and/or treat the symptoms and manifestation of hypoxia. Aeorsol therapy is used to administer medicine in the patient airways/lungs in order to reduce inflammation caused by different respiratoy conditions.
The aerosol and oxygen therapy masks are for disposable use.

A	**Oxygen mask, w/ tubing (2.1 m), medium concentration, adult, 50 pcs.**	**MX30101**
B	**Oxygen mask, w/ tubing (2.1 m) and reservoir, high concentr., adult, 50 pcs.**	**MX30108**
C	**Aerosol mask, adult, 30 pcs.**	**2M85911**

A

MT-0807-2008

B

MT-2359-2004

C

D-1535-2009

Not all articles are available worldwide.

MASK ACCESSORIES

5.4 MASK ACCESSORIES

There are three different headgears in small and large designs offering patients and physicians a soft, elastic, lightweight fixation of disposable and/or reusable anesthesia/ventilation masks.

A	❶	Headgear, reusable, silicone, small	MP01557
	❷	Headgear, reusable, silicone, large	MP01558
B	❶	Headgear, reusable, soft fabric, small	MP01559
	❷	Headgear, reusable, soft fabric, large	MP01560
C	❶	Headgear, reusable, soft rubber, small	MP01561
	❷	Headgear, reusable, soft rubber, large	MP01562
D		Headgear for NovaStar® TS SE NIV full-face mask	MP01583
E		Headgear for NovaStar® TS AAV NIV full-face mask	MP01584

A

D-35634-2009

B

D-35633-2009

C

D-35632-2009

D

MT-4497-2007

E

MT-4498-2007

Not all articles are available worldwide.

MASK ACCESSORIES

The Dräger sizing gauges help to chose the right NIV mask size – there is no need to open the mask bag.
Sizing gauges are included in every NIV mask package; they can also be seperatly orderd as a set of 3 pcs.

A **Sizing gauge for ClassicStar® SE/AAV NIV full-face masks, 3 pcs.** **MP01592**

B **Sizing gauge for ClassicStar® non-vented/vented NIV nasal masks, 3 pcs.** **MP01632**

C **Sizing gauge for NovaStar® TS SE/AAV NIV full-face masks, 3 pcs.** **MP01591**

A

MT-0546-2008

B



D-9362-2009

C

MT-0469-2008

Not all articles are available worldwide.

MASK ACCESSORIES

A	❶	Hook ring for LiteStar® anesth. face masks, disp.,15 mm OD,for sizes 1-2, 30 pcs	MP01551
	❷	Hook ring for LiteStar® anesth. face masks, disp.,15 mm ID,for sizes 3-6, 30 pcs	MP01552
B	❶	Hook ring for silicone face masks, reus., 15 mm OD, for sizes 0-1, 10 pcs.	MP01916
	❷	Hook ring for silicone face masks, reus., 22 mm ID, for sizes 2-5, 10 pcs.	MP01917
		Hook ring for All-round and Foregger face masks	M11044
C		Elbow for CPAP masks, disposable	8409683
D		Magnetic clip for headgears for NovaStar® TS SE and AAV, 4 pcs.	MP01585
E		Two-sided pump ball for air management	MP01590

A

MT-11189-2006

B

MT-4102-2008

C

D-1458-2009

D

MT-0544-2008

E

MT-11178-2006

Not all articles are available worldwide.

DEVICE RELATED ACCESSORIES

6. DEVICE RELATED ACCESSORIES

A	Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776
	Expiratory valve for Evita®, reusable	8410580
	Membrane for Evita 2 dura®, Evita® 4, Evita® XL, for expiratory valve	8412015
	Water trap for Evita 2 dura®, Evita® 4, Evita® XL, reusable	8413125
B	Expiratory valve for Evita® V500, disposable, Infinity ID, 10 pcs.	MP01060
	Expiratory valve for Evita Infinity® V500, reusable	8416750
C	Expiratory valve for Savina®, disposable, 10 pcs.	MP01061
	Expiratory valve for Savina®, reusable	8413660
	Expiratory valve for Savina® 300, reusable	8417050
D	Expiratory valve for Carina, disposable	MP00220
E	Leakage valve for Carina SyncVent, disposable, 5 pcs.	MP00224
	Expiratory valve for Babylog® 8000	8408950
	Expiratory valve for Babylog® VN 500, reusable	8415270

A

MT-9363-2006

B

D-19383-2009

C

D-19396-2009

D

D-987-2010

E

MT-1985-2008

Not all articles are available worldwide.

DEVICE RELATED ACCESSORIES

A	Bacterial filter for Dräger patient monitors, reusable	8402868
B	Activated charcoal filter for absorption of anesthetic vapors, disp., 5 pcs.	6724492

A

MT-0107-2008

B

D-1531-2009

Not all articles are available worldwide.

NON DEDICATED ACCESSORIES

7. NON DEDICATED ACCESSORIES

A	**Man. breathing bag MR-100, reus., ltx-fr., A, w/ pressure valve, 60±10mbar***	**5702881**
B	**Man. breathing bag MR-100, reus., ltx-fr., P, w/ press. valve, relief >40±5mbar***	**5702321**
B	**Man. breathing bag MR-100, reus., ltx-fr., N, w/ press. valve, relief >40±5mbar***	**5702322**

*Made by GaleMed Corporation, Taiwan.

A

MT-0164-2006

B

MT-0166-2006

Not all articles are available worldwide.

PACK2GO®

8. PACK2GO®

Dräger has developed a comprehensive range of disposable accessories. These accessories can now also be ordered together in a Pack2Go® package, in order to benefit the hospital's costs and logistical/clinical processes. Pack2Go® package solutions include dedicated Dräger and general accessories, which can be used as a system solution with Dräger devices.

A	**Pack2Go® Evita NIV ventilation pack with full-face mask ClassicStar® SE, size S**	**MP01650**
	Pack2Go® Evita NIV ventilation pack with full-face mask ClassicStar® SE, size M	**MP01651**
	Pack2Go® Evita NIV ventilation pack with full-face mask ClassicStar® SE, size L	**MP01652**
	Pack2Go® Evita NIV ventilation pack with full-face mask NovaStar® TS SE, size S	**MP01653**
	Pack2Go® Evita NIV ventilation pack with full-face mask NovaStar® TS SE, size M	**MP01654**
	Pack2Go® Evita NIV ventilation pack with full-face mask NovaStar® TS SE, size L	**MP01655**
B	**Pack2Go® Evita invasive vent. pack w/ breath. circuit VentStar®,basic, + cuvette**	**MP01656**
C	**Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, basic, 1.8 m**	**MP01657**
D	**Pack2Go® Evita invasive vent. pack w/ breath. circuit VentStar®, coax, + cuvette**	**MP01676**
E	**Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, coax,1.8m**	**MP01677**

A

MT-4674-2008

B

D-7186-2010

C

D-7187-2010

D

D-10672-2011

E

D-10327-2011

Not all articles are available worldwide.

PACK2GO®

A	Pack2Go® Carina NIV ventilation pack with full-face mask ClassicStar® SE, size S	MP01663
	Pack2Go® Carina NIV ventilation pack with full-face mask ClassicStar® SE, size M	MP01664
	Pack2Go® Carina NIV ventilation pack with full-face mask ClassicStar® SE, size L	MP01665
B	Pack2Go® Carina NIV ventilation pack with full-face mask NovaStar® TS SE, size S	MP01660
	Pack2Go® Carina NIV ventilation pack with full-face mask NovaStar® TS SE, size M	MP01661
	Pack2Go® Carina NIV ventilation pack with full-face mask NovaStar® TS SE, size L	MP01662
C	Pack2Go® Savina invasive vent. pack w/ breathing circuit VentStar®, coax., 1.8 m	MP01673
D	Pack2Go® Savina invasive vent. pack w/ breathing circuit VentStar®, basic, 1.8 m	MP01674
E	Pack2Go® Oxylog 3000 plus NIV ventilation pack with CO_2 cuvette	MP01668
F	Pack2Go® Oxylog 3000/3000 plus NIV ventilation pack	MP01669
G	Pack2Go® Mini invasive ventilation pack, A	MP01671

A

D-7193-2010

B

D-7192-2010

C

D-10333-2011

D

D-10330-2011

E

D-10673-2011

F

D-10671-2011

G

D-10340-2011

Not all articles are available worldwide.

PACK2GO®

A	Pack2Go® anesthesia pack, A, w/ anesth. set, flex.+mask ComfortStar®, std., sz.5	MP01680
B	Pack2Go® anesthesia pack, A, w/ anesth. set, flex.+mask ComfortStar®, mint, sz.6	MP01681
C	Pack2Go® anesthesia pack, A, with anesthesia set, watertrap + mask	MP01682
D	Pack2Go® anesthesia pack, P, w/ anesth.set,basic + mask ComfortStar®, std., sz.3	MP01683
E	Pack2Go® anesthesia pack, P, w/ anesth.set, basic+mask ComfortStar®,strawb.,sz.3	MP01684
F	Pack2Go® Mini anesthesia pack, M, P, w/ full-face mask ComfortStar®, std., sz. 3	MP01685
G	Pack2Go® Mini anesthesia pack, L, A, w/ full-face mask ComfortStar®, std., sz. 5	MP01686

A

D-10337-2011

B

D-10336-2011

C

D-10334-2011

D

D-10335-2011

E

D-10326-2011

F

D-10339-2011

G

D-10338-2011

Not all articles are available worldwide.

HUMIDIFIER AND NEBULIZER

9. HUMIDIFIER AND NEBULIZER

A	Patient part for Aquapor EL	8405029
B	Filling kit for Aquapor EL	8405031
C	Rail clamp for Aquapor EL, for standard rail	8403345
D	Humidification module for Aquamod, 20 pcs.	8410600
E	Temperature probe for Aquamod	8408647
F	Water hose for Aquamod	8409625

A

MT-225-99

B

MT-211-99

C

MT-2666-2004

D

MT-2675-2004

E

MT-2670-2004

F

MT-2671-2004

Not all articles are available worldwide.

HUMIDIFIER AND NEBULIZER

	Module holder for Incubator 8000, for humidification module Aquamod	**8410535**
A	**Module holder for Incubator 7520 and non-Dräger incubators**	**8410536**
B	**Thermometer for simple temperature monitoring in the breathing circuit**	**2M13259**
C	**Temperature probe for Aquapor EL**	**8405371**

A

MT-2-1059-94

B

D-1532-2009

C

D-2368-2011

Not all articles are available worldwide.

HUMIDIFIER AND NEBULIZER

A	Humidifier chamber for F&P MR 290, disposable, 10 pcs.	8418282
A	Humidifier chamber for F&P MR 290, disposable, 40 pcs.	8418283
B	Humidifier chamber F&P MR 340, reusable, N/P, with 100 pcs. filter paper	8411047
C	Humidifier chamber F&P MR 370, reusable, A, with 100 pcs. filter paper	8412217
D	Filter paper for F&P MR 340, 100 pcs.	8411073
E	Filter paper for F&P MR 370, 100 pcs.	8412218

A

MT-0099-2004

B

MT-148-98

C

MT-296-94

D

MT-297-94

E

MT-298-94

Not all articles are available worldwide.

HUMIDIFIER AND NEBULIZER

A	Rail clamp for F&P humidifier	8411074
B	Holder for F&P humidifier U-shaped, for trolley, with rail clamp	MP01002
C	Water bag holder 900 MR 290	MP01008
D	Hose heater for F&P MR 700/730, 70 cm	8411154
D	Hose heater, A , 1.1 m	8411045
E	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit	8414993
F	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit	8414969

A

MT-139-98

B

MT-1883-2004

C



MT-7701-2006

D

MT-2264-2004

E

MT-2266-2004

F

MT-2263-2004

Not all articles are available worldwide.

HUMIDIFIER AND NEBULIZER

A	Dual temperature probe for F&P MR 700/730, 1.1 m	8411048
B	Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m	8414989
B	Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m	8414966
C	Hose heater adapter for F&P MR 700/730, for reusable breathing circuit	8411097
D	Hose heater adapter for F&P MR 850, for reusable breathing circuit	8414968
E	Hose heater adapter for F&P MR 700/730, for disposable breathing circuit	8418462
F	Hose heater adapter for F&P MR 850, for disposable breathing circuit	8414992

A

MT-141-98

B

MT-2265-2004

C

MT-2678-2004

D

MT-2262-2004

E

MT-2268-2004

F

MT-2261-2004

Not all articles are available worldwide.

HUMIDIFIER AND NEBULIZER

A	Hose heater adapter for F&P MR 850, for third-party breathing circuit	MP01001
B	Hose heater adapter for F&P MR 730, for third-party breathing circuit	8418433
C	Hose heater adapter for F&P MR 850, for double-heated disp. breathing circuit	MP01006
D	Draw wire for hose heater 1.5 m, for reusable breathing circuit	8411050
E	Temperature probe adapter 900 MR 532, for F&P humidifiers	MP01007

A

MT-1887-2004

B

MT-2267-2004

C

MT-4048-2006

D



MT-142-98

E

MT-4036-2006

Not all articles are available worldwide.

HUMIDIFIER AND NEBULIZER

A	**Medication nebulizer for Babylog® 8000 with quick connector**	**8411030**
B	**Medication nebulizer for Evita 2 dura®, Evita® 4, Evita® XL, Savina®**	**8412935**
C	**Pneumatic medication nebulizer, for Evita® and Evita® 2**	**8405000**
D	**Connector set for med. nebulizer, for neonatal breathing circuit**	**8411031**
	Nebulizer hose	**8412985**

A

MT-2258-2004

B

MT-2-1350-95

C

D-2367-2011

D

D-9107-2009

Not all articles are available worldwide.

HUMIDIFIER AND NEBULIZER

Aeroneb Pro works with an electronic micropump. The nebulizer can be used with Evita 2 dura®, Evita® 4, Evita® XL, Savina® und Babylog® 8000. Aeroneb Pro is ideally suited to nebulizer therapy requirements for inline mechanical ventilation and it accommodates all patient age ranges from neonates to adults. It operates without changing patient ventilator parameters, without heating or degrading medications and it can be refilled without interrupting ventilation.

A	**Medication nebulizer Aeroneb Pro**	**MP01010**
B	**Nebulizer unit with filler cap for Aeroneb Pro**	**MP01030**
C	**T-piece with plug for Aeroneb Pro, A, ISO 22 mm, 5 pcs.**	**MP01031**
D	**T-piece set with plug for Aeroneb Pro, P, 15 mm, w/ adapter 10mm f. neo., 5 pcs.**	**MP01032**
E	**T-connector for Aeroneb Pro, 12 mm, with plug, 5 pcs.**	**MP01037**
F	**Controller cable for Aeroneb Pro**	**MP01036**
G	**Filler cap for Aeroneb Pro, silicone, 5 pcs.**	**MP01035**

A

MT-957-2005

B

MT-0939-2005

C

MT-0944-2005

D

MT-0942-2005

E

MT-7733-2006

F

MT-4044-2006

G

MT-4039-2006

Not all articles are available worldwide.

Sensors

SOMETHING YOU CAN COUNT ON:

- Highly sensitive measuring technology for fast and accurate results
- 100 percent system compatibility with Dräger devices and systems
- High measuring accuracy – guaranteed through Dräger's above-average quality standards and confirmed by extensive testing

2

CONTENT

SENSORS 87

NOTES

SENSORS

Flow sensors by Dräger

Hot-wire anemometry: Accurate and intelligent flow measurement
Spirolog®, neonatal flow sensors and SpiroLife® are based on proven hot-wire anemometry techniques. Due to extremely fast and accurate measurement results, as well as extremely low inspiratory and expiratory resistances, it is clearly superior to other methods. You only need one flow sensor for all patients. Neonatal flow sensors offer customized solutions for the sole exception of the specific needs of neonates in intensive care. The sterilizable neonatal flow sensors and SpiroLife® combine the advantages of hot-wire technology with the possibility of sterilizability. Therefore, they integrate seamlessly into your hospital's sterilization processes.

A	**Flow sensor Spirolog®, ABS, disinfectable, 5 pcs.**	**8403735**
B	**Flow sensor Infinity® ID, ABS, disinfectable, 5 pcs.**	**6871980**
C	**Flow sensor SpiroLife®, PPSU, disinfectable and sterilizable**	**MK01900**
D	**Neonatal flow sensor with Y-piece, PSU, disinfectable and sterilizable**	**8410185**
E	**Neonatal flow sensor ISO 15, PSU, disinfectable and sterilizable**	**8411130**
F	**Insert for neonatal flow sensor, PSU, disinfectable and sterilizable**	**8410179**

Differential pressure measurement: proven technology for emergencies
The sterilizable reusable flow sensor for the emergency room is based on the proven principle of differential pressure measurement. Because of its robustness, it really is the ideal solution for the specialties of the emergency room. The pressure differential sensor is used on Oxylog® 3000 plus, Oxylog® 3000 and Oxylog® 2000 plus.

Whichever Dräger flow sensor you choose – you can be sure to have made the right choice with our extensive family of flow sensors.

G	**Pressure difference flow sensor, PPSU, disinfectable and sterilizable**	**8412034**

A

D-7351-2011

B

MT-2086-2007

C

D-7350-2011

D

MT-351-2003

E

D-9121-2009

F

MT-0510-2007

G

MT-3017-2004

Not all articles are available worldwide.

SENSORS

A	Flow sensor cable, for neonatal flow sensor, e.g., Babylog	8409626
B	MRI flow sensor extension cable, for MRI patient monitor	8306370
C	Flow sensor connection cable	8305622
D	Flow sensor cable for V500 with Neo option and VN500	8416600

A

MT-2672-2004

B

MT-2665-2004

C

MT-2664-2004

D

D-9315-2011

Not all articles are available worldwide.

SENSORS

Oxygen sensors by Dräger

Oxygen for Life
Oxygen sensors have the important task of measuring and monitoring the inspiratory and/or expiratory O_2 concentration in anesthesia and respiratory devices. Oxygen sensors from Dräger satisfy the highest national and international requirements. Furthermore, they have been extensively tested and fine-tuned for proper functional performance with Dräger devices and systems. Dräger's years of experience in the field of sensors, and their high quality has even convinced NASA. Dräger O_2 sensors are electrochemical transducers used to measure O_2 partial pressure. They operate on the principle of a galvanic cell.
Examples of locations where the sensors are used include the Fabius® family, Evita® family and the Primus®.
To take into account the high value of oxygen measurement, we only recommend using O_2 sensors from Dräger.

A	**O_2 sensor capsule, for mainstream measurement**	**6850645**
B	**Fast O_2 sensor, for sidestream measurement**	**6850930**
C	**O_2 sensor Oxytrace VE, for Savina® ventilator**	**MX01049**
D	**O_2 sensor housing Oxydig, for O_2 sensor capsule, with spiral cable**	**6850250**
E	**O_2 sensor housing Anemone, for O_2 sensor capsule, with smooth cable**	**6850720**

A

MT-423-2002

B

MT-0501-2007

C

D-34335-2009

D

MT-2662-2004

E

MT-2663-2004

Not all articles are available worldwide.

Soda lime

SOMETHING YOU CAN COUNT ON:

– High quality soda lime – directly from the manufacturer of the anesthesia device

– Drägersorb CLIC, disposable absorber:
  - even greater ease of use
  - easier handling thanks to hygienic, practical cartridge
  - no contact with the soda lime when replacing the cartridge
  - no dust exposure
  - cost savings: absorber filling is used up completely
  - easy to replace absorber at any time – even during surgery

3

CONTENT

SODA LIME 93

NOTES

SODA LIME

A	Soda lime Drägersorb® 800+, for CO_2 absorption, canister, 5 L, 2 pcs.	MX00001
B	Soda lime Drägersorb® Free, for CO_2 absorption, canister, 5 L, 2 pcs.	MX50050
C	Canister opener, for canisters MX00001 and MX50050, 5 pcs.	MX10209
D	CO_2 absorber CLIC 800+, disposable absorber, 1.2 L, 6 pcs.	MX00004
E	CO_2 absorber CLIC Free, disposable absorber, 1.2 L, 6 pcs.	MX50100
F	CO_2 absorber CLIC 800+, disposable absorber, 1.2 L, with RFID, 6 pcs.	MX50004
G	CO_2 absorber CLIC Free, disposable absorber, 1.2 L, with RFID, 6 pcs.	MX50120

A

D-12684-2010

B

D-12685-2010

C

MT-2357-2004

D

MT-2004-2008

E

MT-2000-2008

F

D-15686-2009

G

D-33673-2009

Not all articles are available worldwide.

SODA LIME

A	Absorber adapter CLIC, for Dräger anesthesia workstations	MX50090
B	Absorber intermediate plate, to connect adapter to Cato, Cicero, or Fabius	MX00013
C	Absorber adapter CLIC Zeus, for Zeus anesthesia workstation	MX50080
D	Bacteria filter IBF absorber, only use with Zeus®/Zeus® IE. 5 pcs.	MK02588

A

D-565-2009

B

MT-3307-2004

C

MT-8255-2005

D

MT-4622-2005

Not all articles are available worldwide.

Monitoring accessories

4

SOMETHING YOU CAN COUNT ON:

- The right accessory for every need (such as disposable and reusable products)
- Precise measurement data thanks to the highest medical technological standard
- Disposable accessories:
  - Prevention of cross infection in hospital
  - Simplify and speed up the workflow
- MonoLead®
  - ECG single cable solution that can replace conventional multi-cable systems
- MultiMed® Pods
  - Unify ECG, pulse oximetry and temperature monitoring in one cable
  - Reduce cable clutter

CONTENT

MONITORING ACCESSORIES

1. Infinity® Monitoring: Gamma, Delta, Kappa and Vista series 99

1.1 MultiMed® Pods 99
1.2 Electrocardiography (ECG) 101
1.3 Pulse oximetry (SpO_2) 107
1.4 Temperature 119
1.5 Non-invasive blood pressure (NIBP) 121
1.6 CNAP continuous non-invasive arterial pressure 125
1.7 Invasive blood pressure (IBP) and cardiac output (CO) 126
1.8 Infinity® PiCCO 135
1.9 Bispectral index (BIS) 137
1.10 Electroencephalography (EEG) 137
1.11 Neuromuscular Transmission (NMT) 138
1.12 $etCO_2$ and respiratory mechanics 139
1.13 Scio 144
1.14 Transcutaneous monitoring (tpO_2/$tpCO_2$) 145
1.15 Oxygen measurement for Neonates (FiO_2) 145
1.16 Recorder paper 145
1.17 Power sources 146

2. Infinity® Acute Care System 147

2.1 Electrocardiography (ECG) 147
2.2 Pulse oximetry (SpO_2) 150
2.3 Temperature 153
2.4 Non-invasive blood pressure (NIBP) 155
2.5 Invasive blood pressure (IBP) and cardiac output (CO) 159
2.6 $etCO_2$ 161

3. Infinity® M300 162

3.1 Electrocardiography (ECG) 162
3.2 Pulse oximetry (SpO_2) 166
3.3 Pouch 173
3.4 Codensation 173

4. Infinity® TruST™ Telemetry 175

4.1 Electrocardiography (ECG) 175
4.2 Pouch 175

5. Infinity® MicrO_2+® 176

5.1 SpO_2 176
5.2 Pouch 179
5.3 Power sources 179

6. PM 8010, PM 8014, PM 8060, PM 8060 Vitara, Julian®, Cicero® EM, Parameterbox, Dialog 2000 180

6.1 Electrocardiography (ECG) 180
6.2 Pulse oximetry (SpO_2) 182
6.3 Non-invasive blood pressure (NIBP) 187
6.4 Invasive blood pressure (IBP) 189
6.5 Temperature 189
6.6 Electroencephalography (PEEG) 189

NOTES

MULTIMED® PODS

1. INFINITY® MONITORING: GAMMA, DELTA, KAPPA AND VISTA SERIES

1.1 MULTIMED® PODS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO_2, and temp., 1.5 m	5950196	■	■	■	■	■	■	■
	Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO_2, and temp., 2.5 m	3368391	■	■	■	■	■	■	■
B	Multiparameter cable MultiMed® 6 Pod, for ECG, resp., SpO_2, and temp., 2.5 m	5191221	■	■	■	■	■	■	■
C	Multiparameter cable MultiMed® plus, for ECG, resp., SpO_2, and temp., 2.5 m	MS20093	■	■	■	■	■	■	■
D	Multiparameter cable MultiMed® plus OR, for ECG, resp., SpO_2, and temp., 2.5 m	MS20094	■	■	■	■	■	■	■
E	Multiparameter cable NeoMed Pod, for ECG, resp., SpO_2, temp., and FiO_2, 2.5 m	5590539	■	■	■	■	■	■	■
F	Patient parameter unit MultiMed® 12 Pod	5589663			■	■	■		

A

MT-0858-2008

B

MT-0855-2008

C

MT-5680-2005

D

MT-5679-2005

E

D-1466-2009

F

MT-0856-2008

Not all articles are available worldwide.

MULTIMED® PODS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Holder for MultiMed® 12 Pod	5202747			■	■	■		
B	Pod connection cable, 30 cm	7257988	■		■	■	■		
	Pod connection cable, 3 m	3368425	■		■	■	■		
	Pod connection cable, 5 m	5195198	■		■	■	■		
C	Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods, swiveling 360°	MP00721	■	■	■	■	■	■	■
D	Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods	5598128	■	■	■	■	■	■	■
	Universal pole mount	7485621	■	■	■	■	■	■	■
E	Hinged arm Quickstop, for attaching and positioning Dräger pods	2M86464	■	■	■	■	■	■	■
F	Extension set, for Quickstop hinged arm 2M86464	MP00653	■	■	■	■	■	■	■

A



D-8990-2009

B

D-8951-2009

C

MT-8451-2005

D

D-9020-2009

E

MT-317-2008

F

MT-1641-2007

Not all articles are available worldwide.

ELECTROCARDIOGRAPHY (ECG)

1.2 ELECTROCARDIOGRAPHY (ECG)

MONOLEAD® SINGLE-PIN CONNECTOR

ECG single-pin connectors can be connected directly to MultiMed plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.

MonoLead® is an ECG single cable solution patented by Dräger that replaces multi-cable systems.
The single tangle-proof lead set accommodates standard electrodes while eliminating the tangled mess that frequently occurs with traditional multi-lead sets.

Note: Not for use with Infinity® TruST™ Telemetry.

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	**ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (Eur. color code), 2m**	**MS14555**	■	■	■	■	■	■
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color c.), 2m	**MS14556**	■	■	■	■	■	■
B	**ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (Eur. color c.), 2.5m**	**MS14559**	■	■	■	■	■	■
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US c. c.), 2.5 m	**MS14560**	■	■	■	■	■	■
C	**ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (Eur. color c.), 3 m**	**MS14683**	■	■	■	■	■	■
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color c.),3 m	**MS14682**	■	■	■	■	■	■
D	**ECG cable, 6-lead, single-pin connector MonoLead® 6 OR, IEC1 (Eur. color code), 4.8m***	**MS17185**	■	■	■	■	■	■

*Note: Not for use with Infinity® M300.

A

MT-8510-2005

B

MT-353-2008

C



MT-8497-2005

D

D-7685-2010

Not all articles are available worldwide.

ELECTROCARDIOGRAPHY (ECG)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	MONOLEAD® DUAL PIN CONNECTOR								
	ECG dual-pin connectors can be connected directly to MultiMed® 5,6 and MultiMed® 12.								
A	**ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC1 (Eur. color code), 2 m**	**MS16160**	■	■	■	■	■	■	■
	ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2m	**MS16233**	■	■	■	■	■	■	■
B	**ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC1 (Eur. color code), 2.5m**	**MS16161**	■	■	■	■	■	■	■
	ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC2 (AHA/US color c.), 2.5m	**MS16229**	■	■	■	■	■	■	■
	CHESTLEADS FOR USE WITH MULTIMED® 12								
	ECG dual-pin connectors can be connected directly to MultiMed® 12.								
	ECG cable for C lead MonoLead® 5, IEC1 (European color code), 1.5 m	**MS16232**			■	■	■		
	ECG cable for V lead MonoLead® 5, IEC2 (AHA/US color code), 1.5 m	**MS16230**			■	■	■	■	

A



MT-5687-2005

B

MT-5688-2005

Not all articles are available worldwide.

ELECTROCARDIOGRAPHY (ECG)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR								
	ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.								
A	**ECG cable, 3-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1 m**	**MP00875**	■	■	■	■	■	■	■
	ECG cable, 3-lead, single-pin conn., single-pat. use, IEC2 (AHA/US c. c.), 1 m	**MP00877**	■	■	■	■	■	■	■
B	**ECG cable, 5-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1/1.5 m**	**MP00879**	■	■	■	■	■	■	■
	ECG cable, 5-lead, single-pin conn., single-pat. use, IEC2 (AHA/US c.c.), 1/1.5m	**MP00881**	■	■	■	■	■	■	■
	REUSABLE ECG LEADS SINGLE-PIN CONNECTOR								
	ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.								
C	**ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m**	**MS16159**	■	■	■	■	■	■	■
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	**MS16231**	■	■	■	■	■	■	■
D	**ECG cable, 5-lead, single-pin connector, IEC1 (Eur. color code), 1 m**	**MS16158**	■	■	■	■	■	■	■
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	**MS16546**	■	■	■	■	■	■	■
E	**ECG cable, 6-lead, single-pin connector, IEC1 (Europ. color code), 1 m**	**MS16157**	■	■	■	■	■	■	■
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code)	**MS16547**	■	■	■	■	■	■	■

A

D-13563-2010

B



D-13565-2010

C

MT-347-2008

D

MT-8499-2005

E

MT-349-2008

Not all articles are available worldwide.

ELECTROCARDIOGRAPHY (ECG)

GAMMA / GAMMA XL | GAMMA X XL | DELTA / DELTA XL | KAPPA | KAPPA XLT | VISTA | VISTA XL

REUSABLE ECG LEADS DUAL-PIN KONNEKTOR

ECG dual-pin connectors can be connected directly to MultiMed® 5,6 and MultiMed® 12.

A	ECG cable, 3-lead, dual-pin connector, IEC1 (European color code), 1 m	5956433
	ECG cable, 3-lead, dual-pin connector, IEC2 (AHA/US color code), 1 m	5956441
B	ECG cable, 5-lead, dual-pin connector, IEC1 (European color code), 1 m	5956466
	ECG cable, 5-lead, dual-pin connector, IEC2 (AHA/US color code), 1 m	5956458
C	ECG cable, 6-lead, dual-pin connector, IEC1 (European color code), 1 m	5956482
	ECG cable, 6-lead, dual-pin connector, IEC2 (AHA/US color code), 1 m	5956474
D	ECG cable, 5-lead, dual-pin connector, radiotranslucent, IEC2, 1.5 m	5734418

CHESTLEADS FOR USE WITH MULTIMED® 12

ECG dual-pin connectors can be connected directly to MultiMed® 12.

E	ECG cable for C lead, IEC1 (European color code), 1.5 m	5956508
	ECG cable for V lead, IEC2 (AHA/US color code), 1.5 m	5956490

A

D-1604-2009

B



D-9033-2009

C

D-9034-2009

D

D-9024-2009

E

MT-2661-2004

Not all articles are available worldwide.

ELECTROCARDIOGRAPHY (ECG)

GAMMA / GAMMA XL | GAMMA X XL | DELTA / DELTA XL | KAPPA | KAPPA XLT | VISTA | VISTA XL

ELECTRODES

A	ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024

NEONATAL ECG

C	Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.	5194779
D	ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024

A

D-8966-2009

B

D-8983-2009

C

D-2341-2011

D

D-9001-2009

Not all articles are available worldwide.

ELECTROCARDIOGRAPHY (ECG)

ECG ACCESSORIES

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	ECG adapter for single-pin ECG cable to MultiMed® 5 — MS14679	■	■	■	■	■	■	■
	ECG adapter for single-pin ECG cable to MultiMed® 6 — MS14680	■	■	■	■	■	■	■
	Telemetry cable adapter, connects single-pin cable to telemetry transmitter — MS14681	■	■	■	■	■	■	■
B	ECG extension cable, single-pin connector, 2 m — MS16256	■	■	■	■	■	■	■
C	ECG extension cable, dual-pin connector, 2 m — MS16492	■	■	■	■	■	■	■
D	ECG ESU block, for OR use of 3- or 5-lead ECG cables with MultiMed® 5 — 5947226	■	■	■	■	■	■	■
E	ECG ESU block, for OR use of 3-, 5-, or 6-lead ECG cables with MultiMed® 6 — 7486140	■	■	■	■	■	■	■

A

MT-2716-2004

B

D-1599-2009

C

MT-350-2008

D

D-9016-2009

E

D-9039-2009

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

GAMMA / GAMMA XL | GAMMA X XL | DELTA / DELTA XL | KAPPA | KAPPA XLT | VISTA | VISTA XL

1.3 PULSE OXIMETRY (SPO_2)

DRÄGER

DRÄGER CABLES

SpO_2 intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	SpO_2 extension cable Dräger/Nellcor®, for MultiMed 5/6 and NeoMed pods, 1 m	3368433	■	■	■	■	■	■	■
	SpO_2 extension cable Dräger/Nellcor®, for MultiMed 5/6 and NeoMed pods, 2 m	3375834	■	■	■	■	■	■	■

SpO_2 intermediate cables for connection to MultiMed® plus/plus OR and Infinity® M300.

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
B	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 1.2 m	MS18683	■	■	■	■	■	■	■
C	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 3 m	MS17330	■	■	■	■	■	■	■

A

MT-344-2008

B

D-2394-2011

C

D-2393-2011

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	DRÄGER REUSABLE SENSOR								
A	**SpO_2 finger sensor Dräger, reusable**	**MS13235**	■	■	■	■	■	■	■
	DRÄGER DISPOSABLE SENSORS								
B	**SpO_2 adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.**	**MS16449**	■	■	■	■	■	■	■
C	**SpO_2 adhesive sensor Dräger, foam, disposable, adult, 24 pcs.**	**MS16445**	■	■	■	■	■	■	■
D	**SpO_2 adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.**	**MS16448**	■	■	■	■	■	■	■
E	**SpO_2 adhesive sensor Dräger, foam, disposable, child, 24 pcs.**	**MS16444**	■	■	■	■	■	■	■
F	**SpO_2 adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.**	**MS16447**	■	■	■	■	■	■	■
G	**SpO_2 adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.**	**MS16446**	■	■	■	■	■	■	■

A

MT-3057-2003

B

MT-8243-2005

C

MT-8242-2005

D

MT-8245-2005

E

MT-8237-2005

F

MT-8240-2005

G

MT-8238-2005

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	MASIMO®								
	MASIMO® LNOP CABLES								
	SpO_2 intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.								
A	**SpO_2 sensor cable Masimo® ProCal, for MultiMed 5/6 and NeoMed pods, 2 m**	**7492601**	■	■	■	■	■	■	■
	SpO_2 sensor cable Masimo® ProCal, for MultiMed 5/6 and NeoMed pods, 1.5 m	**MS13926**	■	■	■	■	■	■	■
	SpO_2 intermediate cables for connection to Masimo® Set Pod and Infinity® M300.								
B	**SpO_2 intermediate cable Masimo® LNOP, 1.2 m**	**MS18680**	■	■	■	■	■	■	■
	SpO_2 intermediate cable Masimo® LNOP, 3 m	**MS17041**	■	■	■	■	■	■	■
	SpO_2 intermediate cables for connection to MultiMed® plus/plus OR.								
	SpO_2 sensor cable Masimo® ProCal, for MultiMed Plus/Plus OR, 2 m	**MS20163**	■	■	■	■	■	■	■

A

D-9044-2009

B

MT-346-2008

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

MASIMO® LNOP REUSABLE SENSORS

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	SpO_2 finger sensor Masimo® LNOP DCI, reusable, adult — 7270312	■	■	■	■	■	■	■
B	SpO_2 finger sensor Masimo® LNOP DCIP, reusable, child — 7270304	■	■	■	■	■	■	■
C	SpO_2 multisite sensor Masimo® LNOP YI, reusable — 7497014	■	■	■	■	■	■	■
D	SpO_2 adhesive wrap Masimo® Cleanshield-Wrap, for LNOP YI SpO_2 sensor, 100 pcs. — 5702218	■	■	■	■	■	■	■
E	SpO_2 adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs. — 7496917	■	■	■	■	■	■	■
	SpO_2 adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs. — 7496909	■	■	■	■	■	■	■
F	SpO_2 foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO_2 sensor, 12 pcs. — 7496891	■	■	■	■	■	■	■

A

MT-72-2001

B

MT-71-2001

C

D-2365-2011

D

MT-2252-2004

E



MT-4305-2004

F

MT-4304-2004

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	SpO_2 ear sensor Masimo® LNOP TI, reusable	7497006	■	■	■	■	■	■	■
B	SpO_2 adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO_2 sensor, 12 pcs.	7496933	■	■	■	■	■	■	■
C	SpO_2 adhesive wrap Masimo®, for NeoPt SpO_2 sensor, 100 pcs.	7496925	■	■	■	■	■	■	■
D	SpO_2 clothing clip Masimo®, 5 pcs.	7496883	■	■	■	■	■	■	■
E	SpO_2 adhesive square Masimo®, 12 pcs.	7496875	■	■	■	■	■	■	■

A

D-2364-2011

B

D-2363-2011

C

D-2361-2011

D

D-2359-2011

E

D-2358-2011

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

MASIMO® LNOP DISPOSABLE SENSORS

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	SpO_2 adhesive sensor Masimo® LNOP Adt, disposable, adult, 20 pcs.	7496990	■	■	■	■	■	■
B	SpO_2 adhesive sensor Masimo® LNOP Pt, disposable, child, 20 pcs.	7496982	■	■	■	■	■	■
C	SpO_2 adhesive sensor Masimo® LNOP Neo, disposable, neonate, 20 pcs.	7496974	■	■	■	■	■	■
D	SpO_2 adhesive sensor Masimo® LNOP NeoPt, disposable, premature baby, 20 pcs.	7496966	■	■	■	■	■	■

A



MT-67-2001

B



MT-68-2001

C

MT-70-2001

D



MT-69-2001

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	SpO_2 adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO_2 sensor, 12 pcs.	5701935	■	■	■	■	■	■	■
B	SpO_2 adhesive wrap Masimo®, for NeoPt SpO_2 sensor, 100 pcs.	7496925	■	■	■	■	■	■	■
C	SpO_2 adhesive sensor set Masimo® LNOP 3 pcs. Adt + 1 pc. Pt	7496941	■	■	■	■	■	■	■
D	SpO_2 adhesive sensor set Masimo® LNOP, 3 pcs. Neo + 1 pc. NeoPt	7496958	■	■	■	■	■	■	■

A

D-2363-2011

B

D-2361-2011

C

MT-358-2008

D

MT-357-2008

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	MASIMO® LNCS CABLES								
	SpO_2 intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.								
A	**SpO_2 extension cable Dräger/Nellcor®, for MultiMed 5/6 and NeoMed pods, 1 m***	**3368433**	■	■	■	■	■	■	■
	SpO_2 extension cable Dräger/Nellcor®, for MultiMed 5/6 and NeoMed pods, 2 m*	**3375834**	■	■	■	■	■	■	■
	SpO_2 intermediate cables for connection to MultiMed® plus/plus OR.								
B	**SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 1.2 m***	**MS18683**	■	■	■	■	■	■	■
C	**SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 3 m***	**MS17330**	■	■	■	■	■	■	■
	SpO_2 intermediate cables for connection to Infinity® M300 and Masimo® SET Pod.								
D	**SpO_2 intermediate cable Masimo® LNCS, 3 m**	**MS17522**	■	■	■	■	■	■	■
E	**SpO_2 intermediate cable Masimo® LNCS, 1.2 m**	**MS24303**	■	■	■	■	■	■	■

*Note: Requires Nellcor sensor software setting.

A

MT-344-2008

B

D-2394-2011

C

D-2393-2011

D

MT-345-2008

E

MT-345-2008

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	MASIMO® LNCS REUSABLE SENSORS								
A	**SpO_2 finger sensor Masimo® LNCS DCI, reusable, adult**	**MP00796**	■	■	■	■	■	■	■
B	**SpO_2 finger sensor Masimo® LNCS DCIP, reusable, child**	**MP00795**	■	■	■	■	■	■	■
	SpO_2 Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	**MP00788**	■	■	■	■	■	■	■
	SpO_2 Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	**MP00789**	■	■	■	■	■	■	■
	SpO_2 Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	**MP00799**	■	■	■	■	■	■	■
	MASIMO® LNCS DISPOSABLE SENSORS								
	SpO_2 adhesive sensor Masimo® LNCS Adt, disposable, adult, 20 pcs.	**MP00790**	■	■	■	■	■	■	■
	SpO_2 adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	**MP00791**	■	■	■	■	■	■	■
	SpO_2 adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	**MP00792**	■	■	■	■	■	■	■
	SpO_2 adhesive sensor Masimo® LNCS Pt, disposable, child, 20 pcs.	**MP00793**	■	■	■	■	■	■	■
	SpO_2 adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	**MP00794**	■	■	■	■	■	■	■

A

MT-342-2008

B

MT-341-2008

Not all articles are available worldwide.

PULSE OXIMETRY (SpO_2)

GAMMA / GAMMA XL | GAMMA X XL | DELTA / DELTA XL | KAPPA | KAPPA XLT | VISTA | VISTA XL

NELLCOR®

NELLCOR® CABLES

SpO_2 intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

A	**SpO_2 extension cable Dräger/Nellcor®, for MultiMed 5/6 and NeoMed pods, 1 m**	**3368433**
	SpO_2 extension cable Dräger/Nellcor®, for MultiMed 5/6 and NeoMed pods, 2 m	**3375834**

SpO_2 intermediate cables for connection to , MultiMed® plus/plus OR, Infinity® M300 and Nellcor® Oximax.

B	**SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 1.2 m**	**MS18683**
C	**SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 3 m**	**MS17330**

NELLCOR® REUSABLE SENSORS

D	**SpO_2 finger sensor Nellcor® DURA DS 100A**	**7262764**
E	**SpO_2 multisite sensor Nellcor® Dura-Y™, reusable**	**MX01004**
F	**Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.**	**8201012**
G	**Adhesive wrap for Nellcor® Oxiband™ P/I, 100 pcs.**	**2170221**

A

MT-344-2008

B

D-2394-2011

C

D-2393-2011

D

MT-2641-91

E

D-35680-2009

F

MT-2257-2004

G

MT-2218-2004

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

NELLCOR® DISPOSABLE SENSORS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	SpO_2 adhesive sensor Nellcor® Oximax® Max-A, disp., adult, cable 46 cm, 24 pcs.	MX50065	■	■	■	■	■	■	■
B	SpO_2 adhesive sensor Nellcor® Oximax® Max-AL, disp., adult, cable 91cm, 24 pcs.	MX50071	■	■	■	■	■	■	■
C	SpO_2 adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067	■	■	■	■	■	■	■
D	SpO_2 adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068	■	■	■	■	■	■	■
E	SpO_2 adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066	■	■	■	■	■	■	■
	For use with Oximax® technology.								
F	SpO_2 adhesive sensor Nellcor® Oximax® Max-Fast, disp., appl.on forehead, 24pcs.	MX50070	■	■	■	■	■	■	■
G	SpO_2 adhesive sensor Nellcor® Oximax® Max-R, disp., application on nose, 24pcs.	MX50069	■	■	■	■	■	■	■

A

MT-152-2003

B

MT-166-2003

C

MT-156-2003

D

MT-158-2003

E

MT-154-2003

F

MT-164-2003

G

MT-162-2003

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)



Not all articles are available worldwide.

TEMPERATURE

1.4 TEMPERATURE

ADAPTER CABLES

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Adapter cable, 7-pin connector for temperature probe with 1/4" connector	5198333	■	■	■	■	■	■	■
B	Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154		■	■	■	■		

SINGLE-PATIENT USE TEMPERATURE PROBES

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
C	General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 1.6m	MP00991	■	■	■	■	■	■	■
	General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 3 m	MP00992	■	■	■	■	■	■	■
D	General-purpose temperature probe, single-pat. use, child, 7-pin connector, 1.6m	MP00993	■	■	■	■	■	■	■
	General-purpose temperature probe, single-pat. use, child, 7-pin connector, 3 m	MP00994	■	■	■	■	■	■	■
E	Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995	■	■	■	■	■	■	■
	Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996	■	■	■	■	■	■	■
F	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997	■	■	■	■	■	■	■
	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998	■	■	■	■	■	■	■

A

D-2344-2011

B

D-9000-2009

C

D-7371-2011

D

D-7373-2011

E

D-7375-2011

F

D-7377-2011

Not all articles are available worldwide.

TEMPERATURE

REUSABLE TEMPERATURE PROBES

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889	■	■	■	■	■	■	■
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644	■	■	■	■	■	■	■
A	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848	■	■	■	■	■	■	■
A	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651	■	■	■	■	■	■	■
B	General-purpose temperature probe, reusable, adult, 1/4“ connector, 3 m	5201327	■	■	■	■	■	■	■
B	General-purpose temperature probe, reusable, adult, 1/4“ connector, 5 m	5201319	■	■	■	■	■	■	■
B	General-purpose temperature probe, reusable, child, 1/4“ connector, 3 m	5201343	■	■	■	■	■	■	■
C	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822	■	■	■	■	■	■	■
C	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669	■	■	■	■	■	■	■
D	Skin temperature probe, reusable, with 1/4“ connector, 3 m	5201335	■	■	■	■	■	■	■
E	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616	■	■	■	■	■	■	■

A

D-2336-2011

B

D-2345-2011

C

D-2335-2011

D

D-2346-2011

E

D-2354-2011

Not all articles are available worldwide.

NON-INVASIVE BLOOD PRESSURE (NIBP)

1.5 NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP HOSES

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953	■	■	■	■	■	■	■
B	NIBP hose, neonate, 2.4 m	2870298	■	■	■	■	■	■	■
C	NIBP cuff adapter, 10 pcs.	MP00945	■	■	■	■	■	■	■

A

D-15791-2009

B

D-8954-2009

C

D-26325-2009

Not all articles are available worldwide.

NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP CUFFS, REUSABLE

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	❶ NIBP cuff XXS, reusable, infant, 8-13 cm/13 cm	MP00911	■	■	■	■	■	■
	❷ NIBP cuff XS, reusable, child, 12-19 cm/19 cm	MP00912	■	■	■	■	■	■
	❸ NIBP cuff S, reusable, small adult, 17-25 cm/29 cm	MP00913	■	■	■	■	■	■
	❹ NIBP cuff M, reusable, adult, 23-33 cm/33 cm	MP00915	■	■	■	■	■	■
	❺ NIBP cuff M+, reusable, adult, long, 23-33 cm/43 cm	MP00916	■	■	■	■	■	■
	❻ NIBP cuff M++, reusable, adult, extra long, 23-33 cm/53 cm	MP00917	■	■	■	■	■	■
	❼ NIBP cuff L, reusable, large adult, 31-40 cm/40 cm	MP00918	■	■	■	■	■	■
	❽ NIBP cuff L+, reusable, large adult, long, 31-40 cm/55 cm	MP00919	■	■	■	■	■	■
	❾ NIBP cuff XL, reusable, thigh, 38-50 cm/50 cm	MP00921	■	■	■	■	■	■

A

D-25285-2009

Not all articles are available worldwide.

NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP CUFFS, SINGLE-PATIENT USE

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	❶ NIBP cuff XXS, single-patient use, infant, 8-13 cm/13 cm, 10 pcs.	MP00924	■	■	■	■	■	■	■
	❷ NIBP cuff XS, single-patient use, child, 12-19 cm/19 cm, 10 pcs.	MP00925	■	■	■	■	■	■	■
	❸ NIBP cuff S, single-patient use, small adult, 17-25 cm/29 cm, 10 pcs.	MP00926	■	■	■	■	■	■	■
	❹ NIBP cuff M, single-patient use, adult, 23-33 cm/33 cm, 10 pcs.	MP00928	■	■	■	■	■	■	■
	❺ NIBP cuff M+, single-patient use, adult long, 23-33 cm/43 cm, 10 pcs.	MP00929	■	■	■	■	■	■	■
	❻ NIBP cuff M++, single-patient use, adult extra long, 23-33 cm/53 cm, 10 pcs.	MP00930	■	■	■	■	■	■	■
	❼ NIBP cuff L, single-patient use, large adult, 31-40 cm/40 cm, 10 pcs.	MP00931	■	■	■	■	■	■	■
	❶ NIBP cuff L+, single-patient use, large adult long, 31-40 cm/55 cm, 10 pcs.	MP00932	■	■	■	■	■	■	■
	❾ NIBP cuff XL, single-patient use, thigh, 38-50 cm/50 cm, 10 pcs.	MP00934	■	■	■	■	■	■	■

A

D-25297-2009

Not all articles are available worldwide.

NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP CUFFS NEONATAL, DISPOSABLE

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	NIBP cuff, disposable, neonate, size 1, 3.1-5.7 cm, 10 pcs.	2870181	■	■	■	■	■	■	■
B	NIBP cuff, disposable, neonate, size 2, 4.3-8.0 cm, 10 pcs.	2870199	■	■	■	■	■	■	■
C	NIBP cuff, disposable, neonate, size 3, 5.8-10.9 cm, 10 pcs.	2870207	■	■	■	■	■	■	■
D	NIBP cuff, disposable, neonate, size 4, 7.1-13.1 cm, 10 pcs.	2870215	■	■	■	■	■	■	■
E	NIBP cuff, disposable, neonate, size 5, 8.3-15 cm, 10 pcs.	2870173	■	■	■	■	■	■	■

A

MT-2073-2007

B

MT-2072-2007

C

MT-2071-2007

D

MT-2069-2007

E

MT-2070-2007

Not all articles are available worldwide.

CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

1.6 CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	**Starter kit for patient parameter unit Infinity® CNAP™ SmartPod®**	**MS17075**			■	■			
	Includes the following accessories:								
	CNAP™ cuff controller and cradle	**MS26125**			■	■			
B	**CNAP™ intermediate cable for Infinity® CNAP™ SmartPod®, for CNAP™ controller**	**MS15893**			■	■			
	CNAP™ cuff controller forearm strap	**MS26122**			■	■			
	Cuff controller cradle allows CNAP™ cuff controller to "slide" with movement of patient's arm	**MS26123**			■	■			
C	**CNAP™ sensor cuff, size L**	**MS15896**			■	■			
C	**CNAP™ sensor cuff, size M**	**MS15895**			■	■			
C	**CNAP™ sensor cuff, size S**	**MS15894**			■	■			
	Pod connection cable, 3 m	**3368425**			■	■			
	Universal pole mount	**7485621**	■	■	■	■	■	■	■

Note:
Siemens SC 7000, SC 8000 and SC 9000XL monitors with software level below VF4 and the following hardware revisions require Memory Expansion Board (7494557):
Siemens SC 7000 below 14, SC 8000 below 17 and SC 9000XL below 6.
Infinity® CNAP™ SmartPod® requires software version VF7 or higher.

A

MT-1536-2005

B

MT-1543-2005

C

MT-1544-2005

Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

1.7 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP AND CO HEMO PODS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725			■	■	■		
B	Patient parameter unit Infinity® Hemo2 Pod	4319435			■	■	■		
C	Patient parameter unit Infinity® Hemo4 Pod	4315961			■	■	■		
D	Patient parameter unit Infinity® HemoMed Pod	5588822			■	■	■		■
	Connection cable, connects HemoMed Pod to monitor, 3 m	5591925			■	■	■		■
	Connection cable, connects HemoMed Pod to monitor, 5 m	5591933			■	■	■		■
E	Hinged arm Quickstop, for attaching and positioning Dräger pods	2M86464	■	■	■	■	■	■	■
F	Extension set, for Quickstop hinged arm 2M86464	MP00653	■	■	■	■	■	■	■
	Universal pole mount	7485621	■	■	■	■	■	■	■

A

D-19899-2009

B

D-8960-2009

C

D-2333-2011

D

D-8966-2009

E

MT-317-2008

F

MT-1641-2007

Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP QUADHEMO ADAPTERS

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
IBP transducer adapter Abbott-Medex	MS22535			■	■	■		
IBP transducer adapter Becton Dickinson	MS22148			■	■	■		
IBP transducer adapter Baxter/Edwards	MS22147			■	■	■		
IBP transducer adapter Utah Medical	MS22534			■	■	■		
IBP transducer adapter cable, Dräger 7-pin	MS22533			■	■	■		
IBP transducer adapter cable, Dräger 10-pin	MS22532			■	■	■		

Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP HEMO POD ADAPTERS AND PLATES

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Pod adapter, 10-pin, for pressure transducer	3375958	■	■	■	■	■	■	■
B	Pod adapter, for Abbott/Medex pressure transducer	5196998	■	■	■	■	■	■	■
C	Pod adapter, for Edwards pressure transducer	5196980	■	■	■	■	■	■	■
D	Pod adapter, for Ohmeda pressure transducer	3375941	■	■	■	■	■	■	■
	Pod adapter SensoNor, for connecting pressure transducer cables, 7-pin	MS23598	■	■	■	■	■	■	■

A

D-8956-2009

B

D-8986-2009

C

D-8985-2009

D

D-8955-2009

Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	IBP press. transducer plate, for Hemo2/4 Pods, for Abbott Transpac IV, 5pcs.	7270460	■	■	■	■			■
B	IBP press. transducer plate, f.Hemo2/4 Pods, f.Abbott TranspacII/III/Braun,5pcs	5192112	■	■	■	■			■
C	IBP press. transducer plate, for Hemo4 Pod, for Memscap (Capto/SensoNor), 5pcs.	4721416	■	■	■	■			■
D	IIBP press. transducer plate, for Hemo4 Pod, universal, 5 pcs.	4721424	■	■	■	■			■
	IBP pressure transducer plate, f.Hemo2 Pod, f.Memscap (Capto/SensoNor), 5 pcs.	4721614	■	■	■	■			■
E	IBP pressure transducer plate, for Hemo2 Pod, universal, 5 pcs.	4721408	■	■	■	■			■

A

D-2357-2011

B

D-9077-2009

C

D-2339-2011

D

D-8977-2009

E

D-2338-2011

Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP Y-CABLES AND ADAPTERS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	IBP Y-adapter, 7-pin	5592147		■	■	■	■		■
B	IBP Y-adapter, 10-pin	5731281		■	■	■	■		■
C	IBP adapter, 10-pin to 7-pin	3368383	■						■
D	IBP Y-cable, Abbott/Medex, 3.7 m	5206573	■					■	
E	IBP Y-adapter, 10-pin to 7-pin	5588095	■					■	
F	IBP Y-cable, Baxter/Edwards, 3.7 m	5206607	■					■	

A

D-2352-2011

B

D-9021-2009

C

D-2332-2011

D

D-2347-2011

E

D-2350-2011

F

D-8994-2009

Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP MEMSCAP CABLES AND TRANSDUCERS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	IBP pressure transducer cable for Memscap (Capto/SensoNor), 3.7 m	4321563	■					■	
	IBP press. transducer for Memscap (Capto/SensoNor) 844, disp., sterile, 50 pcs.	7864908	■	■	■	■	■	■	■
B	IBP Y-cable, for Memscap (Capto/SensoNor), 3.7 m	5195180	■					■	
C	IBP pressure transducer set for Memscap (Capto/SensoNor) 844, disp., 10 pcs.	7489433	■	■	■	■	■	■	■
D	IBP holder for pressure transducer Memscap (Capto/SensoNor) 844, 4 pcs.	7864155	■	■	■	■	■	■	■
E	IBP pressure transducer for Memscap (Capto/SensoNor) 844, reusable	7489417	■	■	■	■	■	■	■
F	IBP pressure transducer cable for Memscap (Capto/SensoNor) 844, 3 m	7486876	■	■	■	■	■	■	■
	IBP pressure transducer set for Memscap (Capto/SensoNor) 844	7498947	■	■	■	■	■	■	■

A

D-8961-2009

B

D-2343-2011

C

D-9042-2009

D

D-2366-2011

E

D-9041-2009

F

D-9040-2009

Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP OHMEDA CABLES AND TRANSDUCERS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	IBP connection cable Ohmeda, 3.7 m	3375933	■	■	■	■	■	■	■
B	IBP Y-cable Ohmeda, 3.7 m	5206581	■					■	
C	IBP pressure transducer set Ohmeda, disposable, sterile, 5 pcs.	4528741	■	■	■	■	■	■	■

A

D-8953-2009

B

D-2349-2011

C

D-8967-2009

Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

CO CABLES, CATHETERS AND THERMISTORS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	CO thermistor cable Ohmeda	8420077			■	■	■		■
B	CO thermistor T-piece Ohmeda	5741975			■	■	■		■
C	CO thermistor cable Baxter/Edwards	8539983			■	■	■		■
D	CO connection cable, 1 m	3368458			■	■	■		■
E	CO catheter cable	8419160			■	■	■		■

A

D-9062-2009

B

D-9030-2009

C

D-2377-2011

D

D-8952-2009

E

D-9060-2009

Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)



Not all articles are available worldwide.

INFINITY® PICCO

1.8 INFINITY® PICCO

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Patient parameter unit Infinity® PiCCO® SmartPod®	MS17441			■	■			
	CO thermistor cable for Infinity® PICCO® Pod	MS16919			■	■			
	CO catheter cable for Infinity® PICCO® Pod	MS16918			■	■			
	CO cable for Infinity® PICCO® Pod	MS16916			■	■			
	Pod adapter, 10-pin, for pressure transducer	3375958			■	■			
	Adapter cable for Infinity® PiCCO® SmartPod®, for 10-pin connector	MS16920			■	■			

A

MT-340-2008

Not all articles are available worldwide.

INFINITY® PICCO



D-9156-2009

Not all articles are available worldwide.

BISPECTRAL INDEX (BIS)/ ELECTROENCEPHALOGRAPHY (EEG)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	1.9 BISPECTRAL INDEX (BIS)								
	INFINITY® BISX SMARTPOD® AND ACCESSORIES								
A	Patient parameter unit Infinity® BISx SmartPod®	MS14796			■	■			
	1.10 ELECTROENCEPHALOGRAPHY (EEG)								
	INFINITY® EEG POD AND ACCESSORIES								
B	Patient parameter unit Infinity® EEG Pod	5736744			■	■	■		
C	EEG electrode cable, color-coded, 9 pcs.	5947804			■	■	■		
D	Block for EEG referential lead conversion	5954859			■	■	■		
	EEG connection cable, 2.5 m	1678270			■	■	■		

A

MT-5816-2006

B

D-9026-2009

C

D-2353-2011

D

D-9032-2009

Not all articles are available worldwide.

NEUROMUSCULAR TRANSMISSION (NMT)

1.11 NEUROMUSCULAR TRANSMISSION (NMT)

INFINITY® TRIDENT (NMT) SMARTPOD® AND ACCESSORIES

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Patient parameter unit set Infinity® Trident® NMT SmartPod®	MS15007			■	■	■		
	Includes the following accessories:								
	NMT accelerometer Trident®	MS15085			■	■	■		
	NMT thermistor Trident®	MS15053			■	■	■		
	NMT hand adapter Trident®	MS15086			■	■	■		
	NMT thumb adapter for Infinity® Trident (NMT) SmartPod®, disposable, 50 pcs.	MS15084			■	■	■		
	NMT intermediate cable for Infinity® Trident (NMT) SmartPod®, 1.9 m	7872174			■	■	■		
	NMT electrode cable Trident®, 2-lead, 0.3 m	MS13218			■	■	■		
	Bed clip for cables	MS15087			■	■	■		

A

MT-5600-2004

Not all articles are available worldwide.

$ETCO_2$ AND RESPIRATORY MECHANICS

1.12 $ETCO_2$ AND RESPIRATORY MECHANICS

$ETCO_2$ PODS, MODULES AND KITS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Patient parameter unit Infinity® $etCO_2$ Module	4319310	■		■				■
B	Infinity® $etCO_2$ Module kit with sensor	7265122		■	■				■
C	Patient parameter unit Infinity® $etCO_2$ Microstream SmartPod®	7870947			■	■	■		
D	Patient parameter unit Infinity® $etCO_2$ SmartPod®	5740738	■		■	■	■		
E	Patient parameter unit Infinity® $etCO_2$ and Respiratory mechanics SmartPod®	5740704			■	■	■		
F	Patient parameter unit set Infinity® $etCO_2$ SmartPod® with Sensor	7265114	■		■	■	■		
G	Patient parameter unit set Infinity® $etCO_2$ and Respiratory mechanics SmartPod®	7497709			■	■	■		

A

D-2334-2011

B

D-2356-2011

C

D-9058-2009

D

D-9029-2009

E

D-9028-2009

F

D-9029-2009

G

D-9028-2009

Not all articles are available worldwide.

$ETCO_2$ AND RESPIRATORY MECHANICS

$ETCO_2$ MAINSTREAM & SIDESTREAM ACCESSORIES

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	$etCO_2$ airway adapter, reusable, adult	4721796	■	■	■	■	■		■
A	$etCO_2$ airway adapter, reusable, neonate	4721788	■	■	■	■	■		■
B	$etCO_2$ sidestream airway adapter, including tubing, 10 pcs.	4714437	■	■	■	■	■		■
C	Dehumidification tubing for $etCO_2$ sidestream sampling, Nafion®, 10 pcs.	4714429	■	■	■	■	■		■
D	$etCO_2$ nasal cannula, adult, 10 pcs.	4714395	■	■	■	■	■		■
D	$etCO_2$ nasal cannula, child, 10 pcs.	4714387	■	■	■	■	■		■

A

D-8978-2009

B

D-8974-2009

C



D-8973-2009

D

D-8971-2009

Not all articles are available worldwide.

$ETCO_2$ AND RESPIRATORY MECHANICS

$ETCO_2$ MICROSTREAM ADAPTERS AND CANNULAS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	$etCO_2$ airway adapter Microstream®, adult/child, max. 12 h, 25 pcs.	7869535			■	■	■		
B	$etCO_2$ airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.	7869550			■	■	■		
C	$etCO_2$ airway adapter Microstream®, adult/child, max. 72 h, 25 pcs.	7869543			■	■	■		
D	$etCO_2$ nasal cannula Microstream®, adult, max. 12 h, 25 pcs.	7869477			■	■	■		
E	$etCO_2$ nasal cannula Microstream®, child, max. 12 h, 25 pcs.	7869469			■	■	■		
F	$etCO_2$ nasal cannula Microstream®, adult, max. 24 h, 25 pcs.	7869592			■	■	■		

A

D-9056-2009

B

D-1478-2009

C

MT-3011-2004

D

D-9157-2009

E

D-9053-2009

F

MT-3013-2004

Not all articles are available worldwide.

$ETCO_2$ AND RESPIRATORY MECHANICS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	$etCO_2$ nasal cannula Microstream®, child, max. 24 h, 25 pcs.	7869600			■	■	■		
A	$etCO_2$ nasal cannula Microstream®, + O_2, adult, max. 24 h, 25 pcs.	7869493			■	■	■		
	$etCO_2$ nasal cannula Microstream®, + O_2, child, max. 24 h, 25 pcs.	7869485			■	■	■		
B	$etCO_2$ nasal/mouth cannula Microstream®, + O_2, child, max. 12 h, 25 pcs.	7869584			■	■	■		
C	$etCO_2$ nasal cannula Microstream®, neonate/child, max. 24 h, 25 pcs.	7869618			■	■	■		
D	$etCO_2$ nasal/mouth cannula Microstream®, child, max. 12 h, 25 pcs.	7869501			■	■	■		
	Smart Capnoline® Plus, adult/intermediate (pack of 25)	MS26187			■	■	■		
	Smart Capnoline® Plus O_2, adult/intermediate (pack of 25)	MS26188			■	■	■		

A

MT-3012-2004

B

MT-3010-2004

C

MT-3014-2004

D

D-9054-2009

Not all articles are available worldwide.

$ETCO_2$ AND RESPIRATORY MECHANICS

RESPIRATORY MECHANICS ACCESSORIES

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	$etCO_2$ sensor set Capnostat-III	4322975	■	■	■	■	■		■
B	Sensor for respiratory mechanics and flow, disposable, adult/child, 10 pcs.	5957134			■	■	■		
	Sensor for respiratory mechanics and flow, disposable, neonate, 10 pcs.	5957100			■	■	■		
C	Sensor for respiratory mechanics, flow and CO_2, disp., adult/child, 10 pcs.	5957126			■	■	■		
	Sensor for respiratory mechanics, flow and CO_2, disposable, child, 10 pcs.	5957142			■	■	■		
	Sensor for respiratory mechanics, flow and CO_2, disposable, neonate, 10 pcs.	5957118			■	■	■		

A

D-8963-2009

B

D-9036-2009

C

D-9035-2009

Not all articles are available worldwide.

SCIO

1.13 SCIO

SCIO ACCESSORIES

A	Calibration kit MultiGas, incl. bottle, regulator, reservoir bag	5207415
B	Sample line for Scio	8290286
C	Watertrap WaterLock® 2, 12 pcs.	6872130
D	Adapter WaterLock® 2, set of 12 pcs.	6872128
	Starter kit WaterLock® 2	6872160
E	Water trap Infinity® ID WaterLock® 2, 12 pcs.	6872020
	Sample gas return line for Fabius®, with filter	M32692

MGM ACCESSORIES

F	Water trap MGM	MS13826
B	Sample line for Scio	8290286

A

MT-2250-2004

B

MT-088-2003

C

D-19240-2009

D

D-11944-2009

E

D-19244-2009

F

MT-3043-2004

Not all articles are available worldwide.

TRANSCUTANEOUS MONITORING/ OXYGEN MEASUREMENT/RECORDER PAPER

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
1.14 TRANSCUTANEOUS MONITORING (TPO_2/$TPCO_2$)								
A	Patient parameter unit Infinity® tpO_2/$tpCO_2$ SmartPod®	5592535		■	■	■		
B	tpO_2-/$tpCO_2$ solid-state electrode	4529988		■	■	■		
	Membrane replacement set for $tcpO_2$/$tcpCO_2$ electrodes	MP00715		■	■	■		
	Fixation set for tpO_2- and $tpCO_2$ electrodes	MP00716		■	■	■		
	Calibration gas, for tpO_2/$tcCO_2$, 20,9% O_2 and 5% CO_2, 12 pcs.	MP00717		■	■	■		
	Electrode holder set, Electrode holder, screw, and O-ring	MP00718		■	■	■		
	TCC calibration unit	MP00722						
1.15 OXYGEN MEASUREMENT FOR NEONATES (FIO_2)								
C	Multiparameter cable NeoMed Pod, for ECG, resp., SpO_2, temp., and FiO_2, 2.5 m	5590539	■	■	■	■	■	■
D	FiO_2 sensor cable, 1.5 m	5597898		■	■	■		
	FiO_2 cell with O-ring	9004979		■	■	■		
1.16 RECORDER PAPER								
E	Recording paper for S342R, 63 mm, approx. 30 m, 10 rolls	4529038	■	■	■	■	■	■
	Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls	4711201	■	■	■	■	■	■

A

MT-2179-2004

B

D-8969-2009

C

D-1466-2009

D

D-9019-2009

E

D-8972-2009

Not all articles are available worldwide.

INFINITY® MONITORING

1.17 POWER SOURCES

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Battery charger for Infinity® Gamma/Gamma XL	4710211	■				■		
B	Lead-acid battery	5947697	■				■		
C	Lithium-ion battery for Infinity® Gamma/Gamma XL	5732354	■				■		
D	SLA battery charger for Infinity® Delta/Delta XL	5597377		■	■			■	
E	SLA battery for Infinity® Delta/Delta XL	5592097		■	■			■	
F	Lithium battery, for Infinity® Telemetry Transmitter, $MicrO_2$ and $MicrO_2$+, 6pcs.	3361164							■

A

D-2337-2011

B

D-9017-2009

C



D-9022-2009

D

D-9018-2009

E

D-8999-2009

F

D-8950-2009

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

2. INFINITY® ACUTE CARE SYSTEM
2.1 ELECTROCARDIOGRAPHY (ECG)

MONOLEAD® SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (Eur. color code), 2m	MS14555
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color c.), 2m	MS14556
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (Eur. color c.), 2.5m	MS14559
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US c. c.), 2.5 m	MS14560
C	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (Eur. color c.), 3 m	MS14683
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color c.),3 m	MS14682
D	ECG cable, 6-lead, single-pin connector MonoLead® 6 OR, IEC1 (Eur. color code), 4.8m*	MS17185

CHESTLEADS MONOLEAD®

	ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (Eur. color c.), 1m	MS14693
	ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color c.), 1m	MS14694
	ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (Eur. color c.), 3m	MS20476
	ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color c.), 3m	MS20475

*Note: Not for use with Infinity® M300.

A

MT-8510-2005

B

MT-353-2008

C

MT-8497-2005

D

D-7685-2010

INFINITY® ACUTE CARE SYSTEM

REUSABLE ECG LEADS SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MS16159
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MS16231
B	ECG cable, 5-lead, single-pin connector, IEC1 (Eur. color code), 1 m	MS16158
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MS16546
C	ECG cable, 6-lead, single-pin connector, IEC1 (Europ. color code), 1 m	MS16157
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code)	MS16547

CHESTLEADS

	ECG cable, 4-lead, single-pin connector, IEC1 (European color code), 1 m	MS22365
	ECG cable, 4-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MS22364

SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR

D	ECG cable, 3-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1 m	MP00875
	ECG cable, 3-lead, single-pin conn., single-pat. use, IEC2 (AHA/US c. c.), 1 m	MP00877
E	ECG cable, 5-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1/1.5 m	MP00879
	ECG cable, 5-lead, single-pin conn., single-pat. use, IEC2 (AHA/US c.c.), 1/1.5m	MP00881

A

MT-347-2008

B

MT-8499-2005

C

MT-349-2008

D

D-13563-2010

E



D-13565-2010

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

ELECTRODES

A	ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024

NEONATAL ECG

	ECG neonatal 3-lead adapter cable, 2 m	MS25951
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024

ECG ACCESSORIES

C	ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680
	ECG "4-lead" spacer, 10 pcs.	MS22832
D	ECG extension cable, single-pin connector, 2 m	MS16256

A

D-8966-2009

B

D-8983-2009

C

MT-2716-2004

D

D-1599-2009

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

2.2 PULSE OXIMETRY (SPO_2)

MASIMO®

MASIMO® LNCS CABLES

SpO_2 intermediate cable Masimo® LNCS, 1.2 m	MP00800
SpO_2 intermediate cable Masimo® LNCS, 3 m	MP00797

MASIMO® REUSABLE SENSORS

A	SpO_2 finger sensor Masimo® LNCS DCI, reusable, adult	MP00796
B	SpO_2 finger sensor Masimo® LNCS DCIP, reusable, child	MP00795
	SpO_2 Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788
	SpO_2 Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799
	SpO_2 Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789

MASIMO® DISPOSABLE SENSORS

SpO_2 adhesive sensor Masimo® LNCS Adt, disposable, adult, 20 pcs.	MP00790
SpO_2 adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791
SpO_2 adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792
SpO_2 adhesive sensor Masimo® LNCS Pt, disposable, child, 20 pcs.	MP00793
SpO_2 adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794

A

MT-342-2008

B

MT-341-2008

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

MASIMO® ACCESSORIES

	Accessory ear clip for Masimo® sensor	5702222
	Accessory ear hangers for Masimo® sensor, 5 pcs.	5702223
A	SpO_2 adhesive wrap Masimo® Cleanshield-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	5702218
B	SpO_2 adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496917
	SpO_2 adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496909
C	SpO_2 foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO_2 sensor, 12 pcs.	7496891
D	SpO_2 adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO_2 sensor, 12 pcs.	7496933
E	SpO_2 adhesive wrap Masimo®, for NeoPt SpO_2 sensor, 100 pcs.	7496925
F	SpO_2 clothing clip Masimo®, 5 pcs.	7496883
G	SpO_2 adhesive square Masimo®, 12 pcs.	7496875

A

MT-2252-2004

B

MT-4305-2004

C

MT-4304-2004

D

D-2363-2011

E

D-2361-2011

F

D-2359-2011

G

D-2358-2011

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

NELLCOR®

NELLCOR® CABLES

	Nellcor® intermediate cable, 1.2 m	MP00748
	Nellcor® intermediate cable, 3 m	MS20979

NELLCOR® REUSABLE SENSOR

A	SpO_2 finger sensor Nellcor® DURA DS 100A	7262764

NELLCOR® DISPOSABLE SENSORS

B	SpO_2 adhesive sensor Nellcor® Oximax® Max-A, disp., adult, cable 46 cm, 24 pcs.	MX50065
C	SpO_2 adhesive sensor Nellcor® Oximax® Max-AL, disp., adult, cable 91cm, 24 pcs.	MX50071
D	SpO_2 adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067
E	SpO_2 adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068
F	SpO_2 adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066

A

MT-2641-91

B

MT-152-2003

C

MT-166-2003

D

MT-156-2003

E

MT-158-2003

F

MT-154-2003

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

2.3 TEMPERATURE

ADAPTER CABLE

A	Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154

SINGLE-PATIENT USE TEMPERATURE PROBES

B	General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 1.6 m	MP00991
	General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 3 m	MP00992
C	General-purpose temperature probe, single-pat. use, child, 7-pin connector, 1.6 m	MP00993
	General-purpose temperature probe, single-pat. use, child, 7-pin connector, 3 m	MP00994
D	Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995
	Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996
E	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997
	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998

A

D-9000-2009

B

D-7371-2011

C

D-7373-2011

D

D-7375-2011

E

D-7377-2011

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

REUSABLE TEMPERATURE PROBES

A	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644
A	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848
A	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651
B	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822
B	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669
C	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616

A

D-2336-2011

B

D-2335-2011

C

D-2354-2011

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

2.4 NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP HOSES

A	NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953
B	NIBP hose, neonate, 2.4 m	2870298
C	NIBP cuff adapter, 10 pcs.	MP00945

A

D-15791-2009

B

D-8954-2009

C

D-26325-2009

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

NIBP CUFFS, REUSABLE

A	❶ NIBP cuff XXS, reusable, infant, 8-13 cm/13 cm	MP00911
	❷ NIBP cuff XS, reusable, child, 12-19 cm/19 cm	MP00912
	❸ NIBP cuff S, reusable, small adult, 17-25 cm/29 cm	MP00913
	❹ NIBP cuff M, reusable, adult, 23-33 cm/33 cm	MP00915
	❺ NIBP cuff M+, reusable, adult, long, 23-33 cm/43 cm	MP00916
	❻ NIBP cuff M++, reusable, adult, extra long, 23-33 cm/53 cm	MP00917
	❼ NIBP cuff L, reusable, large adult, 31-40 cm/40 cm	MP00918
	❽ NIBP cuff L+, reusable, large adult, long, 31-40 cm/55 cm	MP00919
	❾ NIBP cuff XL, reusable, thigh, 38-50 cm/50 cm	MP00921

A

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

NIBP CUFFS, SINGLE-PATIENT USE

A	❶ NIBP cuff XXS, single-patient use, infant, 8-13 cm/13 cm, 10 pcs.	MP00924
	❷ NIBP cuff XS, single-patient use, child, 12-19 cm/19 cm, 10 pcs.	MP00925
	❸ NIBP cuff S, single-patient use, small adult, 17-25 cm/29 cm, 10 pcs.	MP00926
	❹ NIBP cuff M, single-patient use, adult, 23-33 cm/33 cm, 10 pcs.	MP00928
	❺ NIBP cuff M+, single-patient use, adult long, 23-33 cm/43 cm, 10 pcs.	MP00929
	❻ NIBP cuff M++, single-patient use, adult extra long, 23-33 cm/53 cm, 10 pcs.	MP00930
	❼ NIBP cuff L, single-patient use, large adult, 31-40 cm/40 cm, 10 pcs.	MP00931
	❶ NIBP cuff L+, single-patient use, large adult long, 31-40 cm/55 cm, 10 pcs.	MP00932
	❾ NIBP cuff XL, single-patient use, thigh, 38-50 cm/50 cm, 10 pcs.	MP00934

A

D-25297-2009

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

NIBP CUFFS NEONATAL, DISPOSABLE

A	NIBP cuff, disposable, neonate, size 1, 3.1-5.7 cm, 10 pcs.	2870181
B	NIBP cuff, disposable, neonate, size 2, 4.3-8.0 cm, 10 pcs.	2870199
C	NIBP cuff, disposable, neonate, size 3, 5.8-10.9 cm, 10 pcs.	2870207
D	NIBP cuff, disposable, neonate, size 4, 7.1-13.1 cm, 10 pcs.	2870215
E	NIBP cuff, disposable, neonate, size 5, 8.3-15 cm, 10 pcs.	2870173

A

MT-2073-2007

B

MT-2072-2007

C

MT-2071-2007

D

MT-2069-2007

E

MT-2070-2007

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

2.5 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

	MPod-Dual Hemo, 2 invasive blood pressures for M540*	MS20783
A	Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725
	M540 Hemo connection cable, 1.5 m	MS23897
	M540 Hemo connection cable, 3 m	MS23898

A

D-19899-2009

IBP TRANSDUCER ADAPTER CABLES

IBP transducer adapter Abbott-Medex	MS22535
IBP transducer adapter Becton Dickinson	MS22148
IBP transducer adapter Baxter/Edwards	MS22147
IBP transducer adapter Utah Medical	MS22534
IBP transducer adapter cable, Dräger 7-pin	MS22533
IBP transducer adapter cable, Dräger 10-pin	MS22532

*Note: Infinity® Mcable-Dual Hemo does not require an additional hemo connection cable.

INFINITY® ACUTE CARE SYSTEM

CO CABLES AND THERMISTORS

A	CO thermistor cable Ohmeda	8420077
B	CO thermistor T-piece Ohmeda	5741975
C	CO thermistor cable Baxter/Edwards	8539983
D	CO connection cable, 1 m	3368458
E	CO catheter cable	8419160

CARDIAC OUTPUT KITS

	Cardiac output kit, Baxter	7265155
	Cardiac output kit, Ohmeda	7265163

A

D-9062-2009

B

D-9030-2009

C

D-2377-2011

D

D-8952-2009

E

D-9060-2009

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

2.6 $ETCO_2$

CO_2 CABLES

A	CO_2-mainstream sensor, for Evita® Infinity® V500, Babylog VN500, Infinity® M540 and Oxylog® 3000 plus	6871950
	Y-cable CO_2 and analog/sync	MS22259

CO_2 CUVETTES, DISPOSABLE

B	CO_2 cuvette disposable, A, 10 pcs.	MP01062
C	CO_2 cuvette disposable, P, 10 pcs.	MP01063

CO_2 CUVETTES, REUSABLE

D	CO_2 cuvette reusable, A, for CO_2 sensors 6871500, 6870300, 6871950	6870279
E	CO_2 cuvette reusable, P, for CO_2 sensors 6871500, 6870300, 6871950	6870280

ACCESSORIES

F	Calibration set, with test connection and test gas cylinder	8412710
	Test gas cylinder 5 Vol.% CO_2, 95 Vol. % N_2	6850435
	Parking holder for CO_2 sensor	8416352
	Test filter	6870281

A

D-14953-2010

B

D-7059-2009

C

D-7061-2009

D

D-7062-2009

E

D-7060-2009

F

MT-218-99

Not all articles are available worldwide.

INFINITY® M300

3. INFINITY® M300

3.1 ELECTROCARDIOGRAPHY (ECG)

MONOLEAD® SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (Eur. color code), 2m	MS14555
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color c.), 2m	MS14556
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (Eur. color c.), 2.5m	MS14559
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US c. c.), 2.5 m	MS14560
C	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (Eur. color c.), 3 m	MS14683
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color c.),3 m	MS14682

A

MT-8510-2005

B

MT-353-2008

C



MT-8497-2005

Not all articles are available worldwide.

INFINITY® M300

ECG-LEAD SETS FOR TELEMETRY

Infinity® TruST™ Telemetry lead sets can also be used in combination with MultiMed plus. Lenght 686 mm (27 in). Shielded, not for use in the OR.

A	ECG cable, 3-lead Infinity® TruST™, IEC1 (European color code), 70 cm	7499804
A	ECG cable, 3-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	7499812
B	ECG cable, 5-lead Infinity® TruST™, IEC1 (European color code), 70 cm	7499820
B	ECG cable, 5-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	7499838
C	ECG cable, 6-lead Infinity® TruST™, IEC1 (European color code), 70 cm	7499846
C	ECG cable, 6-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	7499853

REUSABLE ECG LEADS SINGLE-PIN CONNECTOR

D	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MS16159
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MS16231
E	ECG cable, 5-lead, single-pin connector, IEC1 (Eur. color code), 1 m	MS16158
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MS16546
F	ECG cable, 6-lead, single-pin connector, IEC1 (Europ. color code), 1 m	MS16157
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code)	MS16547

A

MT-3006-2004

B

MT-3007-2004

C

MT-3008-2004

D

MT-347-2008

E

MT-8499-2005

F

MT-349-2008

Not all articles are available worldwide.

INFINITY® M300

SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1 m	MP00875
	ECG cable, 3-lead, single-pin conn., single-pat. use, IEC2 (AHA/US c. c.), 1 m	MP00877
B	ECG cable, 5-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1/1.5 m	MP00879
	ECG cable, 5-lead, single-pin conn., single-pat. use, IEC2 (AHA/US c.c.), 1/1.5m	MP00881

A

D-13563-2010

B



D-13565-2010

Not all articles are available worldwide.

INFINITY® M300

ELECTRODES

A	ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750

ECG ACCESSORIES

B	ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680
C	ECG extension cable, single-pin connector, 2 m	MS16256

A

D-8966-2009

B

MT-2716-2004

C

D-1599-2009

Not all articles are available worldwide.

INFINITY® M300

3.2 PULSE OXIMETRY (SPO_2)

DRÄGER

DRÄGER CABLES

A	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 1.2 m	MS18683
B	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 3 m	MS17330

DRÄGER REUSABLE SENSOR

C	SpO_2 finger sensor Dräger, reusable	MS13235

DRÄGER DISPOSABLE SENSORS

D	SpO_2 adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.	MS16449
E	SpO_2 adhesive sensor Dräger, foam, disposable, adult, 24 pcs.	MS16445
F	SpO_2 adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.	MS16448
G	SpO_2 adhesive sensor Dräger, foam, disposable, child, 24 pcs.	MS16444

A

D-2394-2011

B

D-2393-2011

C

MT-3057-2003

D

MT-8243-2005

E

MT-8242-2005

F

MT-8245-2005

G

MT-8237-2005

Not all articles are available worldwide.

INFINITY® M300

MASIMO®

MASIMO® LNOP CABLES

A	SpO_2 intermediate cable Masimo® LNOP, 1.2 m	MS18680
	SpO_2 intermediate cable Masimo® LNOP, 3 m	MS17041

MASIMO® LNOP REUSABLE SENSORS

B	SpO_2 finger sensor Masimo® LNOP DCI, reusable, adult	7270312
C	SpO_2 finger sensor Masimo® LNOP DCIP, reusable, child	7270304
D	SpO_2 multisite sensor Masimo® LNOP YI, reusable	7497014
E	SpO_2 ear sensor Masimo® LNOP TI, reusable	7497006

A

MT-346-2008

B

MT-72-2001

C

MT-71-2001

D

D-2365-2011

E

D-2364-2011

Not all articles are available worldwide.

INFINITY® M300

MASIMO® LNOP DISPOSABLE SENSORS

A	SpO_2 adhesive sensor Masimo® LNOP Adt, disposable, adult, 20 pcs.	7496990
B	SpO_2 adhesive sensor Masimo® LNOP Pt, disposable, child, 20 pcs.	7496982
C	SpO_2 adhesive sensor Masimo® LNOP Adt-L, disposable, adult, long, 20 pcs.	5702877
D	SpO_2 adhesive sensor set Masimo® LNOP 3 pcs. Adt + 1 pc. Pt	7496941
E	SpO_2 adhesive sensor Masimo® LNOP NeoPt, disposable, premature baby, 20 pcs.	7496966

A



MT-67-2001

B



MT-68-2001

C

MT-2658-2004

D

MT-358-2008

E



MT-69-2001

Not all articles are available worldwide.

INFINITY® M300

MASIMO® LNCS CABLES

A	SpO_2 intermediate cable Masimo® LNCS, 3 m	MS17522
B	SpO_2 intermediate cable Masimo® LNCS, 1.2 m	MS24303

MASIMO® LNCS REUSABLE SENSORS

C	SpO_2 finger sensor Masimo® LNCS DCI, reusable, adult	MP00796
D	SpO_2 finger sensor Masimo® LNCS DCIP, reusable, child	MP00795
	SpO_2 Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788
	SpO_2 Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789
	SpO_2 Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799

MASIMO® LNCS DISPOSABLE SENSORS

	SpO_2 adhesive sensor Masimo® LNCS Adt, disposable, adult, 20 pcs.	MP00790
	SpO_2 adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791
	SpO_2 adhesive sensor Masimo® LNCS Pt, disposable, child, 20 pcs.	MP00793

A

MT-345-2008

B

MT-345-2008

C

MT-342-2008

D

MT-341-2008

Not all articles are available worldwide.

INFINITY® M300

MASIMO® ACCESSORIES

A	SpO_2 adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496917
	SpO_2 adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496909
B	SpO_2 foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO_2 sensor, 12 pcs.	7496891
C	SpO_2 clothing clip Masimo®, 5 pcs.	7496883
D	SpO_2 adhesive square Masimo®, 12 pcs.	7496875

A



MT-4305-2004

B

MT-4304-2004

C

D-2359-2011

D

D-2358-2011

Not all articles are available worldwide.

INFINITY® M300

NELLCOR®

NELLCOR® CABLES

A	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 1.2 m	MS18683
B	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 3 m	MS17330

NELLCOR® REUSABLE SENSOR

C	SpO_2 finger sensor Nellcor® DURA DS 100A	7262764

A

D-2394-2011

B

D-2393-2011

C

MT-2641-91

Not all articles are available worldwide.

INFINITY® M300

NELLCOR® DISPOSABLE SENSORS

A	SpO_2 adhesive sensor Nellcor® Oximax® Max-A, disp., adult, cable 46 cm, 24 pcs.	MX50065
B	SpO_2 adhesive sensor Nellcor® Oximax® Max-AL, disp., adult, cable 91cm, 24 pcs.	MX50071
C	SpO_2 adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067
D	SpO_2 adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066
E	SpO_2 adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068

A

MT-152-2003

B

MT-166-2003

C

MT-156-2003

D

MT-154-2003

E

MT-158-2003

Not all articles are available worldwide.

INFINITY® M300

3.3 POUCH

Telemetry transmitter pouch, waterproof, for M300, 10 pcs.	MS18630
Telemetry transmitter pouch, disposable, 100 pcs.	MS22905

3.4 CODENSATION

Holder for Infinity® M300 bedside charger, swiveling 360°	MP00990

Not all articles are available worldwide.

INFINITY® M300

Infinity® M300 Connectivity

ECG

Lead-sets	Traditional	Telemetry	MonoLead	Single-patient
	1 m	0.69 m	1 m	1 m
3-lead Europe	MS16159	7499804	MS14555	MP00875
3-lead AHA	MS16231	7499812	MS14556	MP00877
5-lead Europe	MS16158	7499820	MS14559	MP00879
5-lead AHA	MS16546	7499838	MS14560	MP00881
6-lead Europe	MS16157	7499846	MS14683	
6-lead AHA	MS16547	7499853	MS14682	

Optional 2 m extension cable MS16256

SPO2

Intermediate cable	Masimo LNOP	Masimo LNCS	Nellcor/Draeger
1.2 m	MS18680	MS24303	MS18683
3 m	MS17041	MS17522	MS17330

Sensors	Masimo LNOP	Masimo LNCS	Nellcor	Draeger
Disposable	7496966 7496982 7496990	MP00790 MP00791 MP00793	MX50065 MX50066 MX50071	MS16444 MS16445 MS16449 MS16448
Reusable	7270304 7270312 7497006 7497014	MP00795 MP00796 MP00788 MP00789 MP00799	7262764	MS13235

INFINITY M300

MS25755

05-04-2011

Not all articles are available worldwide.

INFINITY® TRUST™ TELEMETRY

A 4. INFINITY® TRUST™ TELEMETRY

4.1. ELECTROCARDIOGRAPHY (ECG)

INFINITY® TRUST™ TELEMETRY ECG-LEAD SETS

B	ECG cable, 3-lead Infinity® TruST™, IEC1 (European color code), 70 cm	7499804
B	ECG cable, 3-lead Infinity® TruST™, IEC2 (AHA/US-Farbcode), 70 cm	7499812
C	ECG cable, 5-lead Infinity® TruST™, IEC1 (European color code), 70 cm	7499820
C	ECG cable, 5-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	7499838
D	ECG cable, 6-lead Infinity® TruST™, IEC1 (European color code), 70 cm	7499846
D	ECG cable, 6-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	7499853

INFINITY TELEMETRY ECG-LEAD SETS

	ECG cable, 5-lead Infinity® telemetry, IEC1 (European color code)	5956367
	ECG cable, 5-lead Infinity® telemetry, IEC2 (AHA/US color code)	5956359

ADAPTERS

E	ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680

4.2 POUCH

Telemetry transmitter pouch, waterproof, for M300, 10 pcs.	MS18630
Telemetry transmitter pouch, disposable, 100 pcs.	MS22905

A

MT-2209-2003

B

MT-3006-2004

C

MT-3007-2004

D

MT-3008-2004

E

MT-2716-2004

Not all articles are available worldwide.

INFINITY® TRUST™ TELEMETRY

5. INFINITY® MICRO$_2$+®

5.1 SPO$_2$

MASIMO® SENSORS AND ACCESSORIES

MASIMO® LNOP REUSABLE SENSORS

A	SpO$_2$ finger sensor Masimo® LNOP DCI, reusable, adult	7270312
B	SpO$_2$ finger sensor Masimo® LNOP DCIP, reusable, child	7270304
C	SpO$_2$ multisite sensor Masimo® LNOP YI, reusable,	7497014
D	SpO$_2$ ear sensor Masimo® LNOP TI, reusable	7497006

MASIMO® LNOP DISPOSABLE SENSORS

E	SpO$_2$ adhesive sensor Masimo® LNOP Adt, disposable, adult, 20 pcs.	7496990
F	SpO$_2$ adhesive sensor Masimo® LNOP Pt, disposable, child, 20 pcs.	7496982

A

MT-72-2001

B

MT-71-2001

C

D-2365-2011

D

D-2364-2011

E



MT-67-2001

F



MT-68-2001

Not all articles are available worldwide.

INFINITY® MICRO$_2$+®

MASIMO® ACCESSORIES

A	SpO_2 adhesive wrap Masimo® Cleanshield-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	5702218
B	SpO_2 adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496917
	SpO_2 adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496909
C	SpO_2 adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO_2 sensor, 12 pcs.	7496933
D	SpO_2 adhesive wrap Masimo®, for NeoPt SpO_2 sensor, 100 pcs.	7496925
E	SpO_2 clothing clip Masimo®, 5 pcs.	7496883
F	SpO_2 adhesive square Masimo®, 12 pcs.	7496875

A

MT-2252-2004

B



MT-4305-2004

C

D-2363-2011

D

D-2361-2011

E

D-2359-2011

F

D-2358-2011

Not all articles are available worldwide.

INFINITY® MICRO$_2$+®

NELLCOR® SENSORS AND ACCESSORIES

NELLCOR® REUSABLE SENSORS

A	SpO_2 finger sensor Nellcor® DURA DS 100A	7262764
B	SpO_2 multisite sensor Nellcor® Dura-Y™, reusable	MX01004
C	Ear clip for Nellcor® Dura-Y	MX01005

NELLCOR® DISPOSABLE SENSORS

D	SpO_2 adhesive sensor Nellcor® Oximax® Max-A, disp., adult, cable 46 cm, 24 pcs.	MX50065
E	SpO_2 adhesive sensor Nellcor® Oximax® Max-AL, disp., adult, cable 91cm, 24 pcs.	MX50071
F	SpO_2 adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067
G	SpO_2 adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066

A

MT-2641-91

B

D-35680-2009

C

MT-2355-2004

D

MT-152-2003

E

MT-166-2003

F

MT-156-2003

F

MT-154-2003

Not all articles are available worldwide.

INFINITY® MICRO$_2$+®

5.2 POUCH

Telemetry transmitter pouch, waterproof, for M300, 10 pcs.	MS18630
Telemetry transmitter pouch, disposable, 100 pcs.	MS22905

5.3 POWER SOURCES

A	Lithium battery, for Infinity® Telemetry Transmitter, MicrO$_2$ and MicrO$_2$+, 6pcs.	3361164

A

D-8950-2009

Not all articles are available worldwide.

ACCESSORIES FOR MONITORING SYSTEMS

	Accessories for monitoring systems:	
	6. PM 8010, PM 8014, PM 8060, PM 8060 VITARA, JULIAN®, CICERO® EM, PARAMETERBOX, DIALOG 2000	
	6.1 ELECTROCARDIOGRAPHY (ECG)	
	BASIC CABLES FOR DRÄGER MONITORS, WITHOUT HF	
A	ECG basic cable, 3-lead, 1.5 m, w/o HF prot., for PM8060, Vitara, Parameterbox	M35369
A	ECG basic cable, 3-lead, 2.75 m, w/o HF prot. for PM8060, Vitara, Parameterbox	M35364
B	ECG basic cable, 5-lead, 2.75 m, w/o HF prot., for PM8060, Vitara, Parameterbox	M35365
	BASIC CABLES FOR DRÄGER MONITORS, WITH HF	
	ECG basic cable, 3-lead, 1.5 m, with HF prot., for PM8060, Vitara, Parameterbox	M35367
	ECG basic cable, 3-lead, 2.75 m, with HF prot., for PM8060, Vitara, Parameterbox	M35366
	ECG basic cable, 5-lead, 2.75 m, with HF prot., for PM8060, Vitara, Parameterbox	M35368

A

MT-2889-95

B

MT-2886-95

Not all articles are available worldwide.

ACCESSORIES FOR MONITORING SYSTEMS

ECG PATIENT CABLE FOR DRÄGER MONITORS, WITHOUT HF

A	ECG patient cable, 3-lead, w/o HF protection, for PM8060, Vitara, Parameterbox	M35360
B	ECG patient cable, 5-lead, 1 m, w/o HF prot., for PM8060, Vitara, Parameterbox	M35362

ECG PATIENT CABLE FOR DRÄGER MONITORS, WITH HF

A	ECG patient cable, 3-lead, with HF protection, for PM8060, Vitara, Parameterbox	M35361
B	ECG patient cable, 5-lead, 1 m, with HF prot., for PM8060, Vitara, Parameterbox	M35363

ELECTRODES

C	ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750

A

MT-2253-2004

B

MT-2309-2004

C

D-8966-2009

Not all articles are available worldwide.

ACCESSORIES FOR MONITORING SYSTEMS

6.2 PULSE OXIMETRY (SPO_2)

DRÄGER

For: PB8800, PM8050, PM8040, Julian®, Evita® 4 and Vamos; except Vamos with Oximax® Technology.

DRÄGER CABLES

A	SpO_2 extension cable Dräger, 1.3 m	8201015
A	SpO_2 extension cable Dräger, 2.6 m	8600859
B	SpO_2 intermediate cable, 1.5 m	M35371
B	SpO_2 intermediate cable, 2.4 m	M35370

A

MT-2639-91

B

MT-2660-2004

Not all articles are available worldwide.

ACCESSORIES FOR MONITORING SYSTEMS

DRÄGER REUSABLE SENSOR

A	SpO_2 finger sensor Dräger, reusable	MS13235

DRÄGER DISPOSABLE SENSORS

B	SpO_2 adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.	MS16449
C	SpO_2 adhesive sensor Dräger, foam, disposable, adult, 24 pcs.	MS16445
D	SpO_2 adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.	MS16448
E	SpO_2 adhesive sensor Dräger, foam, disposable, child, 24 pcs.	MS16444
F	SpO_2 adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	MS16447
G	SpO_2 adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	MS16446

A

MT-3057-2003

B

MT-8243-2005

C

MT-8242-2005

D

MT-8245-2005

E

MT-8237-2005

F

MT-8240-2005

G

MT-8238-2005

Not all articles are available worldwide.

ACCESSORIES FOR MONITORING SYSTEMS

NELLCOR®

NELLCOR® REUSABLE SENSORS

A	SpO_2 finger sensor Nellcor® DURA DS 100A	7262764
B	SpO_2 multisite sensor Nellcor® Dura-Y™, reusable	MX01004
C	Ear clip for Nellcor® Dura-Y	MX01005

A

MT-2641-91

B

D-35680-2009

C

MT-2355-2004

Not all articles are available worldwide.

ACCESSORIES FOR MONITORING SYSTEMS

NELLCOR® DISPOSABLE SENSORS

A	SpO_2 adhesive sensor Nellcor® Oximax® Max-A, disp., adult, cable 46 cm, 24 pcs.	MX50065
B	SpO_2 adhesive sensor Nellcor® Oximax® Max-AL, disp., adult, cable 91cm, 24 pcs.	MX50071
C	SpO_2 adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067
D	SpO_2 adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068
E	SpO_2 adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066
F	SpO_2 adhesive sensor Nellcor® Oximax® Max-Fast, disp., appl.on forehead, 24pcs.	MX50070
G	SpO_2 adhesive sensor Nellcor® Oximax® Max-R, disp., application on nose, 24pcs.	MX50069

A

MT-152-2003

B

MT-166-2003

C

MT-156-2003

D

MT-158-2003

E

MT-154-2003

F

MT-164-2003

G

MT-162-2003

Not all articles are available worldwide.

ACCESSORIES FOR MONITORING SYSTEMS

OXIBAND SENSORS

A	**SpO_2 multisite sensor Nellcor® Oxiband™ A/N, reusable, neonate/adult**	**8201013**
B	**Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.**	**8201012**
C	**SpO_2 multisite sensor Nellcor® Oxiband™ P/I, reusable, child**	**2170205**
D	**Adhesive wrap for Nellcor® Oxiband™ P/I, 100 pcs.**	**2170221**

A

MT-2624-91

B

MT-2257-2004

C

MT-2627-91

D

MT-2218-2004

Not all articles are available worldwide.

ACCESSORIES FOR MONITORING SYSTEMS

6.3 NON-INVASIVE BLOOD PRESSURE (NIBP)

REUSABLE CUFFS, LATEX FREE

These cuffs can be used with NIBP hoses M36039 and M36040.

A	**NIBP cuff, latex-free, reusable, child, 12-19 cm/8 cm, Luer Slip connector**	**M36032**
B	**NIBP cuff, latex-free, reus., small adult, 17-25 cm/10,5 cm, Luer Slip connector**	**M36033**
C	**NIBP cuff, latex-free, reusable, adult, 23-33 cm/14 cm, Luer Slip connector**	**M36034**
D	**NIBP cuff, latex-free, reusable, large adult, 31-40cm/18cm, Luer Slip connector**	**M36035**
E	**NIBP cuff, latex-free, reusable, thigh, 38-50 cm/21 cm, Luer Slip connector**	**M36036**

A

MT-2382-2011

B

MT-4492-2007

C

MT-2383-2011

D

MT-360-2008

E

MT-359-2008

Not all articles are available worldwide.

ACCESSORIES FOR MONITORING SYSTEMS

NIBP CUFFS NEONATAL, DISPOSABLE

The cuffs are latex free, made of tough nylon material and are colour-coded. These cuffs can be used with NIBP hoses M36039 and M36040.

A	NIBP cuff, disposable, neonate, size 1, 3.1-5.7 cm, 10 pcs.	2870181
B	NIBP cuff, disposable, neonate, size 2, 4.3-8.0 cm, 10 pcs.	2870199
C	NIBP cuff, disposable, neonate, size 3, 5.8-10.9 cm, 10 pcs.	2870207
D	NIBP cuff, disposable, neonate, size 4, 7.1-13.1 cm, 10 pcs.	2870215
E	NIBP cuff, disposable, neonate, size 5, 8.3-15 cm, 10 pcs.	2870173

NIBP HOSES AND CONNECTORS

F	NIBP hose with Luer Lock connector, 1.5 m	MP00740
F	NIBP hose with Luer Lock connector, 3 m	MP00741
	NIBP set, adult, 1.5 m	MP00743
	NIBP set, adult, 3 m	MP00742
G	NIBP double hose, with Luer Slip connector, 1.5 m	M36039
G	NIBP double hose, with Luer Slip connector, 3 m	M36040

A

MT-2073-2007

B

MT-2072-2007

C

MT-2071-2007

D

MT-2069-2007

E

MT-2070-2007

F

MT-238-96

G

MT-3042-2004

Not all articles are available worldwide.

ACCESSORIES FOR MONITORING SYSTEMS

6.4 INVASIVE BLOOD PRESSURE (IBP)

A	IBP pressure transducer plate Novotrans II, transducer, cable, and 2 disp. domes	8500347

6.5 TEMPERATURE

B	General-purpose temperature probe, reusable, child, 2.75 m	M35374
C	General-purpose temperature probe, reusable, adult, 2.75 m	M35372
D	Skin temperature probe, 2.75 m	M35373
E	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616

6.6 ELECTROENCEPHALOGRAPHY (PEEG)

F	RS-232 adapter cable, 9-pin male to 9-pin female, 2 m	8601474
G	Needle electrode cable	8601321

A

MT-2659-91

B

MT-2675-91

C

MT-2716-91

D

MT-2671-91

E

D-2354-2011

F

MT-2307-2004

G

MT-2305-2004

Not all articles are available worldwide.

Ward equipment

5

SOMETHING YOU CAN COUNT ON:

- Dräger has been developing and manufacturing high-quality ward accessories for decades
- Ongoing expansion of the portfolio with innovative products such as the Dräger Digiflow or the Dräger VarioAir® suction ejector
- Intelligent workstation concepts through safe interaction of accessory products with hospital installations

CONTENT

WARD EQUIPMENT

1. Oxygen therapy 193
1.1 Flowmeter 193
1.2 Pressure reducer 203
1.3 Humidifier and nebulizer 211
2. Aerosol therapy 214
3. Medical aspiration 221
3.1 Bronchial aspiration 221
3.2 OR aspiration 235
3.3 Continuous drainages 239
4. Rail accessories 249
5. Central supply hoses 259

NOTES

FLOWMETER

1. OXYGEN THERAPY

1.1 FLOWMETER

These O_2 Flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates of up to 32 L/min can be set with a high degree of accuracy. The large rotary knob makes setting easier.

Accuracy of flow rate at (1,013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D):	160 x 40 x 130 mm (6.3 x 1.6 x 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polycarbonate Flow indicator: Glass
Weight:	Approx. 500 g (1.1 lb).

A	**O_2 flowmeter, 4L/min, CS, DIN, ISO and neutral color, M34x1.5 f. accessories**	**2M86517**
B	**O_2 Flowmeter 4 l, CS, Japanese Standard (JIS), ISO, M34x1.5; Adapter 9/16"**	**MP01262**
C	**O_2 flowmeter, 16L/min, CS, DIN, ISO and neutr. color, M34x1.5 f. accessories**	**2M86553**
D	**O_2 flowmeter, 16L/min, CS 6cm, DIN, ISO and neutr. color, M 34x1.5 for acc.**	**2M86563**
E	**O_2 flowmeter, 16 L/min, CS, DIN, ISO and neutral color, 9/16" for sterile water**	**2M86562**

A

D-1446-2009

B

D-1312-2010

C

D-1447-2009

D

D-1451-2009

E

MT-2237-2004

Not all articles are available worldwide.

FLOWMETER

A **O_2 flowmeter, 16 L, CS,**
British Standard, ISO, M34x1,5; Adapter 9/16" **MP01260**

B **O_2 flowmeter, 16 L, CS,**
French Standard, ISO, M34x1,5; Adapter 9/16" **MP01261**

C **O_2 Flowmeter 16 l, CS,**
Japanese Standard (JIS), ISO, M34x1.5; Adapter 9/16" **MP01263**

D **O_2 flowmeter, 32 L/min, CS,**
DIN, ISO and neutral color, M34x1.5 for accessories **2M86567**

TWIN FLOWMETER

The particular advantage of the twin flowmeter is, that two patients can be treated simultaneously and independently of one another, while occupying only one wall terminal.

Accuracy of flow rate at (1,013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D):	160 x 150 x 190 mm (6.3 x 5.9 x 7.15 in)
Material:	Housing: Aluminium Pressure dome: Polycarbonate Flow indicator: Glass
Weight:	Approx. 900 g (1.98 lb).

E **O_2 twin flowmeter, CS, 2 x 16 L/min, CS,**
DIN, M34x1.5 ISO, neutral color **2M86561**

F **O_2 twin flowmeter, CS, 2 x 16 L/min, CS,**
DIN, 9/16", ISO, neutral color **2M86564**

A

MT-4453-2007

B

MT-4458-2007

C

D-1314-2010

D

D-2324-2011

E

D-1452-2009

F

D-1449-2009

Not all articles are available worldwide.

FLOWMETER

These O_2 flowmeters for rail attachment can be used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4, 16 or 32 L/min can be set with a high degree of accuracy. The large rotay knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. A 2 m (6.6 ft) connecting hose is attached to the easily operated clamp.

Accuracy of flow rate at (1,013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D):	160 x 40 x 130 mm (6.3 x 1.6 x 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polycarbonate Flow indicator: Glass
Weight:	Approx. 950 g (2.09 lbs).

A	**O_2 flowmeter, 4 L/min, rail with hose 2m, ISO, DIN, M34x1.5 for accessories**	**2M86516**
B	**O_2 flowmeter, 4L/min, rail w/ hose 2m, neutr. color, DIN, M34x1.5 f. accessories**	**MP01191**
C	**O_2 flowmeter, 16 L/min, rail with hose 2m, ISO, DIN, M34x1.5 for accessories**	**2M86551**
D	**O_2 flowmeter, 16 L/min, rail w/ hose 2m, neutr. color, DIN, M34x1.5 for acc.**	**MP01192**
E	**O_2 flowmeter, 32 L/min, rail with hose 2m ISO, DIN, M34x1.5 for accessories**	**2M86568**
F	**O_2 flowmeter, 32L/min, rail w/ hose 2m, neutr.color, DIN, M34x1.5 f. accessories**	**MP01194**

A

D-2322-2011

B

D-1462-2009

C

D-2323-2011

D

D-2384-2011

E

D-9262-2009

F

D-2385-2011

Not all articles are available worldwide.

FLOWMETER

A	O_2 flowmeter, 4L/min, rail, 90°, with hose 2m, ISO, DIN, M34x1.5 for accessories	2M86575
B	O_2 flowmeter, 4 L/min, rail, 90° with hose 2m, neutral color, DIN, M34x1.5	MP01197
C	O_2 flowmeter, 16 L/min, rail, 90° with hose 2m, ISO, DIN, M34x1.5 f. accessories	2M86571
D	O_2 flowmeter, 16 L/min, rail, 90° with hose 2m, neutral color, DIN, M34x1.5	MP01196
E	O_2 flowmeter for anesth., 16 L/min, rail, w/ hose 1m, NIST screw, ISO, M34x1.5	2M86248
F	O_2 flowmeter for anesth., 16L/min, rail, w/ hose 1m, NIST, neutr.color, M34x1.5	MP01198

A

D-2327-2011

B

D-2388-2011

C

D-2326-2011

D

D-2387-2011

E

D-1539-2009

F

MT-297-2003

Not all articles are available worldwide.

FLOWMETER

A	**O_2 flowmeter for anesth., 16L/min, 90° rail w/ hose 1m, NIST screw, ISO, M34x1.5**	**2M86249**
B	**O_2 flowmeter for anesth., 16L/min, 90°, rail,w/ hose 1m, NIST,neutr.color,M34x1.5**	**MP01199**
C	**O_2 flowmeter, 16L/min, rail, NIST, ISO and neutral color, M34x1,5; adapter 9/16"**	**MP01201**
	CS hoses	**8601697**
	Several hoses to connect e.g. flowmeter with the central supply.	

COMPACT FLOWMETER

Following flows can be set: 1, 2, 3, 4, 6, 8, 12 and 15 L/min.
A speciality of this device is the high accuracy.

Technical Data:

Gas-Inlet:	DIN O_2 CS connector
Accuracy (at 4.5 + 0.2 bar):	± 0.5 L/min or ± 10%, whichever is greater
Supply pressure:	4.5 + 0.2 bar
Weight:	420 g.

D	**O_2 compact flowmeter, Fix flows: 1, 2, 3, 4, 6, 8, 12, 15 L/min, CS, 6 mm nozzle**	**2M86793**
E	**O_2 compact flowmeter, Fix flows: 1, 2, 3, 4, 6, 8, 12, 15 L/min, CS, 9/16"**	**MP01204**

A

D-1540-2009

B

MT-300-2003

C

MT-2390-2011

D

MT-190-2003

E

MT-3334-2005

Not all articles are available worldwide.

FLOWMETER

These flowmeters are plugged directly into a wall terminal unit for medical air and are used to control the flow of medical air for aerosoltherapy. Flow rates of up to 16 or 32 L/min can be set with a high degree of accuracy. The large rotary knob makes setting easier. With integrated sintered filter.

Accuracy of flow rate at (1,013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D):	160 x 40 x 130 mm (6.3 x 1.6 x 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polycarbonate Flow indicator: Glass
Weight:	Approx. 500 g (1.1 lb).

A Air flowmeter, 16 L/min, CS, DIN, M 32 x 1.5, ISO and neutral color **2M86554**

B Air flowmeter, 32 L/min, CS, DIN, M 32 x 1.5, ISO and neutral color **2M86569**

A

D-1448-2009

B

MT-2245-2004

FLOWMETER

These Flowmeters for rail attachment can be used to control the flow of medical air for aerosol therapy. Flow rates of up to 16 or 32 L/min can be set with a high degree of accuracy.
The large setting knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to standard rail profiles. A 2 m (6.6 ft) connecting hose is attached to the easily operated clamp mechanism.

Accuracy of flow rate at (1,013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D):	160 x 40 x 130 mm (6.3 x 1.6 x 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polycarbonate Flow indicator: Glass
Weight:	Approx. 950 g (2.09 lbs).

A	**Air flowmeter, 16 L/min, rail, with hose 2 m, DIN, M 32 x 1.5, ISO**	**2M86552**
B	**Air flowmeter, 16 L/min, rail, with hose 2 m, DIN, M 32 x 1.5, neutral color**	**MP01193**
C	**Air flowmeter, 32 L/min, rail, with hose 2 m, DIN, M 32 x 1.5, ISO**	**2M86570**
D	**Air flowmeter, 32 L/min, rail, with hose 2 m, DIN, M 32 x 1.5, neutral color**	**MP01195**
E	**Air flowmeter, 16 L/min, rail, NIST, M 32 x 1.5, neutral color, ISO**	**MP01202**
	CS hoses Several hoses to connect e.g. flowmeter with the central supply.	**8601697**

A

MT-2229-2004

B

D-1541-2009

C

MT-2247-2004

D

D-2386-2011

E

MT-1500-2005

Not all articles are available worldwide.

FLOWMETER

Flowmeter with digital displaying of the setted flow. For direct connection to the wall or with rail clamp. DigiFlow has a very high level of accuracy and the flow is easy to read. Additional functions like preset of therapy time, consumption of oxygen and expired time of use are integrated.

Input pressure:	270 to 600 kPa (2.7 to 6 bar)
Display resolution:	0.3 to 3.0 L/min: 0.1 L/min higher: 0.5 L/min
Measurement accuracy:	± 5% of displayed value
Display accuracy:	± 1 digit
Dimensions (W x H x D):	With direct probe: 56 x 144 x 140 mm (2.2 x 5.67 x 5.51 in) With universal holder: 56 x 144 x 105 mm (2.2 x 5.67 x 4.13 in)
Weight:	With direct probe: 340 g (0.74 lbs) With universal holder: 740 g (1.63 lbs).

A

MT-0071-2005

B

MT-0072-2005

3 L/min oxygen flow meter with digital display showing the delivered flow rates. For directly plugging into an oxygen supply coupler. This version is particularly suitable for low flows in the neonatal and pediatric fields. Adjustment from 0.3 to 3 L/min in 0.1 increments.

A	**Electronic O_2 flowmeter DigiFlow, 3 L/min, CS, DIN, 9/16", for sterile water**	**MP01210**
	Electronic O_2 flowmeter DigiFlow, 3L, CS, British Standard, 9/16"	**MP01218**
	Electronic O_2 flowmeter DigiFlow, 3L, CS, French Standard, 9/16"	**MP01222**
B	**Electronic O_2 flowmeter DigiFlow, 3 L/min, CS, DIN, M34x1.5 for accessories**	**MP01211**

Not all articles are available worldwide.

FLOWMETER

16 L/min oxygen flow meter with digital display of set flow.
For directly plugging into an oxygen supply coupler.
Adjustment from 0.3 to 3 L/min in 0.1 increments,
from 3 L/min in 0.5 increments.

A	**Electronic O_2 flowmeter DigiFlow, 16 L/min, CS, DIN, 9/16", for sterile water**	**MP01226**
	Electronic O_2 flowmeter DigiFlow, 16L, CS, British Standard, 9/16"	**MP01219**
	Electronic O_2 flowmeter DigiFlow, 16 L, CS, French Standard, 9/16"	**MP01223**
B	**Electronic O_2 flowmeter DigiFlow, 16 L/min, CS, DIN, M34x1.5 for accessories**	**MP01227**
C	**Electronic O_2 flowmeter DigiFlow, 3 L/min, rail, NIST, 9/16'' for sterile water**	**MP01212**
D	**Electronic O_2 flowmeter DigiFlow, 3 L/min, rail, NIST, M34x1.5 for accessories**	**MP01213**
E	**Electronic O_2 flowmeter DigiFlow, 16 L/min, rail, NIST, 9/16" for sterile water**	**MP01228**
F	**Electronic O_2 flowmeter DigiFlow, 16 L/min, rail, NIST, M34x1.5 for accessories**	**MP01229**

A

MT-0070-2005

B

MT-0066-2005

C

MT-0095-2005

D

MT-0103-2005

E

MT-0095-2005

F

MT-0103-2005

Not all articles are available worldwide.

FLOWMETER

A	**Electronic Air flowmeter DigiFlow, 3 L/min, CS, 9/16", DIN, ISO, neutral color**	**MP01214**
	Electronic Air flowmeter DigiFlow, 3L, CS, 9/16", British Standard, ISO	**MP01220**
	Electronic Air flowmeter DigiFlow, 3L, CS, 9/16", French Standard, ISO	**MP01224**
A	**Electronic Air flowmeter DigiFlow, 16 L/min, CS, 9/16", DIN, ISO, neutral color**	**MP01216**
	Electronic Air flowmeter DigiFlow, 16L, CS, 9/16", British Standard, ISO	**MP01221**
	Electronic Air flowmeter DigiFlow, 16L, CS, 9/16", French Standard, ISO	**MP01225**
B	**Electronic Air flowmeter DigiFlow, 3L/min, rail, NIST, 9/16", ISO, neutral color**	**MP01215**
C	**Electronic Air flowmeter DigiFlow, 3L/min, rail, NIST, M32x1.5, ISO, neutr.color**	**MP01235**
B	**Electronic Air flowmeter DigiFlow, 16L/min, rail, NIST, 9/16" ISO, neutral color**	**MP01217**
C	**Electronic Air flowmeter DigiFlow, 16L/min, rail, NIST, M32x1.5, ISO, neutr.col.**	**MP01255**
	CS hoses Several hoses to connect e.g. flowmeter with the central supply.	**8601697**
D	**Mixing block, with mixing chart, or O_2 and air flowmeter or DigiFlow w/ M34x1.5**	**2M85728**

A

D-1491-2009

B

D-1492-2009

C

D-35637-2009

D

MT-281-2003

Not all articles are available worldwide.

PRESSURE REDUCER

1.2 PRESSURE REDUCER

A **Pressure reducer OxyLine, customized configuration of pressure reducers** **MP00100**

OxyLine's modular design means you can accurately choose the pressure reducer you need from the following components:

- O_2 or air pressure reducer with 200 or 300 bar
- Fixed or digital display manometer
- Flow regulator settings (1, 2, 3, 4, 6, 8, 12 and 15 L/min) and 9/16" sterile water connector
- Flowmeter for up to 16 L/min with connector for Dräger Reusable Humidifier, sterile water connector and 6 mm (0.2 in) nozzle for an oxygen mask
- Self-closing NIST connector
- Centralized gas supply coupling, e.g. to connect up a mains-operated ventilation device
- Ejector for short-time suction of eg. secret.

Type:	Single-stage pre-set pressure reducer
Permissible inlet pressure range:	11 to 300 kPa x 100
Nominal outlet pressure (p2):	non-adjustable, output pressure as per rating plate
Weight:	1.2 kg to 2 kg (depending on connector type)
Material:	Brass with chemical nickel surface.

Existing components such as a medicament nebulizer can also be connected to OxyLine®.

A

MT-1358-2003

Not all articles are available worldwide.

PRESSURE REDUCER

OxyLine® Pressure reducer MP00100

Order information international

Make your own configuration by setting a cross or a number.

☐ = One position must be chosen

⬚ = One position can be chosen

MT-3990-2003


MT-8525-2005 MT-8521-2005 MT-8528-2005

MT-1005-2004

MT-3993-2003

MT-1004-2004 MT-1000-2004 MT-1011-2004 MT-1012-2004


		O_2 300 bar	O_2 200 bar	O_2 300 bar	O_2	O_2 200 bar	O_2	AIR 200 bar	AIR 300 bar
1	**Pressure Reducer Basis**								
1.1	**O_2 200 bar**					☐			
	O_2 300 bar			☐					
1.2	**AIR 200 bar**							☐	
	AIR 300 bar								☐
1.3	**Oxett / Oxator**								
	Oxatorhead 200		☐						
	Oxetthead 200, Flowregulator		☐						
	Oxetthead 200, Flowmeter		☐						
	Oxatorhead 300	☐							
	Oxetthead 300, Flowregulator	☐							
	Oxetthead 300, Flowmeter	☐							
2	**Pressure Gauge**								
2.1	**O_2**								
	40 mm vertical 300 bar			☐					
	40 mm vertical 200 bar					☐			
	40 mm horizontal					☐			
	Digital with el. Sensor					☐			
2.2	**AIR**								
	40 mm vertical 300 bar								☐
	40 mm vertical 200 bar							☐	
	40 mm horizontal							☐	
	Digital with el. sensor							☐	
3	**High Pressure Inlet**								
3.1	**O_2-Inlet**								
	DIN 300 bar	☐		☐					
	G 3/4 (German Standard)		☐		☐				
	BS 341 (British Standard, Bullnose)		☐			☐			
	NFE 29-650 (French Standard, AFNOR)		☐				☐		
	ITC MIEAP7N.3 (Spain Standard)		☐		☐				
	CGA V-1 540 (USA Standard)		☐		☐				
	SS (Swedish Standard, AGA) (GA)		☐		☐				
	UNI (Italien Standard)		☐		☐				
	EN 850 P/I (Pin Index)		☐		☐				
	NBN 226 (Belgium Standard)		☐		☐				
	NEN 3268 (Dutch Standard)		☐		☐				
3.2	**Air-Inlet**								
	DIN 300 bar								☐
	G 5/8							☐	
	EN 850 P/I (Pin Index)							☐	
					O_2	O_2	O_2	AIR	AIR

PRESSURE REDUCER

MT-1321-2003

MT-1324-2003

MT-1333-2003

MT-1332-2003

D-8932-2009



* At least one outlet must be selected.
** Please check former selection (left/right).
*** Only possible if no NIST O_2 (4.4) or NIST AIR (4.5).

5	ZUBEHÖR	
	Adapter NIST to DIN CS-Coupling O_2	M35056
	Adapter NIST to DIN CS-Coupling AIR	M35058
	Adapter, with 6 mm nozzle, 9/16" connection	MP00416
	Humidifier-bubbler, for oxygen humidification	2M85834
	Humidifier-nebulizer, for oxygen humidification	2M85835
	Inhalation set	2M85912
	Oxygen mask, w/ tubing (2.1 m), medium concentration	MX30101
	Oxygen mask, w/ tubing (2.1 m) and reservoir, high concentr.	MX30108

PRESSURE REDUCER

A	Oxett head OxyLine, press. reducer G3/4", 200 bar, NIST,flowmeter,DIN-CS,ejector	MP01101
B	Oxett head OxyLine, press.redcr G3/4",200 bar flow regulator,NIST,DIN-CS,ejector	MP01102
C	Oxator head OxyLine, pressure reducer G3/4", 200 bar, NIST, 2x DIN-CS, ejector	MP01103
D	Press. reducer w/ flowm. OxyLine, G3/4", 200bar, 16L/min, M34x1,5, 9/16, nozzle	MP01104
E	Pressure reducer with NIST OxyLine, G3/4", for 200 bar, NIST	MP01105

A

MT-8526-2005

B

MT-8528-2005

C

MT-8521-2005

D

D-15199-2010

E

MT-10984-2006

Not all articles are available worldwide.

PRESSURE REDUCER

A	**Oxett** Oxett is a portable oxygen supply unit for mobile use. Oxett ensures consistent treatment, because the device can be mounted to bed, rail and stretcher. All devices for inhalation, insufflation and suction are available on a solid aluminum plate. Precise O_2 delivery is handled through the pressure compensated flow meter or the compact flowmeter. Manual or automatic short-term ventilation is even possible, because the Oxylog® can be connected via the O_2 standard coupling. The portable Oxett unit meets the requirements of daily hospital and emergency medical practice in a simple way. It removes all well-practiced temporary supply solutions.	
B	**Oxett carrying frame,for Oxett head+O_2 cylinder up to 2.5L, with secretion jar**	**2M86204**
C	**Oxett head, configurable via OxyLine®**	**MP00100**
	Oxett head OxyLine, press. reducer G3/4", 200 bar, NIST,flowmeter,DIN-CS,ejector	**MP01101**
	Oxett head OxyLine, press.redcr G3/4",200 bar, flow regulator,NIST,DIN-CS,ejector	**MP01102**
D	**Oxett adapter plate, to mount Oxett on bed in higher position**	**2M86205**

A

MT-4101-2006

B

MT-4516-2007

C

MT-8525-2005

C

MT-8528-2005

D

MT-110-2001

Not all articles are available worldwide.

PRESSURE REDUCER

A Small Oxator

Space-saving solution for transportation of large gas-cylinder.
The stable trolley can be used flexible.
Set up from components below:

B Simple cylinder trolley, for gas cylinders up to a volume of 11 L — **MP00038**

C Cylinder trolley, for gas cylinders up to a volume of 11 L — **2M86029**

Cylinder holder, for fixing gas cylinders on cylinder trolley 2M86029 — **2M86174**

D Oxator head, configurable via OxyLine® — **MP00100**

Oxator head OxyLine, pressure reducer G3/4", 200 bar, NIST, 2x DIN-CS, ejector — **MP01103**

E Compact rail, for 38 mm tube, standard rail profile 10 x 25 mm, each side 10 cm — **2M85337**

Weight: 0.9 kg, max. load: 30 kg.

F Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose — **2M85056**

Maximum capacity up to the overflow safeguard 2 x 1000 mL.
Scale in steps of 10 mL up to max. 700 mL.
Weight: 1000 g (empty).
Dimensions (W/H/D) in mm: 300 x 340 x 100.

G Rail holder with clamp, for compact suction unit and secretion jar set — **M26842**

Rail clamp lever type, for attachment of devices to 25x10 mm standard rail, for compact suction unit and secretion jar set.

A

MT-4082-2006

B

MT-219-2003

C

MT-372-2001

D

MT-8521-2005

E

MT-21198-94

F

D-7354-2011

G

MT-2542-95

Not all articles are available worldwide.

PRESSURE REDUCER

A **Oxator 2**

The Oxator 2 oxygen supply unit is a portable multipurpose device which can be fitted with different modules to suit requirements. The unit offers six types of therapy: inhalation, insuflation, aerosoltherapy, bronchial aspiration, manual short term ventilation, automatic short-term ventilation.

B **Trolley Oxator 2, for pressure reducer, with 5 drawers, shelf, secretion jar** **2M85493**

C **Oxett head, configurable via OxyLine®** **MP00100**

Oxator head OxyLine, pressure reducer G3/4", 200 bar, NIST, 2x DIN-CS, ejector **MP01103**

D **Cylinder jacket, plastic, to protect 10 L gas cylinder** **2M86410**

For CS hoses please refer to chapter Central supply hoses.

A

MT-4092-2006

B

MT-604-98

C

MT-8521-2005

D

MT-768-2000

PRESSURE REDUCER

A	**Simple cylinder trolley, for gas cylinders up to a volume of 11 L**	**MP00038**
B	**Cylinder trolley, for gas cylinders up to a volume of 11 L**	**2M86029**
	Cylinder holder, for fixing gas cylinders on cylinder trolley 2M86029	**2M86174**
C	**Rail holder, for 38 mm tube, standard rail profile 10 x 25 mm, 40 cm**	**2M86185**
	Length: 40 cm, weight: 0.9 kg, max. load: 5 kg.	
D	**Cylinder jacket, plastic, to protect 10 L gas cylinder**	**2M86410**
E	**Adapter NIST to DIN CS-Coupling O_2**	**M35056**
F	**Adapter NIST to DIN CS-Coupling AIR**	**M35058**

A

MT-219-2003

B

MT-372-2001

C

MT-471-99

D

MT-768-2000

E

D-15201-2010

F

D-15202-2010

Not all articles are available worldwide.

HUMIDIFIER AND NEBULIZER

1.3 HUMIDIFIER AND NEBULIZER

A	Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity	2M85834
B	Humidifier-nebulizer, for oxygen humidification up to 100% relative humidity	2M85835
C	Adapter, to connect tube to O_2 flowmeter, M34x1.5 to 6 mm nozzle	M06258
D	Adapter, to connect Dräger humidifier to mixing block, M 15x1 to M 34x1.5	2M85853
E	Adapter, to connect a tube to Air flowmeter, M 32 x 1.5 to 5mm nozzle	2M85575

A

MT-246-2000

B

MT-247-2000

C

MT-2585-95

D

MT-2341-96

E

MT-2581-95

Not all articles are available worldwide.

HUMIDIFIER AND NEBULIZER

A **Adapter, for disposable sterilized water systems to O_2 flowmeters, M34x1.5** — **2M86680**

B **Adapter, with 6 mm nozzle, e.g., for disp. breathing masks, 9/16" connection** — **MP00416**

C **O_2 distributor with 3 DIN terminal units, with rail clamp** — **2M18810**

NIST gas inlet for O_2 hose, for rail fixation.

Air distributor with 3 DIN terminal units, with rail clamp — **2M19090**

NIST gas inlet for AIR hose, for rail fixation.

A

MT-83-2000

B

MT-5607-2005

C

D-2314-2011

Not all articles are available worldwide.

HUMIDIFIER AND NEBULIZER

A	Inhalation set, inhalation mask, 2x corrugated hose Ø 22 mm 1 m, connect. piece	2M85912
B	Oxygen mask, w/ tubing (2.1 m), medium concentration, adult, 50 pcs.	MX30101
C	Oxygen mask, w/ tubing (2.1 m) and reservoir, high concentr., adult, 50 pcs.	MX30108
D	Aerosol mask, adult, 30 pcs.	2M85911
E	O_2 nasal cannula, disposable, with hose 2.1 m, adult, 50 pcs.	5730354

A

D-9108-2009

B

MT-0807-2008

C

MT-2359-2004

D

D-1535-2009

E

MT-357-2001

Not all articles are available worldwide.

AEROSOL THERAPY

2. AEROSOL THERAPY

A	Medication nebulizer for Babylog® 8000 with quick connector	8411030
B	Pneumatic medication nebulizer, for Evita® and Evita® 2	8405000
C	Connector set for med. nebulizer, for neonatal breathing circuit	8411031
	Nebulizer hose	8412985

A

MT-2258-2004

B

D-2367-2011

C

D-9107-2009

Not all articles are available worldwide.

AEROSOL THERAPY

Pneumatically operated medicament nebulizer
for clinical use.

Operating pressure:	5 bar
Gas consumption:	Flowmeter: 1 to 15 L/min Toggle switch valve: 10 L/min
Nebulizer output:	At 6 L/min: > 2 ml/10 min At 12 L/min: > 3 ml/10 min
Weight:	Nebulizer housing with mask: about 110 g Flowmeter with hose: about 700 g Flowmeter Central supply system: about 270 g Adjusting valve: about 350 g
Materials:	Mask and nebulizer housing: Polyamide Atomiser and medicament container: Polysulphone.

A **Medication nebulizer Inhalette S, with toggle switch valve, O_2/Air, DIN** **2M85674**

B **Medication nebulizer Inhalette Vario CS, with O_2/Air flowmeter, CS, DIN** **2M85692**

C **Medication nebulizer Inhalette Vario rail, with O_2/Air flowmeter, 2 m hose, DIN** **2M85693**

A

D-10087-2009

B

D-10091-2009

C

D-2320-2011

Not all articles are available worldwide.

AEROSOL THERAPY

A	Connector for Inhalette, O_2 flowm. to O_2/air connection hose, M 34x1,5/M 15x1	2M16843
B	O_2/Air connection hose, for Inhalette, 1.5 m, black, 2 x M15x1	M17716
C	O_2/Air connection hose, for Inhalette, 3 m, black, 2 x M15x1	M17717
D	Nebulizer element for Inhalette, spare part	2M85571
E	Inhalation mask for Inhalette, autoclavalable	M11015
F	Mouthpiece for Inhalette, autoclavalable	M12394

A

MT-2488-95

B

D-9142-2009

C

D-9143-2009

D

D-9141-2009

E

MT-311-2003

F

MT-312-2003

Not all articles are available worldwide.

AEROSOL THERAPY

A **Ultrasonic nebulizer Tropic plus, basic unit with all accessories** **MP01205**

Includes:
- Short and long disposable hose
- Bacterial filter
- Power cable
- Nebulizer chamber
- Oscillating crystal
- Cap.

Ultrasonic nebulizer for effective humidification of the ambient air surrounding the patient, completely independently of any Central Gas Supply System. The nebulizer is driven by a quartz oscillator, with the result that only electrical energy is needed for operation. The use of highly effective bacterial filters at the point at which the air enters the system, together with the possibility of nebulizing from sterilized water systems, largely prevents the spread of bacteria, viruses and germs. It is possible to nebulize distilled water both with or without a feeder system for long-term operation. The integrated timer allows presetting a defined therapy time. Medication can be applied in aerosol form using the disposable medicament containers (Tropic plus nebulizer set). For use with 110/127/230 V.

Power consumption:	Ultrasonic nebulizer 50 VA Hose heating 15 VA
Ultrasonic frequency:	1.68 MHz ± 5%
Sound pressure level:	Approx. 35 dB(A)
Protection against moisture:	IP 32 (dripping water)
Method of operation:	Continuous operation
Nebuliser output:	Max. 3 mL/min
Output with sterile water system:	Up to 2.5 mL/min
Size of droplets:	0.2 to 4 µm approx. 86% is smaller than 4 µm
Air flow:	6 to 10 L/min when using Filter SafeStar® 55 10 to 15 L/min when using Filter CareStar® 30
Classification:	Class I B.

B **Table set for Tropic plus, stand, hinged arm, clamp, bottle holder** **MP01209**

C **Trolley Tropic plus, w/ stand, hinged arm, clamp, bottle holder** **MP01206**

D **Rail set for Tropic plus, stand, hinged arm, clamp, bottle holder** **MP01207**

A

MT-367-2008

A

MT-368-2008

A



D-35635-2009

B

MT-0638-2008

C

MT-372-2008

D

MT-373-2008

Not all articles are available worldwide.

AEROSOL THERAPY

A	Heatable hose Tropic plus, 1.1 m, for aerosol heating, cable, plug	2M85759
B	Corrugated hose Tropic plus, reusable, 1.2 m, autoclavable, for nebulizers	8403896
C	Corrugated hose Tropic plus, reusable, 0.3 m, autoclavable, for nebulizers	2M85813
D	Automatic refilling set Tropic plus, for large sterile water containers	MP01208
E	Nebulizer set for Tropic plus, disposable, for medication nebulization, 48 pcs.	MP00006
F	Mechanical filter SafeStar® 55, disp., 55 mL deadspace, 50 pcs.	MP01790
G	Electrostatic filter CareStar® 30, disp., 30 mL deadspace, 50 pcs.	MP01770

A

D-1547-2009

B

MT-320-2001

C

MT-294-2003

D

D-35681-2009

E

D-1481-2009

F

MT-11165-2006

G

MT-0011-2007

Not all articles are available worldwide.

AEROSOL THERAPY

A	Quartz oscillator for Tropic plus, reusable, autoclavable	2M85794
B	Lid for nebulizer chamber Tropic plus, autoclavable	2M85795
C	Hose for Tropic plus, disposable, patient side, for Tropic plus, 100 cm, 15 pcs.	MX22793
C	Hose for Tropic plus, disposable, connects fan/chamber, for Tropic plus, 40 cm, 20 pcs.	MX22790
D	Nebulizer chamber for Tropic plus, spare part	2M85796

A

MT-289-2003

B

MT-291-2003

C

MT-2501-95

D

MT-292-2003

Not all articles are available worldwide.

MEDICAL ASPIRATION

3.1 Bronchial aspiration

Dräger Medical offers an extensive line of bronchial aspirators, while also providing individual solutions to meet your specific needs in the ICU and OR.

Generally you have the choice between vacuum or air pressure as the drive gas. We differ by the driving units between the ejectors and the vacuum regulators.

In addition, we can supply the attachments and hose brackets you need to ensure an ergonomically efficient workplace.

You could also choose the connection you require and the fitting jar system. We offer reusable solutions as well as disposables.



1	MP00501	Vacuum regulator VarioVac® B DIN
2	MP00502	Vacuum regulator VarioVac® B BS
3	MP00503	Vacuum regulator VarioVac® B NF
4	MP00504	Vacuum regulator VarioVac® B AGA
5	MP00505	Vacuum regulator VarioVac® B/OR rail
6	MP00506	Vacuum regulator VarioVac® B compact
7	MP00530	Ejector VarioAir® B DIN
8	MP00531	Ejector VarioAir® B BS
9	MP00532	Ejector VarioAir® B NF
10	MP00533	Ejector VarioAir® B AGA
11	MP00534	Ejector VarioAir® B UNI
12	MP00535	Ejector VarioAir® B/OR rail
13	MP00545	Ejector VarioAir® P rail
14	MP00536	Ejector VarioAir® B compact
15	MP00547	Ejector VarioAir® P compact
16	MP00555	Bacterial and viral filter system VarioSafe
17	2M85056	Secretion jar set, with secretion jars
18	2M85607	Secretion jar set, with protection jar and secretion jars
19	M26859	Wall holder
20	M26842	Rail holder with clamp
21	2M85119	Ceiling holder
22	2M86207	Secretion jar, 300 mL
23	2M85594	Secretion jar, 700 mL
24	2M86758	Protection jar
25	2M85446	CS connection hose holder
26	2M85239	Suction hose holder
27	MX23023	Secretion jar VacuSmart®, 700 mL
28	MX23025	Secretion jar VacuSmart® Gel, 700 mL
29	MX23026	Suction tube VacuSmart® Tube
30	MP00570	Shut-off valve for VarioVac®
31	6723976	Bacterial filter 767, for ejectors (until 2010)

BRONCHIAL ASPIRATION

3. MEDICAL ASPIRATION

3.1 BRONCHIAL ASPIRATION

The vacuum regulator is connected directly to a central vacuum supply system or to rails. The vacuum is infinitely variable up to max. -90 kPa (-900 mbar) and is shown on a turnable, manually adjustable pressure gauge. All plastic parts, which may become contaminate (except for the frame with pressure gauge) can be autoclaved at up to 134 °C. All VarioVac® vacuum regulators offer a dual color coding according to EN ISO 32 (yellow) and neutral colour standard (black).
Shut-off valve is included.
You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	55 L/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 x 200 x 160
Maximum sound level:	55 dB (A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe).

A	**Vacuum regulator VarioVac® B DIN, for bronchial suction, gas connection AIR**	**MP00501**
B	**Vacuum regulator VarioVac® B BS, for bronchial suction, gas connection AIR**	**MP00502**
C	**Vacuum regulator VarioVac® B NF, for bronchial suction, gas connection AIR**	**MP00503**
D	**Vacuum regulator VarioVac® B AGA, for bronchial suction, gas connection AIR**	**MP00504**
E	**Vacuum regulator VarioVac® B/OR rail, for bronchial suction, gas connection AIR**	**MP00505**

For CS hoses please refer to chapter Central supply hoses.

A

MT-0001-2004

B

MT-0004-2004

C

MT-1127-2004

D

MT-0005-2004

E

MT-0005-2004

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -90 kPa (-900 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge.
All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.
The vacuum adjusting knob is also the on/off switch to interrupt the suction without reset the values.
All VarioAir® ejectors offer a dual color coding according to EN ISO 32 (yellow) and neutral colour standard (black).
A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 L/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 x 200 x 160 (without VarioSafe) 80 x 330 x 160 (with VarioSafe)
Maximum sound level:	57 dB (A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe).

A	**Ejector VarioAir® B DIN, for bronchial suction, gas connection AIR**	**MP00530**
B	**Ejector VarioAir® B BS, for bronchial suction, gas connection AIR**	**MP00531**
C	**Ejector VarioAir® B NF, for bronchial suction, gas connection AIR**	**MP00532**
D	**Ejector VarioAir® B AGA, for bronchial suction, gas connection AIR**	**MP00533**
E	**Ejector VarioAir® B UNI, for bronchial suction, gas connection AIR**	**MP00534**
F	**Ejector VarioAir® B/OR rail, for bronchial-+OR suction, gas connection NIST, AIR**	**MP00535**

For CS hoses please refer to chapter Central supply hoses.

A

D-28511-2009

B

D-28513-2009

C

D-28515-2009

D

D-28517-2009

E

D-28519-2009

F

D-28521-2009

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

A Ejector VarioAir® P rail, for bronchial suction, gas connection AIR, NIST — **MP00545**

For connecting via CS vacuum connecting hose.
This rail version can be connected to all standard wall rails (8-10 mm width and 25-35 mm height).
The gas supply is ensured by AIR connection hose.
A new VarioSafe disposable filter systemreliably protects the VarioAir® series and the patient environment against contamination.

Technical data:

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 L/min
Maximum sound level:	57 dB (A)
Pressure relief valve:	from 0.1 kPa on (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe).

For CS hoses please refer to chapter Central supply hoses.

A

D-28521-2009

BRONCHIAL ASPIRATION

Drive unit (VarioVac® or VarioAir®) and jar set are joined together, so that you have a complete, convinient and easy solution.
The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly.

Technical data:

Weight:	1,600 g (empty)
Dimensions (W/H/D) in mm:	300 x 340 x 160
Hose nozzle:	Ø 6 mm
Color coding:	ISO 32 (yellow for vacuum setting to the patient) and neutral color standard (black).

A

MT-0014-2004

B

D-33493-2009

A Vacuum regulator VarioVac® B compact, for bronchial suction, gas connection AIR — **MP00506**

Complete system including secretion jar set and integrated vacuum regulator.
You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	55 L/min
Maximum sound level:	55 dB (A)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe).

B Ejector VarioAir® B compact, for bronchial suction, gas connection AIR, NIST — **MP00536**

Complete system including secretion jar set and integrated ejector.
A new VarioSafe disposable filter system reliably protects the VarioAir® series and the patient environment against contamination.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 L/min
Maximum sound level:	57 dB (A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe).

For CS hoses please refer to chapter Central supply hoses.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

A **Ejector VarioAir® P compact, for bronchial suction, gas connection AIR** — **MP00547**

Complete system including secretion jar set and integrated ejector.
A new VarioSafe disposable filter system reliably protects the VarioAir® series and the patient environment against contamination.

Technical data:

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 L/min
Maximum sound level:	57 dB (A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe).

For CS hoses please refer to chapter Central supply hoses.

A

D-33493-2009

BRONCHIAL ASPIRATION

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be fully autoclaved at up to 134 °C. The two 700 ml jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high quality polysulfone, are reusable, extremely robust and implosion proof. The long service lifes makes the jars both environmentally friendly and cost effective.
An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the secretion jar set quickly.

A

D-7354-2011

B

MT-2575-95

A Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose — **2M85056**

Maximum capacity up to the overflow safeguard 2 x 1000 mL.
Scale in steps of 10 mL up to max. 700 mL.
Weight: 1000 g (empty).
Dimensions (W/H/D) in mm: 300 x 340 x 100.

B Secretion jar set, with protection jar and 700 mL secretion jars (2 pcs.) — **2M85607**

Maximum capacity up to the overflow safeguard 2 x 1000 mL.
Scale in steps of 10 mL up to max. 700 mL.
With additional protection jar 300 mL.
Weight: 1000 g (empty).
Dimensions (W/H/D) in mm: 300 x 340 x 100.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/ rail or to a rail on a ceiling supply unit. The devices are only latched and can be detached and moved easily if this is requiered.

A **Wall holder, with fixing screws, f. compact suction unit and secretion jar set** **M26859**

B **Rail holder with clamp, for compact suction unit and secretion jar set** **M26842**

Rail clamp lever type, for attachment of devices to 25x10 mm standard rail, for compact suction unit and secretion jar set.

C **Ceiling holder, rail holder for compact suction systems and secretion jar sets** **2M85119**

Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.

D **CS connection hose holder** **2M85446**

E **Suction hose holder, suitable for various diameters** **2M85239**

A

MT-2473-95

B

MT-2542-95

C

MT-10962-2006

D

MT-2517-95

E

MT-2524-95

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

A **Secretion jar VacuSmart®, PE (polyethylene), disposable, 700 mL, 25 pcs.** **MX23023**

The VacuSmart® is a disposable cartridge and has been specially designed and thoroughly tested to for compatibility with the Dräger Medical endotracheal suction unit using 700 mL secretion jars, so there is no need to modify the suction unit. It is adaptable within few seconds. An overflow safeguard reliably protects the aspirator and the environment against contamination.

Technical data:

Maximum capacity:	700 mL
Maximum capacity up to the overflow safeguard:	1000 mL
Overflow safeguard:	Integrated, hydrophobic filter
Recommended duration of use:	24 h.

B **Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 mL, 25 pcs.** **MX23025**

The VacuSmart® Gel is a disposable cartridge with an integrated gelling agent for all Dräger Medical endotracheal suction units using 700 mL secretion jars. The gelling agent coagulates the bronchial secretion and prevent thereby the leakage e.g. in case of disposal in a waste press. The integrated sodium polyacrylate is additionally packed in a water soluble bag in order to avoid skin contact.

Technical data:

Maximum capacity:	700 mL
Maximum capacity up to the overflow safeguard:	1000 mL
Geling agent:	Sodium polyacrylate
Overflow safeguard:	Integrated, hydrophobic filter
Recommended duration of use:	24 h.

C **Suction tube VacuSmart® Tube, polyethylene, disp., 2 m, w/ finger tip, 25 pcs.** **MX23026**

You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:

D **Suction set, disp., VacuSmart®, 700 mL and VacuSmart® Tube, 25 pcs. each** **MP00061**

E **Suction set, VacuSmart®, 700 mL (1000 pcs.) and secretion jar set (2M85056)** **MP00062**

A

MT-171-2003

B

MT-3716-2008

C



MT-953-2000

D

D-35687-2009

E

MT-383-2003

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

A Bacterial filter 767, for ejectors (model range until 2010), 5 pcs. 6723976

A Bacterial filter 767, disposable, for ejectors (model range until 2010) CH00102

The filter 767 reliably protects the ejector and the patient environment against contamination.

Technical data:	
Bacterial retention:	99.992%*
Viral retention:	99.99%*
Material:	PS (polystyrol)
Recommended duration of use:	14 days
Filtration method:	Mechanical (HEPA)*
Max. resistance (mbar):	6 mbar.

B Bacterial filter, disp., for endotr. Suction for Primus®,Fabius®, Zeus®, 20 pcs. MK00514

Technical data:	
Bacterial retention:	99,999%*
Viral retention:	99,999%*
Material:	Acryl
Recommended duration of use:	14 days
Filtration method:	Hydrophobic (HEPA)*.

C Bacterial and viral filter system VarioSafe, for VarioAir® & VarioVac®, disp., 10 pcs. MP00555

Technical data:	
Maximum capacity:	90 mL
Bacterial retention:	99.99998%*
Viral retention:	99.9998%*
Material:	PS (polystyrol)
Recommended duration of use:	7 days
Filtration method:	Mechanical and hydrophobic (HEPA)
Max. resistance (mbar):	15 mbar.

*According to EN 1822-1:1998
Filter for suspended particles (HEPA and ULPA).

A

MT-3005-2004

B

MT-4617-2005

C

D-28537-2009

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

A	Protection jar, PSU (polysulfone), reus., w/ rail clamp, autoclav. up to 134 °C	2M86758
B	Suction hose, silicone, reusable, 1.5 m, for medical suction	M25780
C	Connection hose, silicone, reus., ID 5 mm, wall thickness 2 mm, by meter	1203606
D	Cap, for 700 mL secretion jar, with overflow safeguard	2M85011
E	Cap, for secretion jar, for fistula indicator for continuous + thoracic drainage	2M85013
F	Cap, for secretion jar, w/ overflow safeguard+ pressure relief valve (≥ 0.1 kPa)	2M85012

A

MT-112-2001

B

MT-2568-95

C

MT-2219-92

D

MT-21146-96

E

MT-2335-96

F

MT-21145-96

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

A	**Secretion jar, PSU (Polysulfone), reusable, 300 mL, autoclavable up to 134°C**	**2M86207**
B	**Secretion jar, PSU (Polysulfone), reusable, 700 mL, autoclavable up to 134°C**	**2M85594**
C	**Elbow, angled hose connection for secretion jar caps**	**2M19063**
D	**Vacuum connector, vacuum thread to nozzle connector** 6 mm for hose 6.3 x 3 mm. Connection: ISO 228 G 1/4" internal thread.	**M30574**
D	**Vacuum connector, vacuum thread to nozzle connector** 4 mm for hose 4 x 3 mm. Connection: ISO 228 G 1/4" internal thread.	**M30606**
E	**Shut-off valve for VarioVac®, for temporary opening and closing of suction flow**	**MP00570**

A

MT-10979-2006

B

D-7359-2011

C

MT-2492-95

D

MT-528-97

E

MT-1129-2004

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

A	Cap for Vario Vac® + VarioAir® B/OR, neutral color, 10 pcs.	MP00496
B	Cap for Vario Vac® + VarioAir® B/OR, ISO, 10 pcs.	MP00494
C	Pressure gauge f. VarioVac®+VarioAir®, double scale kPa/mmHg, -100kPa (-1000mbar)	MP00578
D	Pressure gauge f. VarioVac®+VarioAir®, double scale kPa/mmHg, -60 kPa (-600 mbar)	MP00580

A

MT-4501-2005

B

MT-4031-2006

C

D-28496-2009

D

D-33499-2009

Not all articles are available worldwide.

MEDICAL ASPIRATION

3.2 OR aspiration

During surgical, endoscopical and minimally invasive procedures you do not have to abandon the easy use of these products.
A modular design facilitates the easy replacement of components and allows the system to be upgraded with any of Dräger Medical's rail-mounted accessories.
The negative pressure can be generated either by a vacuum regulator or an ejector.

An overflow safeguard in the secretion jar and an additional protection jar reduce the risk of contamination of the drive element and the pressure or vacuum generating system.
The OR aspirators can be connected either to the central vacuum system or, when used with an ejector drive unit, to the piped oxygen or medical air supply system.



1	MP00505	Vacuum regulator VarioVac® B/OR rail
2	MP00535	Ejector VarioAir® B/OR rail
3	MP00555	Bacterial and viral filter system VarioSafe
4	2M85441	Trolley, for OR suction unit
5	2M86752	OR aspirator Evac 40, 230 V
6	MP00560	OR aspirator Evac 40, 110 V
7	2M85442	Secretion jar, 4 L
8	2M85443	Reserve secretion jar, 4 L
9	2M86757	Rail holder with clamp
10	2M86758	Protection jar
11	2M85446	CS connection hose holder
12	2M85239	Suction hose holder
13	MX37021	Bacterial filter, disposable, for Evac 40
14	2M85594	Secretion jar, 700 mL

OR ASPIRATION

3.2 OR ASPIRATION

A Ejector VarioAir® B/OR rail, for bronchial-+OR suction, gas connection NIST, AIR — **MP00535**

Technical data:	
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 L/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 x 200 x 160 (without VarioSafe) 80 x 330 x 160 (with VarioSafe)
Maximum sound level:	57 dB (A)
Hose nozzle:	Ø 6 mm
Color coding:	ISO 32 and neutral color standard (black)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe).

B Vacuum regulator VarioVac® B/OR rail, for bronchial suction, gas connection AIR — **MP00505**

Technical data:	
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	55 L/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 x 200 x 160
Maximum sound level:	55 dB (A)
Hose nozzle:	Ø 6 mm
Color coding:	ISO 32 and neutral color standard (black)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe).

For CS hoses please refer to chapter Central supply hoses.

A

D-28521-2009

B

MT-0005-2004

OR ASPIRATION

A **Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars** **2M85441**

Evac 40

The portable electrical aspirator Evac 40 is used for the aspiration and collection of secretions, body fluids, tissue parts and lavage fluids during surgical, endoscopic or minimally invasive procedures. The vacuum pump with membrane technology is designed for continuous operation and distinguishes itself by its quiet running properties. With the foot switch the aspiration can be easily started or stopped.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	40 L/min
Secretion jars:	2 x 4 l optional
Weight:	18 kg
Dimensions (W/H/D) in mm:	435 x 999 x 436
Maximum sound level:	60 dB (A).

B **OR aspirator Evac 40, mains plug DIN, rated voltage 230 V, 50/60 Hz** **2M86752**

B **OR aspirator Evac 40, mains plug NEMA, rated voltage 110 V, 50/60 Hz** **MP00560**

C **Secretion jar, PSU (polysulfone), reusable, 4 L, autoclavable up to 134 °C** **2M85442**

D **Reserve secretion jar, PSU (polysulfone), reusable, 4 L, with basket** **2M85443**

A

MT-10987-2006

B

MT-399-2000

C

MT-207-2003

D

MT-208-2003

Not all articles are available worldwide.

OR ASPIRATION

A	Protection jar, PSU (polysulfone), reus., w/ rail clamp, autoclav. up to 134 °C	2M86758
B	Rail holder with clamp, for compact suction unit and secretion jar set	2M86757
C	Bacterial filter, disposable, for Evac 40, 10 pcs.	MX37021
D	CS connection hose holder	2M85446
E	Suction hose holder, suitable for various diameters	2M85239
F	Secretion jar, PSU (polysulfone), reusable, 4 L, autoclavable up to 134 °C	M25742

A

MT-112-2001

B

MT-109-2001

C

MT-950-2000

D

MT-2517-95

E

MT-2524-95

F

MT-10976-2006

Not all articles are available worldwide.

MEDICAL ASPIRATION

3.3 Continuous drainages

Continuous drainages are used for drainage of secretion, blood and/or air from body cavities over long periods, following operations, particularly after open-thorax surgery.
All of Dräger Medical's continuous drainages are made from high-quality materials and are designed with space in mind.

Individual solutions allows you to choose between pneumatic or electrical driven drainages, while also assisting you in optimizing your specific needs and requirements.



1	MP00507	Vacuum regulator VarioVac® D DIN
2	MP00508	Vacuum regulator VarioVac® D BS
3	MP00509	Vacuum regulator VarioVac® D NF
4	MP00510	Vacuum regulator VarioVac® D AGA
5	MP00511	Vacuum regulator VarioVac® D rail
6	MP00512	Vacuum regulator VarioVac® T rail WV
7	MP00537	Ejector VarioAir® D DIN
8	MP00538	Ejector VarioAir® D BS
9	MP00539	Ejector VarioAir® D NF
10	MP00540	Ejector VarioAir® D AGA
11	MP00541	Ejector VarioAir® D UNI
12	MP00542	Ejector VarioAir® D rail
13	MP00544	Ejector VarioAir® T rail WV
14	MP00555	Bacterial and viral filter system VarioSafe
15	2M85154	Continuous drainage 4
16	2M85153	Continuous drainage 3
17	2M85151	Continuous drainage 1
18	2M85056	Secretion jar set, with secretion jars
19	2M85607	Secretion jar set, with protection jar and secretion jars
20	2M85163	Secretion jar set, with rail holder and secretion jar 700 mL
21	MP00518	Water vacuum gauge
22	M26859	Wall holder
23	M26842	Rail holder with clamp
24	2M85119	Ceiling holder
25	2M85446	CS connection hose holder
26	2M85239	Suction hose holder
27	6723976	Bacterial filter 767, for ejectors (until 2010)

CONTINUOUS DRAINAGES

3.3 CONTINUOUS DRAINAGES

The vacuum regulator is directly connected to a central vacuum supply, or mounted on a rail. The smoothly adjustable vacuum, up to max. -160 mbar (-16 kPa), is displayed on a rotating manometer, legible from all sides. All plastic parts (with the exception of the manometer) are autoclavable up to 134 °C. All VarioVac® vacuum regulators offer dual color coding according to ISO 32 (yellow) and the color-neutral gas code (black).
All vacuum regulators include a shut-off valve.
You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 L/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 x 200 x 160
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe).

A **Vacuum regulator VarioVac® D DIN, for continuous and wound drainage, gas connection AIR** **MP00507**

B **Vacuum regulator VarioVac® D BS, for continuous and wound drainage, gas connection AIR** **MP00508**

C **Vacuum regulator VarioVac® D NF, for continuous+wound drainage,gas connection AIR** **MP00509**

D **Vacuum regulator VarioVac® D AGA, for continuous+wound drainage,gas connect. AIR** **MP00510**

E **Vacuum regulator VarioVac® D Rail, for continuous and wound drainage,gas connect. AIR** **MP00511**

A

MT-0017-2004

B

MT-0019-2004

C

MT-1123-2004

D

MT-0021-2004

E

MT-0026-2004

Not all articles are available worldwide.

CONTINUOUS DRAINAGES

A **Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection NIST** **MP00512**

Water vacuum gauge included.
For connecting via CS vacuum connection hose.
This rail version can be connected to all standard wall rails (8-10 mm width and 25-35 mm height). Double-scaled immersion pipe (kPa and cmH_2O).
Dual color coding according to ISO 32 (yellow) and neutral (black).

Technical data:	
Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 L/min
Weight:	1,100 g
Dimensions (W/H/D) in mm:	80 x 650 x 160
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm.

For CS hoses please refer to chapter Central supply hoses.

A

MT-0029-2004

CONTINUOUS DRAINAGES

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -15 kPa (-150 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.
All VarioAir® ejectors offer a dual color coding according to EN ISO 32 (yellow) and neutral colour standard (black).
A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	25 L/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 x 200 x 160 (without VarioSafe) 80 x 330 x 160 (with VarioSafe)
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe).

A	**Ejector VarioAir® D DIN, for continuous and wound drainage, gas connection AIR**	**MP00537**
B	**Ejector VarioAir® D BS, for continuous and wound drainage, gas connection AIR**	**MP00538**
C	**Ejector VarioAir® D NF, for continuous and wound drainage, gas connection AIR**	**MP00539**
D	**Ejector VarioAir® D AGA, for continuous and wound drainage, gas connection AIR**	**MP00540**
E	**Ejector VarioAir® D UNI, for continuous and wound drainage, gas connection AIR**	**MP00541**

A

D-28523-2009

B

D-28525-2009

C

D-28526-2009

D

D-28530-2009

E

D-28532-2009

Not all articles are available worldwide.

CONTINUOUS DRAINAGES

A **Ejector VarioAir® D Rail,**
for continuous+wound drainage,gas connect. NIST, AIR **MP00542**

This rail version can be connected to all standard wall rails (8-10 mm width and 25-35 mm height). For gas supply via CS vacuum connection hose. Connection thread: NIST.*

B **Ejector VarioAir® T Rail WV, for thoracic drainage,**
with water vacuum gauge **MP00544**

This rail version can be connected to all common wall rails (8-10 mm width and 25-35 mm height). For gas supply via CS vacuum connection hose. Connection thread: NIST.*
Double-scaled immersion pipe (kPa and cmH_2O).
Dual color coding according to ISO 32 (yellow) and neutral (black).

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 L/min
Maximum gas consumption:	30 L/min
Weight:	1100 g
Dimensions (W/H/D) in mm:	80 x 650 x 160.

*For CS hoses please refer to chapter Central supply hoses.

A

D-28534-2009

B

D-28535-2009

CONTINUOUS DRAINAGES

The vacuum can either be generated by an ejector or via a vacuum regulator. When used with the ejector, a bacterial filter reliably protects against contamination of the environment. All these pneumatic continuous drainages can be used in potentially explosive areas. The secretion is sucked into a collection jar. When the secretion jar is full, an overflow safeguard and the protection jar ensure that secretion cannot enter the drive unit, thus protecting the hospitals central vacuum system from contamination. All parts which may become contaminated can be autoclaved at up to 134 °C.

The continuous drainage systems 1 and 3 can be used for continuous- and wound drainage as well as for thoracic drainage in the combination with a regulator from the VarioVac® D and VarioAir® D series. An additional precision regulator make it easy to adjust lowest vacuum levels.

A

MT-2-1431-94

B

MT-3702-2008

A Continuous drainage 1, for continuous and wound drainage **2M85151**

Precision regulator, fistula indicator and bacterial filter 767 included.
Capacity 700 mL, maximum capacity up to the overflow safeguard 1000 mL.
Scale in steps of 10 mL up to max. 700 mL.

Technical data:

Maximum vacuum:	-10 to 0 kPa (-100 to 0 mbar)
Maximum suction flow:	14 L/min
Weight:	3 kg (empty)
Dimensions (W/H/D) in mm:	285 x 340 x 160.

B Continuous drainage 3, for continuous, wound, and thoracic drainage **2M85153**

Precision regulator, water vacuummeter, fistula indicator and bacterial filter 767 included.
Capacity 700 mL, maximum capacity up to the overflow safeguard 1000 mL.
Scale in steps of 10 mL up to max. 700 mL.

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Maximum suction flow:	14 L/min
Weight:	5.5 kg (empty)
Dimensions (W/H/D) in mm:	260 x 800 x 180.

B Continuous drainage 4,for continuous, wound+thoracic dr.,electr. 220 V/50 Hz, DIN **2M85154**

Precision regulator, water vacuummeter, fistula indicator and bacterial filter 767 included. The unit is driven by an electrical vacuum pump (15 W) with 220 V/50 Hz.

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Maximum suction flow:	14 L/min
Weight:	6 kg (empty)
Dimensions (W/H/D) in mm:	260 x 800 x 180.

Not all articles are available worldwide.

CONTINUOUS DRAINAGES

A **Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection NIST** — **MP00512**

Water vacuum gauge included.
For connecting via CS vacuum connection hose.
This rail version can be connected to all standard wall rails (8-10 mm width and 25-35 mm height). Double-scaled immersion pipe (kPa and cmH_2O).
Dual color coding according to ISO 32 (yellow) and neutral (black).

Technical data:

Maximum vacuum:	-5 to 0 kPa (-5 to 0 mbar)
Minimum suction flow:	15 L/min
Weight:	1100 g
Dimensions (W/H/D) in mm:	80 x 650 x 160
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm.

For CS hoses please refer to chapter Central supply hoses.

B **Water vacuum gauge, f. thor. drainage, combination w/ VarioVac® D + VarioAir® D** — **MP00518**

This rail version can be connected to all common wall rails (8-10 mm width and 25-35 mm height). Double-scaled immersion pipe (kPa and cmH_2O).

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Maximum suction flow:	10 L/min
Pressure relief valve:	from 0.1 kPa on (1 mbar)
Hose nozzle:	2 x Ø 6 mm
Weight:	1 kg (empty)
Dimensions (W/H/D) in mm:	80 x 650 x 160.

C **Secretion jar set, with rail holder and secretion jar 700 mL** — **2M85163**

Secretion jar set, with rail holder and secretion jar 700 mL, e.g. for continuous drainage units.
Consisting of:
– 1 x autoclavable secretion jar (up to 134 °C), material: PSU (polysulfone)
– 1 x rail bracket
– 1 x cap with safety valve for positive pressure (from 0.1 kPa on; 1 mbar)
– 1 x suction hose with secretion sight glass.

A

MT-0029-2004

B

MT-10950-2006

C

MT-2573-95

Not all articles are available worldwide.

CONTINUOUS DRAINAGES

A Bacterial filter 767, for ejectors (model range until 2010), 5 pcs. 6723976

A Bacterial filter 767, disposable, for ejectors (model range until 2010) CH00102

The filter 767 reliably protects the ejector and the patient environment against contamination.

Technical data:	
Bacterial retention:	99.992%*
Viral retention:	99.99%*
Material:	PS (polystyrol)
Recommended duration of use:	14 days
Filtration method:	Mechanical (HEPA)*
Max. resistance (mbar):	6 mbar.

B Bacterial and viral filter system VarioSafe, for VarioAir® & VarioVac®, disp., 10 pcs. MP00555

Technical data:	
Maximum capacity:	90 mL
Bacterial retention:	99.99998%*
Viral retention:	99.9998%*
Material:	PS (polystyrol)
Recommended duration of use:	7 days
Filtration method:	Mechanical and hydrophobic (HEPA)
Max. resistance (mbar):	15 mbar.

*According to EN 1822-1:1998
Filter for suspended particles (HEPA and ULPA).

A

MT-3005-2004

B

D-28537-2009

Not all articles are available worldwide.

CONTINUOUS DRAINAGES

A	Immersion tube, for continuous drainages, not scaled	M16395
	Rubber plug, for immersion tube of water vacuum gauge	2M85139
B	Water container, for continuous drainage system 2-4, w/o screw thread	M20668
C	Cap for Vario Vac® + VarioAir® D, neutral color, 10 pcs.	MP00497
D	Cap for Vario Vac® + VarioAir® D, ISO, 10 pcs.	MP00495
E	Pressure gauge for VarioVac®+VarioAir®, double scale kPa/mmHg,-16 kPa (-160 mbar)	MP00579

A



MT-2578-95

B



MT-698-97

C

MT-4500-2005

D

MT-4032-2006

E

D-28477-2009

Not all articles are available worldwide.

CONTINUOUS DRAINAGES

A **Immersion tube, for water vacuum gauge of for VarioVac® T + VarioAir® T, scaled** **MP00569**

B **Locking screw, for immersion tube, with gaskets** **MP00596**
Applicable for VarioVac® D Rail WV (MP00512), VarioAir® T Rail (MP00544) and water vacuum gauge (MP00518).

C **Water container with screw thread + gaskets, for VarioVac® T and VarioAir® T** **MP00565**
Water container with screw thread + gaskets, for VarioVac® T and VarioAir® T, VarioAir® T and water vacuum gauge (MP00512, MP00544, MP00518).

D **Cap for water vacuum gauge** **MP00595**
For VarioVac® T Rail WV (MP00512), VarioAir® T Rail (MP00544) and water vacuum gauge (MP00518). Including gaskets.

A

D-28449-2009

B



D-28446-2009

C

D-28451-2009

D

D-28455-2009

Not all articles are available worldwide.

RAIL ACCESSORIES

4. RAIL ACCESSORIES

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints of the Quickstop hinged arm can be fixed into place and released with just one quick hand – movement. All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

A **Hinged arm Quickstop 1, Length 106.7 cm, max.load 2 kg** — **2M85705**

Contains:
3 x hose clamps (2 pcs.)
1 x hose clamp, coaxial
Length: 1063 mm.
Load capacity: max. 2 kg.

B **Hinged arm Quickstop 2, w/ universal ball holder system for optional accessories** — **2M85706**

Contains:
2 x hose clamps (2 pcs.)
1 x hose clamp, coaxial
1 x hose clamp with ball
Length: 1078 mm.
Load capacity: max. 2 kg.

C **Hinged arm Quickstop short, with universal tube holder plate** — **2M86463**

For various cable and tube dimensions and coaxial hoses.
Specifically designed for OR tables.
Contains:
1 x Universal tube holder plate
for various cable and tube dimensions.
Length: 403 mm.
Load capacity: max. 4 kg.

D **Hinged arm Quickstop, for attaching and positioning Dräger pods** — **2M86464**

E **Hinged arm 240°, 3 hinges, fixable, ball holder system, with hose clamps** — **8409609**

F **Hinged arm Infinity® ACS, for positioning and fixation of breathing hoses** — **MP00690**

Hinged arm Infinity® ACS, for positioning and fixation of breathing hoses. This arm can be fixed into place without a hand movement through a patent registered friction torque-breaking system.
Including:
1 x universal hose clip
1 x double hose clip, grey.
Load capacity: max. 0.5 kg.

A

MT-2551-95

B

MT-2547-95

C

MT-4419-2005

D

MT-317-2008

E

MT-215-99

F

MT-3980-2008

Not all articles are available worldwide.

RAIL ACCESSORIES

A **Hose clip, adult, neo., for ball mounting, for standard breathing hoses** — **8409841**

Applicable for quickstop hinged arm 2 (2M85706) and hinged arm 240° (8409609).

B **Hose clip double, for standard breathing hoses, adult, neo., 2 pcs.** — **8406138**

Applicable for quickstop hinged arm 1 (2M85705), quickstop hinged arm 2 (2M85706) and hinged arm 240° (8409609).

C **Hose clip, for coaxial breathing hoses, adult, for quickstop 2 (2M85706), 2 pcs.** — **MP00493**

D **Holder for Y-piece, with ball mounting** — **8409746**

Applicable for Quickstop 2 (2M85706), hinged arm 240° (8409609) and hinged arm Infinity ACS (MP00690).

E **Hose holder plate, for ball mounting, for all cable and hose dimensions** — **2M86465**

As well as for coaxial and pediatric hoses.
Applicable for quickstop hinged arm 2 (2M85706), hinged arm 240° (8409609) and hinged arm Infinity ACS (MP00690).

A

MT-0899-2008

B

MT-0902-2005

C

MT-1642-2007

D

MT-2493-95

E

MT-8555-2006

Not all articles are available worldwide.

RAIL ACCESSORIES

A **Extension set, for Quickstop hinged arm 2M86464** **MP00653**

B **Universal hose clip,**
for hinged arm Infinity ACS (MP00690) **MP00692**
For all standard cable and hose dimensions
as well as for coaxial and pediatric hoses.

C **Hose clip double, gray,**
for hinged arm Infinity® ACS (MP00690) **MP00693**

A

MT-1641-2007

B

MT-3711-2008

C

D-35638-2009

Not all articles are available worldwide.

RAIL ACCESSORIES

Proper illumination and working conditions are vital throughout patient care. You can choose the right lightning solution for the different applications such as examination or reading at the patient's bedside.
Dräger's solutions provide ideally suited lightning for examinations, wound management and for different specific applications, e.g. the positioning of syringes and IV lines. All three solutions fit standard rail systems and are easy to mount.

A

MT-265-98

B

D-1546-2009

C

D-974-2010

A NCL examination light, w/ NCL filter for natural light color+color rendering — **2M85657**

Two-level switch to adjust the amount of light.
– Level I: Reading light
– Level II: Diagnosis light.
Minimal heat emissions through a heat protection filter and double wall housing. Integrated electronic safety transformer with line and thermal fuse.

Max illumination at a distance of 0.5 m:

	Step I: 11000 lux ± 10%
	Step II: 20000 lux ± 10%
Color temperature (Kelvin):	4,100 K ± 5%
Color rendering index:	RA 92, class 1A
Type:	Philips Brilliant Line Pro Halogen Lamp 12V/35W/24°
Plug:	DIN Standard
Weight:	Approx. 1.3 kg
Protection class:	II
Power cord:	3 m
Rail clamp:	10 x 25 mm (0.4 x 1 in) to 8 x 35 mm (0.3 x 1.4 in)
Measurement:	400 and 420 mm.

B Examination light HX 35 TM, with British standard plug — **MP00435**

Similar to the examination lamp NCL but with shorter power cable and lower light intensity.

Max illumination at a distance of 0.5 m:

	Step I: 5000 lux ± 10%
	Step II: 13000 lux ± 10%
Power cord:	1.4 m.

C Bulb, 12 V, 35 W, 24°, for NCL (2M85657) + HX35TM (MP00435) — **MP00681**

Not all articles are available worldwide.

RAIL ACCESSORIES

A **Reading light, glare-free** **2M86199**

Reading light, glare-free and easy to operate through space-saving and compact design. Light intensity also suitable for specific applications. Integrated electronic safety transformer with line and thermal fuse.

Max illumination at a distance of 0.5 m:	6000 lux ± 10%
Color temperature (Kelvin):	4000 K ± 5%
Color rendering index:	RA 80, class 1B
Type:	Philips compact reading lamp PL-S 11 W/840/4P
Plug:	DIN Standard
Weight:	Approx. 1.3 kg
Protection class:	II
Power cord:	3 m
Rail clamp:	10 x 25 mm (0.4 x 1 in) to 8 x 35 mm (0.3 x 1.4 in)
Measurement:	450 and 510 mm.

A



MT-266-98

Not all articles are available worldwide.

RAIL ACCESSORIES

A **Monitor shelf 5035, 50 x 35.5 cm, max. load 20 kg, weight 5 kg** — **2M85003**

Without drawer, for safe mounting of monitoring equipment. The monitor shelf is suitable for different wall distances through adjustment screws on the vertical struts. To protect from injury, the corners of the monitor shelf are covered with rubber inserts which can be removed for cleaning.

B **Monitor shelf 5450, 50 x 35.5 cm, max. load 20 kg, weight 8.7 kg** — **M24692**

With drawer, for safe mounting of monitoring equipment. The spacious drawer can be used for storage, for example of monitoring accessories. The monitor shelf is suitable for different wall distances through adjustment screws on the vertical struts.

C **Shelf 3020, 30 x 20 cm, max. load 5 kg, weight 1.2 kg** — **M24678**

For depositing instruments, bandages, plasters, O_2 meassuring devices and the like. To protect from injury, the corners of the tray are covered with rubber inserts which can be removed for cleaning.

D **Distance tube for monitor shelves** — **M26391**

A

MT-4496-2005

B

MT-4497-2005

C

MT-4495-2005

D

MT-321-2003

Not all articles are available worldwide.

RAIL ACCESSORIES

A **Rail clamp, for attachment to poles of different diameters** — **2M85274**
Rotable by 90° to left and right.
Length of standard rail: 20 cm.

B **Rail clamp lever type, for attachment of devices to 25x10 mm standard rail** — **M25739**
For rapid attachment of devices to 25x10 mm standard rail Drilling distance 2.2 cm, for M5 screws.

C **Rail clamp lever type, for the attachment of devices to standard rail** — **2M85049**
The clamp can be fixed permantly with the device via the included set of screws (M5 thread).

D **Rail clamp, for 25x10 mm standard rail, drilling distance 22 mm, for M5 screws** — **M20650**

E **Rail holder with clamp, for compact suction unit and secretion jar set** — **M26842**
Rail clamp lever type, for attachment of devices to 25x10 mm standard rail, for compact suction unit and secretion jar set.

F **CS connection hose holder** — **2M85446**

G **Suction hose holder, suitable for various diameters** — **2M85239**

A

MT-1978-2008

B

MT-2490-95

C

MT-2484-95

D

MT-2489-95

E

MT-2542-95

F

MT-2517-95

G

MT-2524-95

Not all articles are available worldwide.

RAIL ACCESSORIES

A	**Ceiling holder, rail holder for compact suction systems and secretion jar sets**	**2M85119**
	Wire baskets	
	The wire baskets are used for storage of disposable catheters or dispoables gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chromeplated and are thus easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).	
B	**Basket 150, 15 x 20 x 10 cm, e.g., for disposable gloves**	**M26146**
B	**Basket 300, 15 x 28 x 10 cm, e.g., for 300 mm catheters**	**M26145**
B	**Basket 600, 15 x 48 x 10 cm, e.g., for 600 mm catheters**	**M25121**
	Catheter receptacle	
	These recaptacles are for storage of sterile insufflation catheters. The catheter receptical is provided with a rail clamp and can be attached to intensive care rails. The diameter of the receptal is 50 mm. Catheter receptacle is 50 mm. Catheter receptacle 710 is designed for catheters up to 600 mm (23.6 in) long, and catheter receptacle 510 for catheters up to 400 mm (15.7 in) long.	
C	**Rail holder, for catheter receptacle, 12.5 x 8.4 x 18 cm**	**MP00652**
D	**Catheter receptacle, large, 12.2 x 25.2 x 12.2 cm (top) and Ø 85 mm (bottom)**	**MP00650**
E	**Catheter receptacle, small, 12.2 x 16.6 x 12.2 cm (top) + Ø 60 mm (bottom)**	**MP00651**

A

MT-10962-2006

B

MT-2558-95

C

MT-10947-2006

D

MT-10948-2006

E

MT-10949-2006

Not all articles are available worldwide.

RAIL ACCESSORIES

A	**Dish, stainless steel, Ø 20.5 cm, with rail clamp**	**2M85233**
B	**Telescopic arm, with curtains (2 pcs.), for visually separating patient beds**	**MP00498**
	Maximum extension: 160 cm, minimum retraction: 74 cm, minimum retraction when folded in: 11 cm. The scope of delivery includes two antibacterial, washable, boil-proof curtains (dimensions 85 cm x 195 cm) including clips and a universal rail bracket for a range of 10 mm x 25 mm to 8 mm x 35 mm for all standard wall rails.	
C	**Curtain clip, for fixing a curtain to telescopic arm**	**M21112**
D	**Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)**	**M24695**
	Litter bags, disposable, for litter bag holder, 100 pcs.	**M26240**
E	**Infusion bottle holder, for standard rail, variable height, 3 hooks**	**M20719**
F	**Trolley for rail accessories, stainless steel, 2 rails (50 cm each), 55x81x47 cm**	**MP00090**

A

MT-2523-95

B

MT-0014-2005

C

MT-320-2003

D

MT-3720-2008

E



MT-10964-2006

F

MT-222-2003

Not all articles are available worldwide.

RAIL ACCESSORIES

A **Cable holder for rail, 10 pcs.** — **G15225**

Cable holder set for guiding cables and hoses along standard rails (10 x 25 mm), consisting of 10 plastic rail clips.

A **Cable holder for support pole, 4 pcs.** — **G13171**

Cable holder set for guiding cables and hoses along support tubes with a diameter of 38 mm (1.5 in), consisting of 4 two-part plastic clamps and screws.

B **Compact rail, for 38 mm tube, standard rail profile 10 x 25 mm, each side 10 cm** — **2M85337**

Weight: 0.9 kg, max. load: 30 kg.

C **Extension arm set for cables and hoses, with cable/hose guide channels** — **G13040**

D **Rail set, attaches to standard rail 10 x 25 mm** — **G13768**

Provides additional mounting area for all types of rail-mounted accessories and small equipment.
Consisting of:
1 x Standard rail 10 x 25 mm with end caps
1 x Double clamp for attachment to rail profile.
Length: 300 mm (11.8 in).
Weight: 0.9 kg.
Net carrying capacity: 5.0 kg.

E **Infusion bottle holder set, attaches to standard rail 10 x 25 mm** — **G12985**

Suitable to accommodate up to 6 infusion bottles.
Consisting of:
1 x Height adjustable extension rod with bottle holders
1 x Fixation clamp for horizontal standard rail.
Weight: 2.0 kg.
Width: 600 mm (23.6 in).
Height adjustment range: 380 mm (14.96 in).

A

MT-21201-94

B

MT-21198-94

C

D-2380-2011

D

D-2381-2011

E



D-2379-2011

Not all articles are available worldwide.

CENTRAL SUPPLY HOSES

5. CENTRAL SUPPLY HOSES

A	**O_2 CS hose 1.5 m (4.9 ft) NIST EN DIN**	**M35489**
	O_2 CS hose 3 m (9.8 ft) NIST EN DIN	**M35490**
	O_2 CS hose 5 m (16.4 ft) NIST EN DIN	**M35491**
	Central pressure supply hose for O_2, German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (white).	
B	**AIR CS hose 1.5 m (4.9 ft) NIST EN DIN**	**M35495**
	AIR CS hose 3 m (9.8 ft) NIST EN DIN	**M35496**
	AIR CS hose 5 m (16.4 ft) NIST EN DIN	**M35497**
	Central pressure supply hose for AIR, German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (black & white).	
C	**VAC CS hose 1.5 m (4.9 ft) NIST EN DIN**	**M35498**
	VAC CS hose 3 m (9.8 ft) NIST EN DIN	**M35499**
	VAC CS hose 5 m (16.4 ft) NIST EN DIN	**M36000**
	Central pressure supply hose for VAC, German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (yellow).	
D	**AIR/O_2 CS hose 1.5 m (4.9 ft) NIST EN DIN**	**M36001**
	AIR/O_2 CS hose 3 m (9.8 ft) NIST EN DIN	**M36002**
	AIR/O_2 CS hose 5 m (16.4 ft) NIST EN DIN	**M36003**
	Central pressure supply hose for AIR/O_2, German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (white & black).	

A

MT-4594-2005

B

MT-4595-2005

C

MT-4638-2005

D

MT-4599-2005

Not all articles are available worldwide.

CENTRAL SUPPLY HOSES

A	**O_2 CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN**	**M36004**
	O_2 CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	**M36005**
	O_2 CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	**M36006**
	Central pressure supply hose for O_2, German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	
B	**AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN**	**M36010**
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	**M36011**
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	**M36012**
	Central pressure supply hose for AIR, German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	
C	**VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN**	**M36013**
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	**M36014**
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	**M36015**
	Central pressure supply hose for VAC, German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	
D	**AIR/O_2 CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN**	**M36016**
	AIR/O_2 CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	**M36017**
	AIR/O_2 CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	**M36018**
	Central pressure supply hose for AIR/O_2, German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	

A

MT-4600-2005

B

MT-4602-2005

C

MT-4603-2005

D

MT-4604-2005

Not all articles are available worldwide.

CENTRAL SUPPLY HOSES

A	**O_2 CS hose 1.5 m (4.9 ft) NIST EN NF**	**M35416**
	O_2 CS hose 3 m (9.8 ft) NIST EN NF	**M35417**
	O_2 CS hose 5 m (16.4 ft) NIST EN NF	**M35330**
	Central pressure supply hose for O_2, French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (white).	
B	**AIR CS hose 1.5 m (4.9 ft) NIST EN NF**	**M35420**
	AIR CS hose 3 m (9.8 ft) NIST EN NF	**M35421**
	AIR CS hose 5 m (16.4 ft) NIST EN NF	**M35332**
	Central pressure supply hose for AIR, French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (black & white).	
C	**VAC CS hose 1.5 m (4.9 ft) NIST EN NF**	**M35422**
	VAC CS hose 3 m (9.8 ft) NIST EN NF	**M35423**
	VAC CS hose 5 m (16.4 ft) NIST EN NF	**M35424**
	Central pressure supply hose for VAC, French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (yellow).	

A

MT-4574-2005

B

MT-4601-2005

C

MT-4576-2005

Not all articles are available worldwide.

CENTRAL SUPPLY HOSES

A	**O_2 CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF**	**M35434**
	O_2 CS hose 3 m (9.8 ft) NIST NEUTRAL NF	**M35435**
	O_2 CS hose 5 m (16.4 ft) NIST NEUTRAL NF	**M35436**
	Central pressure supply hose for O_2, French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	
B	**AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF**	**M35452**
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL NF	**M35453**
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL NF	**M35454**
	Central pressure supply hose for AIR, French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	
C	**VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF**	**M35455**
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL NF	**M35456**
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL NF	**M35457**
	Central pressure supply hose for VAC, French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	

A

MT-4581-2005

B

MT-4597-2005

C

MT-4583-2005

Not all articles are available worldwide.

CENTRAL SUPPLY HOSES

A	**O_2 CS hose 1.5 m (4.9 ft) NIST EN BS**	**M35389**
	O_2 CS hose 3 m (9.8 ft) NIST EN BS	**M35390**
	O_2 CS hose 5 m (16.4 ft) NIST EN BS	**M35333**
	Central pressure supply hose for O_2 with 90 ° angular connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (white).	
B	**AIR CS hose 1.5 m (4.9 ft) NIST EN BS**	**M35393**
	AIR CS hose 3 m (9.8 ft) NIST EN BS	**M35394**
	AIR CS hose 5 m (16.4 ft) NIST EN BS	**M35335**
	Central pressure supply hose for AIR with 90 ° angular connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (black & white).	
C	**VAC CS hose 1.5 m (4.9 ft) NIST EN BS**	**M35395**
	VAC CS hose 3 m (9.8 ft) NIST EN BS	**M35396**
	VAC CS hose 5 m (16.4 ft) NIST EN BS	**M35397**
	Central pressure supply hose for VAC with 90 ° angular connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (yellow).	

A

MT-4564-2005

B

MT-4566-2005

C

MT-4567-2005

Not all articles are available worldwide.

CENTRAL SUPPLY HOSES

A	**O_2 CS hose 1.5 m (4.9 ft) NIST EN BS straight**	**M35398**
	O_2 CS hose 3 m (9.8 ft) NIST EN BS straight	**M35399**
	O_2 CS hose 5 m (16.4 ft) NIST EN BS straight	**M35339**
	Central pressure supply hose for O_2 with straight coupling connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (white).	
B	**AIR CS hose 1.5 m (4.9 ft) NIST BS straight**	**M35402**
	AIR CS hose 3 m (9.8 ft) NIST BS straight	**M35403**
	AIR CS hose 5 m (16.4 ft) NIST BS straight	**M35340**
	Central pressure supply hose for AIR with straight coupling connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black & white).	
C	**VAC CS hose 1.5 m (4.9 ft) NIST BS straight**	**M35404**
	VAC CS hose 3 m (9.8 ft) NIST BS straight	**M35405**
	VAC CS hose 5 m (16.4 ft) NIST BS straight	**M35406**
	Central pressure supply hose for VAC with straight coupling connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (yellow).	

A

MT-4543-2005

B

MT-4616-2005

C

MT-4569-2005

Not all articles are available worldwide.

CENTRAL SUPPLY HOSES

A	**O_2 CS hose 1.5 m (4.9 ft) NIST EN AGASSg straight**	**M35375**
	O_2 CS hose 3 m (9.8 ft) NIST EN AGASSg straight	**M35376**
	O_2 CS hose 5 m (16.4 ft) NIST EN AGASSg straight	**M35377**
	Central pressure supply hose for O_2, with straight coupling connector, AGA standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (white).	
B	**AIR CS hose 1.5 m (4.9 ft) NIST EN AGASSg straight**	**M35383**
	AIR CS hose 3 m (9.8 ft) NIST EN AGASSg straight	**M35384**
	AIR CS hose 5 m (16.4 ft) NIST EN AGASSg straight	**M35385**
	Central pressure supply hose for AIR, with straight coupling connector, AGA standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black & white).	
C	**VAC CS hose 1.5 m (4.9 ft) NIST EN AGASSg straight**	**M35386**
	VAC CS hose 3 m (9.8 ft) NIST EN AGASSg straight	**M35387**
	VAC CS hose 5 m (16.4 ft) NIST EN AGASSg straight	**M35388**
	Central pressure supply hose for VAC, with straight coupling connector, AGA standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (yellow).	
	System workplace for CS hoses	**8601697**
	Please have a look into that system workplace for other CS hoses.	

A

MT-4637-2005

B

MT-4562-2005

C

MT-4563-2005

Not all articles are available worldwide.

Neonatal care and thermoregulation

6

SOMETHING YOU CAN COUNT ON:

- Wide range of products to meet the most diverse needs of the neonate
- Only high quality materials to ensure optimal care
- Effective support for therapy and cost effectiveness

CONTENT

NEONATAL CARE AND THERMOREGULATIONS

1.	**Warming therapy**	**269**
	Caleo®	269
	Air-Shields® Isolette® C2000/8000	271
	Incubator 8000	274
	Air-Shields® Isolette® C450	276
	BabyTherm® 8000 WB/8004/ 8010/4200	279
	Air-Shields® Resuscitaire®	282
	Air-Shields® IICS-90	285
	Transport incubator TI 5400	287
	Air-Shields® TI 500 GlobeTrotter	288
	Air-Shields® Isolette® TI 500	290
	Photo Therapy	292
	Developmental Care	293
	Miscellaneous	294
2.	**Ventilation accessories**	**296**
3.	**Sensors**	**327**
4.	**Monitoring accessories**	**329**
5.	**Ward equipment**	**340**

NOTES

CALEO®

1. WARMING THERAPY

A	Skin temperature probe ThermoTrace, disposable, yellow, near to core, 20 pcs.	MX11000
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 20 pcs.	MX11001
C	Mattress SoftBed, for Caleo®, reusable	MX17012
D	Starter package for Caleo®, reusable, incubator cover and positioning aids	MP01426
E	Tubing grommet for Caleo®, reusable, angle	2M50385
F	Tubing grommet for Caleo®, reusable, flap	2M50412
G	Ventilation hose holder, reusable, 40 cm	8411075

A

MT-606-2002

B

MT-607-2002

C

MT-294-99

D

D-35636-2009

E

MT-7736-2006

F

MT-3276-2005

G

MT-2984-2004

Not all articles are available worldwide.

CALEO®

A	O_2 sensor OxyTrace, for Caleo®, reusable	MX01050
B	Air intake filter for Caleo®, reusable, 20 pcs.	MX17015
C	Water transfer hose for Caleo®, disposable, 20 pcs.	MX17018
	Water tank and water transfer hose, for Caleo®, reusable	2M50040
D	Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514

A

MT-603-2002

B

MT-602-2002

C

MT-600-2002

D

MT-621-2002

Not all articles are available worldwide.

AIR-SHIELDS® ISOLETTE® C2000/8000

A	Skin temperature probe 4, disposable, 10 pcs.	MU12525
B	Adapter cable for skin temperature probe 4, reusable	MU12520
C	Skin temperature probe 5, reusable	MU12533
D	Skin temperature probe 5 for kangaroo care, disposable, 1.5 m, 10 pcs.	MU12551
E	Mattress SoftBed, for Isolette® C2000 and 8000, reusable	MP01401
F	Mattress for Isolette® C2000, reusable	MU12249
	Starter package for Isolette® C2000/C8000, reus., cover and positioning aids	MP01427

A

MT-1036-2005

B

MT-1973-2005

C

MT-1974-2005

D

MT-1079-2005

E

MT-294-99

F

MT-1053-2005

Not all articles are available worldwide.

AIR-SHIELDS® ISOLETTE® C2000/8000

	Tubing grommet for Isolette® C2000 and 8000, reusable	MU12609
A	O_2 hood Oxydome, reusable	MU08394
B	O_2 sensor for Isolette® C2000 and 8000, reusable	MU13223
C	Air intake filter for Isolette® C2000 and 8000, reusable, 4 pcs.	MU12504
D	Humidifier chamber for Isolette® C2000, reusable	MU13202
	Humidity reservoir	MU21093
	Condensate management hoses for Isolette® 8000, disposable, 20 pcs.	MU21120
E	Suction bottle with filter and tube, disposable, 800 mL, 20 pcs.	MU10918

A

MT-1020-2005

B

MT-7727-2006

C

MT-1146-2005

D

D-1460-2009

E

MT-1980-2005

Not all articles are available worldwide.

AIR-SHIELDS® ISOLETTE® C2000/8000

A	Iris port sleeve, disposable, 100 pcs.	MU03876
	Iris port sleeve, disposable, soft, 100 pcs.	MU06571
B	Hand port cuff, disposable, oval, 100 pcs.	MU06570
C	Hand port cuff, reusable, 10 pcs.	MU12702
	Hand port cuff for Isolette® C2000/8000, TI 500, Globetrotter, reusable	MU06565

A

MT-1157-2005

B

MT-1110-2005

C

MT-1992-2005

Not all articles are available worldwide.

INCUBATOR 8000

A	Skin temperature probe ThermoTrace, disposable, yellow, near to core, 20 pcs.	MX11000
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 20 pcs.	MX11001
C	Adapter cable for skin temperature probes MX11000 and MX11001, reusable	2M20736
	Temperature sensor for Incubator 8000, reusable	2M20277
D	Mattress SoftBed, for Incubator 8000, reusable	2M20907
	Tubing grommet for Incubator 8000, reusable	2M20434
E	Ventilation hose holder, reusable, 40 cm	8411075
F	O_2 distributor with 3 DIN terminal units, with rail clamp	2M18810

A

MT-606-2002

B

MT-607-2002

C

MT-243-96

D

MT-294-99

E

MT-2984-2004

F

D-2314-2011

Not all articles are available worldwide.

INCUBATOR 8000

A	Water level controller of water supply for Incubator 8000, reusable	2M22130
B	Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514
C	Swivel table, reusable, for poles with Ø 38 mm	2M21186
D	Ejector, compact, for incubator, max. vacuum -50 kPa, gas connection O_2/AIR	2M85040

A

MT-2987-2004

B

MT-621-2002

C

MT-2-1069-94

D

D-2317-2011

Not all articles are available worldwide.

AIR-SHIELDS® ISOLETTE® C450

A	Skin temperature probe 1, disposable, 10 pcs.	MU06933
B	Skin temperature probe 1, reusable	MU06951
C	Air temperature probe for Isolette® C450, reusable	MU06955
	Mattress for Isolette® C450, disposable, 10 pcs.	MU10833

A

MT-1035-2005

B

MT-1968-2005

C

MT-1969-2005

Not all articles are available worldwide.

AIR-SHIELDS® ISOLETTE® C450

A	Humidifier chamber for Dew-ette® 2, disposable, with nipple fill, 40 pcs.	MU06664
B	Humidifier chamber for Dew-ette® 2, disposable, with pour spout, 40 pcs.	MU06665
C	Humidifier chamber for Dew-ette® 2, reusable, with nipple fill	MU06666
D	Humidifier chamber for Dew-ette® 2, reusable, with pour spout, cap required	MU06667
E	Humidifier filter for Dew-ette® 2, disposable, 4 pcs.	MU06662
F	Filter for Dew-ette® 2, disposable, for humidity sensor, 5 pcs.	MU06732
G	Sealing cap for humidifier chamber MU06667, disposable, 100 pcs.	MU06668

A

MT-1091-2005

B

D-2378-2011

C

MT-1115-2005

D

MT-1118-2005

E

MT-1063-2005

F

MT-1123-2005

G

MT-1119-2005

Not all articles are available worldwide.

AIR-SHIELDS® ISOLETTE® C450

A	Air intake filter for Isolette® C450, reusable	MU03891
B	Iris port sleeve, disposable, 100 pcs.	MU03876
C	Hand port cuff, disposable, oval, 100 pcs.	MU06570
	Hand port cuff for Isolette® C2000/8000, TI 500, Globetrotter, reusable	MU06565
	Battery for Isolette® C400 and C450, 8.4 V, rechargeable	MU07266

A

MT-1056-2005

B

MT-1157-2005

C

MT-1110-2005

Not all articles are available worldwide.

BABYTHERM® 8000 WB/8004/8010/4200

A	Skin temperature probe ThermoTrace, disposable, yellow, near to core, 20 pcs.	MX11000
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 20 pcs.	MX11001
C	Adapter cable for skin temperature probes MX11000 and MX11001, reusable	2M20736
D	Gel mattress for BabyTherm® 8000 / 8010, reusable	2M20827
E	Mattress SoftBed, for BabyTherm®, reusable	2M21012
F	Bed with tilt mechanism for BabyTherm® 8004 and 8010	2M30263

A

MT-606-2002

B

MT-607-2002

C

MT-243-96

D



MT-2979-2004

E

MT-294-99

F

MT-2001-2005

Not all articles are available worldwide.

BABYTHERM® 8000 WB/8004/8010/4200

	Tubing grommet for Incubator 8000, reusable	2M20434
A	O_2 hood, reusable	2M19250
B	O_2 injector, reusable, 30/40/50 % Vol. O_2, 23 cm side walls required	2M14190
C	O_2 distributor with 3 DIN terminal units, with rail clamp	2M18810
D	Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514
E	Halogen light, 12 V, 50 W	2M30084
F	Light for BabyTherm® 8004 and 8010, 230 V, 7 W	2M30078
G	Light for BabyTherm® 8004 and 8010, 230 V, 20 W	2M30079
	Light for BabyTherm® 8004 and 8010, 120 V, 23 W	2M30160
	Light for BabyTherm® 8004 and 8010, 120 V, 9 W	2M30161
	Multiple socket for BabyTherm® 8000, 220/240 V	2M20914

A

MT-454-89

B

MT-2-159-91

C

D-2314-2011

D

MT-621-2002

E

MT-2995-2004

F

D-2318-2011

G

D-2319-2011

Not all articles are available worldwide.

BABYTHERM® 8000 WB/8004/8010/4200

A	Vacuum regulator,compact,for Babytherm®, max.vacuum -90 kPa,gas connection O_2/AIR	2M21189
A	Ejector, compact, for Babytherm, max. vaccuum -50 kPa, gas connection O_2/AIR	2M21187
B	Holder for hinged hood for Babytherm 8000 WB, 8004 and 8010, reusable, neonatal, mounts to hand rail	2M21342
C	Deposit plate for BT 8000	2M21158
D	Handle, cpl. for BT 8000	2M21161
E	Breathing hose holder for Babytherm, neonatal, for 10 mm breathing hose, mounts to Babytherm side access panels	2M21191
F	Infusion bottle holder for Babytherm, reusable, neonatal, 1 pcs.	2M16520

A

D-2317-2011

B

MT-2985-2004

C

MT-2980-2004

D

MT-2315-2011

E

MT-2984-2004

F



MT-2976-2004

Not all articles are available worldwide.

AIR-SHIELDS® RESUSCITAIRE®

A	Skin temperature probe 3, reusable	MU11225
B	Skin temperature probe 3, disposable, 10 pcs.	MU11228
C	Mattress SoftBed, for Resuscitaire®, reusable, with scale	MP01404
C	Mattress SoftBed, for Resuscitaire®, reusable, without scale	MP01402
D	Mattress, reusable, standard, with scale, with panel	MU09579
D	Mattress, reusable, standard, without scale, with panel	MU09577

A

D-2395-2011

B

MT-1076-2005

C

MT-294-99

D

MT-1051-2005

Not all articles are available worldwide.

AIR-SHIELDS® RESUSCITAIRE®

A	Breathing hose for Resuscitaire® with AutoBreath, disposable, 25 pcs.	MU10841
B	Breathing hose for breathing bag, disposable, 15 mm, 25 pcs.	MU10900
C	Breathing circuit for Resuscitaire VentStar®, latex-free, disp., N, 1 m, 25 pcs.	MP00310
D	Breath. circ. f. Resuscitaire VentStar®, ltx-fr,disp,N,press. meas. line,1m,25pcs	MP00311

A

MT-1139-2005

B

MT-1987-2005

C

D-19278-2009

D

D-7352-2011

Not all articles are available worldwide.

AIR-SHIELDS® RESUSCITAIRE®

A	T-connector, disposable, Ø 15 mm, 25 pcs.	MU10902
B	Suction bottle with holder, disposable, 40 mL	MU10916
C	Suction bottle, disposable, 40 mL, 10 pcs.	MU10917
D	Filter for suction bottle, disposable, 10 pcs.	MU10915
E	Filter and tube for suction bottle, disposable, 25 pcs.	MU10923
F	Suction bottle with filter and tube, disposable, 800 mL, 20 pcs.	MU10918

A

MT-1142-2005

B

MT-1145-2005

C

MT-1025-2005

D

MT-1991-2005

E

MT-1070-2005

F

MT-1980-2005

Not all articles are available worldwide.

AIR-SHIELDS® IICS-90

A	Skin temperature probe 1, disposable, 10 pcs.	MU06933
B	Skin temperature probe 1, reusable	MU06951
C	Mattress SoftBed, for IICS-90, reusable, large, with scale	MP01405
C	Mattress SoftBed, for IICS-90, reusable, large, without scale	MP01403
D	Mattress for IICS-90, reus., standard, w/o scale, neoprene cover, w/o panel	MU09390
E	Mattress for IICS-90, reusable, large, with scale, with panel	MU09580
F	Mattress for IICS-90, reusable, large, without scale, with panel	MU09578

A

MT-1035-2005

B

MT-1968-2005

C

MT-294-99

D

MT-1052-2005

E

MT-1045-2005

F

MT-1051-2005

Not all articles are available worldwide.

AIR-SHIELDS® IICS-90

A	O_2 hood Oxydome, reusable	MU08394
B	Nebulizer, reusable, with DISS connector	MU10384
C	Suction bottle for DU-O-VAC, disposable, 200 mL	MU10175
D	Suction bottle for DU-O-VAC, reusable, 500 mL	MU10169

A

MT-1020-2005

B

MT-1134-2005

C

MT-1131-2005

D

MT-1976-2005

Not all articles are available worldwide.

TRANSPORT INCUBATOR TI 5400

	Mattress SoftBed, for TI 5400, reusable	2M21023
A	Vacuum mattress, reusable	2M17909
	Adapter cable kit for TI 5400	2M18420
	Iris port sleeve for TI 5400, reusable, 2 pcs.	2M21021
	Battery for TI 5400, 12 V, rechargeable	1828932

A

D-2313-2011

Not all articles are available worldwide.

AIR-SHIELDS® TI 500 GLOBETROTTER

A	Skin temperature probe 1, reusable	MU06951
B	Mattress, reusable, 10 pcs.	MU06009
B	Mattress, disposable, 10 pcs.	MU06010
	Tubing grommet for TI 500 and TI 500 Globetrotter, reusable	MU04366
C	Breathing bag set, reusable	MU04765
D	Breathing bag set with PEEP valve, disposable	MU04776
	Breathing hose for Biomed MVP-10, reusable	MU04767
	Breathing hose for TI 500 Globetrotter, disposable, 20 pcs.	MU04771
E	Filter and HME, disposable	MU04991
	Expiratory valve for TI 500 Globetrotter, disposable, 50 pcs.	MU04772
	O_2 sensor for TI 500 Globetrotter, reusable	MU04804
F	Air intake filter for TI 500 and TI 500 Globetrotter, reusable, 5 pcs.	MU04472

A

MT-1968-2005

B

MT-1047-2005

C

MT-1058-2005

D

MT-1960-2005

E

MT-1100-2005

F

MT-1060-2005

Not all articles are available worldwide.

AIR-SHIELDS® TI 500 GLOBETROTTER

	Hand port cuff for Isolette® C2000/8000, TI 500, Globetrotter, reusable	**MU06565**
A	**Humidity pad, disposable, antibacterial, 25 pcs.**	**MU06008**
B	**Restraining strap, disposable, 10 pcs.**	**MU06011**
C	**Battery, 12 V, rechargeable**	**MU16052**

A

MT-1104-2005

B

MT-1026-2005

C

MT-1961-2005

Not all articles are available worldwide.

AIR-SHIELDS® ISOLETTE® TI 500

A	Skin temperature probe 1, reusable	MU06951
B	Mattress, disposable, 10 pcs.	MU06010
B	Mattress, reusable, 10 pcs.	MU06009
	Tubing grommet for TI 500 and TI 500 Globetrotter, reusable	MU04366
C	Air intake filter for TI 500 and TI 500 Globetrotter, reusable, 5 pcs.	MU04472
D	Iris port sleeve, disposable, 100 pcs.	MU03876
E	Hand port cuff, disposable, oval, 100 pcs.	MU06570
	Hand port cuff for Isolette® C2000/8000, TI 500, Globetrotter, reusable	MU06565

A

MT-1968-2005

B

MT-1047-2005

C

MT-1060-2005

D

MT-1157-2005

E

MT-1110-2005

Not all articles are available worldwide.

AIR-SHIELDS® ISOLETTE® TI 500

A	Humidity pad, disposable, antibacterial, 25 pcs.	MU06008
B	Restraining strap, disposable, 10 pcs.	MU06011
C	Battery, 12 V, rechargeable	MU16052

A

MT-1104-2005

B

MT-1026-2005

C

MT-1961-2005

Not all articles are available worldwide.

PHOTO THERAPY

A	**Light for Photo Therapy 4000, fluorescent bulb, white**	**2M21009**
A	**Light for Photo Therapy 4000, fluorescent bulb, blue**	**2M21010**
	Light for Photo Therapy 1400	**MU03927**
	Light for Photo Therapy 533, fluorescent bulb, 20 W, white	**MU03681**
	Light for Photo Therapy 533, fluorescent bulb, 20 W, blue	**MU03677**

A

MT-21083-94

Not all articles are available worldwide.

DEVELOPMENTAL CARE

A	Towel doll Cally, reusable, light blue or pink	2M30462
B	Positioning aid Hug it, reusable, size S, for patients up to 800 g	MP01415
B	Positioning aid Hug it, reusable, size M, for patients up to 1500 g	MP01416
C	Positioning aid Nesting, reusable, for patients up to 1200 g	MP01417
D	Positioning aid Set, reusable, 4 small pillows, for patients up to 1000 g	MP01418
E	Incubator cover for Caleo®, reusable	MP01423
	Incubator cover for Isolette® C2000 and 8000, reusable	MP01424
	Incubator cover for Incubator 8000, reusable	MP01425
F	Starter package for Caleo®, reusable, incubator cover and positioning aids	MP01426
	Starter package for Isolette® C2000/C8000, reus., cover and positioning aids	MP01427

A

MT-0092-2008

A

MT-0094-2008

B

D-33511-2009

C

D-33513-2009

D

D-33514-2009

E

D-33509-2009

F

D-35636-2009

Not all articles are available worldwide.

MISCELLANEOUS

A	Warming mattress TransWarmer®, disposable, self warming for approx. 2 h, 6 pcs.	MP01414
	Connection cable Babylink	8306488
B	Cover for skin temperature probe ThermoPad, Hydrogel, disposable, 50 pcs.	MX11002
C	Cover for skin temperature probe Critter Cover, foam, disposable, 100 pcs.	MU06942
C	Cover for skin temperature probe Critter Cover, foam, disposable, 600 pcs.	MU06941
D	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disp., sm., 100 pcs.	MU06944
E	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disp., lrg., 100 pcs.	MU06943
F	Cable mounting clip, reusable, Ø 9,6 mm, adhesive, 10 pcs.	MU06558
G	Cable mounting clip, reusable, Ø 2,54 cm, adhesive, 10 pcs.	MU06560

A

MT-3278-2005

B

MT-639-2002

C

MT-1125-2005

D

MT-1967-2005

E

MT-1965-2005

F

MT-1089-2005

G

MT-1086-2005

Not all articles are available worldwide.

MISCELLANEOUS

Air temperature sensor for Isolette® C500 and C550, reusable	MU06956
Mattress for Isolette® C100, C200, C286 and C386, reusable	MU06785
Mattress for Versalet, reusable, without scale	MU14205
Mattress for Versalet, reusable, with scale	MU14206

Not all articles are available worldwide.

VENTILATION ACCESSORIES

2. VENTILATION ACCESSORIES

A	O_2 analyzer MX 300-i	MP01440
A	O_2 analyzer MX 300	MP01441
B	O_2 sensor for MX 300 and MX 300-i, reusable	MP01442
C	Holder for MX 300 and MX 300-i	MP01443
D	Connection cable for MX 300 and MX 300-i	MP01444
E	T-piece adapter for MX 300 and MX 300-i, reusable	MP01445

A

D-7364-2011

B

D-7368-2011

C

D-7370-2011

D

D-9309-2011

E

D-9310-2011

Not all articles are available worldwide.

VENTILATION ACCESSORIES

The nasal CPAP solution for Dräger ventilators. BabyFlow is the lightweight, noiseless patient interface for which a wide range of nasal prongs and masks is available.

A	**Nasal CPAP system BabyFlow, disposable, 20 pcs.**	**8418583**
	Nasal CPAP system BabyFlow, disposable, US/CA only	**8418582**
B	**Nasal CPAP system BabyFlow, reusable**	**8418410**
	Nasal CPAP system BabyFlow, reusable, US/CA only	**8418576**
C	**Adapter for prongs and masks for reusable BabyFlow, reusable**	**8418411**
D	**Silicone hoses for reusable BabyFlow, reusable, 2 pcs.**	**8418414**

A

MT-6197-2006

B

MT-2019-2005

C

MT-3018-2004

D

MT-3019-2004

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	**Demo package CPAP system BabyFlow, disposable, with prongs, masks, caps**	**8418550**
	Demo package CPAP system BabyFlow, disp., with prongs, masks, caps, US/CA only	**8418584**
B	**Starter package CPAP system BabyFlow, reus., with prongs, masks, headbands**	**8418435**
	Starter package CPAP BabyFlow, reus., with prongs, masks, headbands, US/CA only	**8418578**

A

MT-6209-2006

B

MT-1928-2005

Not all articles are available worldwide.

VENTILATION ACCESSORIES

Soft anatomically formed nasale silicone prongs, disposable.

A	❶	**Prong BabyFlow, disposable, size XS, 10 pcs.**	**8418415**
	❷	**Prong BabyFlow, disposable, size S, 10 pcs.**	**8418605**
	❸	**Prong BabyFlow, disposable, size M, 10 pcs.**	**8418416**
	❹	**Prong BabyFlow, disposable, size L, 10 pcs.**	**8418531**
	❺	**Prong BabyFlow, disposable, size XL, 10 pcs.**	**8418417**
		Prong BabyFlow, disposable, size XXL, 10 pcs.	**8418617**
		Prong BabyFlow, disposable, size 3, 10 pcs.	**8418603**
		Prong BabyFlow, disposable, size 4, 10 pcs.	**8418607**
		Prong BabyFlow, disposable, size 5, 10 pcs.	**8418609**
		Prong BabyFlow, disposable, size 6, 10 pcs.	**8418611**

The masks design offers greater comfort to your patients and gives the caregiver the chance to alternate between mask and prongs.

B	❶	**Mask BabyFlow, disposable, size S, 10 pcs.**	**8418491**
	❷	**Mask BabyFlow, disposable, size M, 10 pcs.**	**8418490**
	❷	**Mask BabyFlow, disposable, size L, 10 pcs.**	**8418619**

A



D-34337-2009

B



D-34336-2009

Not all articles are available worldwide.

VENTILATION ACCESSORIES

Disposable caps for BabyFlow in 6 different sizes (S-XXL plus), the material is 95% cotton and 5% elasthan.

Cap BabyFlow, disposable, size S, yellow, 5 pcs.	**8418534**
Cap BabyFlow, disposable, size M, red, 5 pcs.	**8418535**
Cap BabyFlow, disposable, size L, green, 5 pcs.	**8418536**
Cap BabyFlow, disposable, size XL, orange, 5 pcs.	**8418537**
Cap BabyFlow, disposable, size XXL, blue, 5 pcs.	**8418538**
Cap BabyFlow, disposable, size XXL+, black, 5 pcs.	**8418539**

VENTILATION ACCESSORIES

Headbands for comfortable fixation of BabyFlow. Handmade of soft microfibre. Washable at 60°C.

A	❶ Headband BabyFlow, reusable, size XS, white	8418418
	❷ Headband BabyFlow, reusable, size S, yellow	8418419
	❸ Headband BabyFlow, reusable, size M, red	8418420
	❹ Headband BabyFlow, reusable, size L, green	8418421
	❺ Headband BabyFlow, reusable, size XL, orange	8418422
	❻ Headband BabyFlow, reusable, size XXL, blue	8418423
	❼ Headband BabyFlow, reusable, size XXL plus, black	8418540
	Fixation strap BabyFlow, reusable, size XS, white, 10 pcs.	8418471
	Fixation strap BabyFlow, reusable, size S, yellow, 10 pcs.	8418472
	Fixation strap BabyFlow, reusable, size M, red, 10 pcs.	8418473
	Fixation strap BabyFlow, reusable, size L, green, 10 pcs.	8418474
	Fixation strap BabyFlow, reusable, size XL, orange, 10 pcs.	8418475
	Fixation strap BabyFlow, reusable, size XXL, blue, 10 pcs.	8418476

A

MT-2022-2005

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	**Breathing circuit VentStar®, latex-free, disposable, N, basic, 1.8 m, 25 pcs.**	**MP00353**
B	**Breathing circuit VentStar®, latex-free, disp., N, water trap, 1.8 m, 25 pcs.**	**MP00363**
C	**Breathing circuit VentStar®, latex-free, disposable, N, MRI, 3 m, 10 pcs.**	**MP00329**
D	**Breathing bag set VentStar®, latex-free, disp., N, 0.5 L, 1.1 m, 25 pcs.**	**MP00383**
E	**Anesthesia set VentStar®, latex-free, disposable, N, 1.8 m/1.1 m, 25 pcs.**	**MP00333**

A

D-24200-2009

B

D-19285-2009

C

D-34334-2009

D

D-24211-2009

E

D-19284-2009

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	Breathing circuit VentStar®, latex-free, disp., N, heated, 1.2m, 10 pcs.	MP00308
B	Breathing circuit VentStar®, ltx-fr.,disp.,N, heated, w/o chamber, 1.2m,10 pcs.	MP00309
C	Humidifier chamber VentStar®, disposable, 10 pcs.	MP00234
D	Breathing circuit for Resuscitaire VentStar®, latex-free, disp., N, 1 m, 25 pcs.	MP00310
E	Breath. circ. f. Resuscitaire VentStar®, ltx-fr,disp,N,press. meas. line,1m,25pcs	MP00311
F	Breathing circuit Infinity® ID, latex-free, disp., N, heated, 1.2 m, 10 pcs.	MP00343

TRADEWARE

	Breathing circuit Fisher & Paykel RT225, disp., N, insp. heated, 10 pcs.	8414994

A

D-10093-2009

B

D-19276-2009

C

D-24199-2009

D

D-19278-2009

E

D-7352-2011

F

D-31560-2011

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	**Breathing hose for Babylog® 2000, reusable, N, for ward use**	**8411352**
	Consists of:	
❶	**Cap, reusable, 7 mm**	**8401645**
❷	**Connector set for endotracheal tube, reusable, size 1.5 mm - 5.5 mm, 9 pcs.**	**8403684**
❸	**Test lung, silicone, N**	**8403208**
❹	**Connector for endotracheal tube, reusable, size 9 mm**	**M19347**
❺	**Y-piece, reusable, P, angled**	**8403077**
❻	**Hose, silicone, reusable, N**	**1198343**
❼	**Diaphragm**	**8403377**
❽	**Expiratory valve housing**	**8409898**
❾	**Bolt, 2 pcs.**	**8403944**
❿	**Pressure measurement connection set for Babylog® 2000**	**8411354**
⓫	**Connector for endotracheal tube, reusable, angled**	**M25567**
A	**Breathing hose for Babylog® 2000, reusable, N, for TI 5400**	**8411353**
	Replacement parts:	
	Connector set for endotracheal tube, reusable, size 1.5 mm - 5.5 mm, 9 pcs.	**8403684**
B	**Breathing hose set for Babylog® 2000/Aquapor EL, reusable**	**8411471**
C	**Breathing hose set for Babylog® 2000/F&P MR730, reusable**	**8411472**

For overview and detailed description please refer to catalogue Ventilation accessories, Reusable breathing circuits/sets and related accessories.

A



MT-240-96

B

MT-0045-2007

C

MT-0047-2007

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	**Breathing hose set for Babylog 8000/8000+, reusable, heated, for F&P MR 850**	**8411041**
	Consists of:	
❶	**Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm**	**2165651**
❷	**Breathing hose, silicone, reusable, P/N, 1 m, Ø 10 mm**	**8403080**
❸	**Breathing hose, silicone, reusable, P/N, 35 cm, Ø 10 mm**	**8403070**
❹	**Test lung NeoTestLung, N, latex-free, bellows**	**8409742**
❺	**Water trap, reusable, N**	**8409627**
❻	**Elbow, reusable**	**8418289**
❼	**Double connector, outer diameter 11 mm**	**8409897**
❽	**Connector for endotracheal tube, reusable, size 11 mm**	**M19351**
❾	**T-piece connector, reusable**	**8411044**
❿	**Hose heater, A , 1.1 m**	**8411045**
⓫	**Corrugated hose, silicone, N, 20 cm, catheter mount**	**8410709**
⓬	**Breathing hose, silicone, reusable, N, 50 cm, Ø 10 mm**	**8418458**

A



MT-2677-2004

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	**HFO breathing hose set, w/ lightweight hoses made of Hytrel, autoclav., heated**	**8411153**
	Consists of:	
❶	**Breathing hose, Hytrel, 70 cm**	**8418404**
❷	**Breathing hose, Hytrel, 65 cm**	**8410814**
❸	**Test lung NeoTestLung, N, latex-free, bellows**	**8409742**
❹	**Connector 900 MR 533, for HFV breathing circuit by F&P**	**8418407**
❺	**Connector 900 MR 830, for HFV breathing circuit by F&P**	**8418455**
❻	**Connector for endotracheal tube, reusable, size 11 mm**	**M19351**
❼	**Water trap, reusable, N**	**8409627**
❽	**Elbow, reusable**	**8418289**
❾	**Hose heater for F&P MR 700/730, 70 cm**	**8411154**
❿	**Breathing hose, Hytrel, 40 cm**	**8410816**
⓫	**T-piece connector, reusable, for F&P temperature probe**	**8418405**

A



Not all articles are available worldwide.

VENTILATION ACCESSORIES

Breathing hose set for Babylog® 8000+/Aquamod, reusable, P	**8410813**
Consists of:	
Breathing hose, silicone, reusable, P/N, 35 cm, Ø 10 mm	**8403070**
Breathing hose, silicone, reusable, P/N, 60 cm	**8403073**
Breathing hose, silicone, reusable, P/N, 1 m, Ø 10 mm	**8403080**
Water trap, reusable, N	**8409627**
Water hose for Aquamod	**8409625**
Connector for endotracheal tube, reusable, size 11 mm	**M19351**
Test lung NeoTestLung, N, latex-free, bellows	**8409742**
Temperature probe for Babylog® 8000/8000 plus	**8410019**
Double connector, outer diameter 11 mm	**8409897**
Corrugated hose, silicone, N, 20 cm, catheter mount	**8410709**

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	**HFV breathing hose set f. Aquamod, w/ lightweight hoses made of Hytrel,autoclav.**	**8411148**
	Consists of:	
❶	**Water hose for Aquamod**	**8409625**
❷	**Double connector, outer diameter 11 mm**	**8409897**
❸	**Temperature probe for Babylog® 8000/8000 plus**	**8410019**
❹	**Connector for endotracheal tube, reusable, size 11 mm**	**M19351**
❺	**Breathing hose, Hytrel, 40 cm**	**8410816**
❻	**Breathing hose, Hytrel, 25 cm**	**8410817**
❼	**Breathing hose, Hytrel, 65 cm**	**8410814**
❽	**Water trap, reusable, N**	**8409627**
❾	**Test lung NeoTestLung, N, latex-free, bellows**	**8409742**
	Breathing hose set for Babylog® 8000/Aquapor EL, with thermometer	**8411040**

A



Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	**Breathing hose set for Aquapor EL, P, for active humidification**	**8412344**
	Consists of:	
❶	**Y-piece, reusable, P, angled, with suction opening**	**8403075**
❷	**Corrugated hose, P, 14 cm, catheter mount**	**8403333**
❸	**Connector for thermometer, reusable, for breathing hose set Aquapor EL**	**8403056**
❹	**Water trap, reusable, P**	**8404760**
❺	**Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm**	**2165848**
❻	**Water trap, reusable, N**	**8409627**
❼	**Cap, reusable, 7 mm**	**8401645**
❽	**Connector, aluminum, reusable, 22 mm/11 mm**	**8405752**
❾	**Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm**	**2165856**
❿	**Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm**	**2165821**

A



Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	**Breathing hose set for Evita XL NeoFlow, reusable, heated**	**8412081**
	Consists of:	
❶	**Hose heater, A, 1.1 m**	**8411045**
❷	**Cap, reusable, 7 mm**	**8401645**
❸	**T-piece connector, reusable**	**8411044**
❹	**Double connector, outer diameter 11 mm**	**8409897**
❺	**Test lung NeoTestLung, N, latex-free, bellows**	**8409742**
❻	**Connector for endotracheal tube, reusable, size 11 mm**	**M19351**
❼	**Y-piece, reusable, P, angled, with suction opening**	**8403075**
❽	**Corrugated hose, silicone, 13 cm, Ø 10 mm, catheter mount, 2 pcs.**	**8409634**
❾	**Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm**	**2165848**
❿	**Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm**	**2165856**
⓫	**Water trap, reusable, N**	**8409627**
⓬	**Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm**	**2165821**
⓭	**Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm**	**2165651**

A



Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	**Breathing hose set for Evita XL NeoFlow, reusable, heated, for F&P MR850**	**8414987**
	Consists of:	
❶	**Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm**	**2165651**
❷	**Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm**	**2165848**
❸	**Corrugated hose, silicone, 13 cm, Ø 10 mm, catheter mount, 2 pcs.**	**8409634**
❹	**Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm**	**2165856**
❺	**Water trap, reusable, N**	**8409627**
❻	**Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit**	**8414993**
❼	**Cap, reusable, 7 mm**	**8401645**
❽	**Y-piece, reusable, P, angled, with suction opening**	**8403075**
❾	**Connector for endotracheal tube, reusable, size 11 mm**	**M19351**
❿	**T-piece connector, reusable**	**8411044**
⓫	**Double connector, outer diameter 11 mm**	**8409897**
⓬	**Test lung NeoTestLung, N, latex-free, bellows**	**8409742**
⓭	**Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm**	**2165821**

A



MT-2690-2004

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter

❶	**Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm**	**2165848**
❶	**Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/10 mm**	**2165600**

B Silicone breathing hose (pediatric) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter

	Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm	**2165856**
	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm	**2165821**
	Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm	**2165651**
	Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	**2165961**

A

MT-1797-2004

B

D-1530-2009

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	Y-piece, reusable, P, angled, with suction opening	8403075
	Y-piece, reusable, P, straight	M27077
	Y-piece, reusable, P, angled	8403077
B	Luer Lock elbow, N	M34568

A

MT-2728-2004

B

D-1529-2009

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	Transparent breathing bags of silicone elastomer, latex free	
❶	**Breathing bag, silicone, reusable, 0.5 L**	**2166054**
❷	**Breathing bag, silicone, reusable, 1.5 L**	**2166127**
B	Latex breathing bags	
❶	**Breathing bag, latex, reusable, 0.5 L**	**2165686**
	Breathing bag, latex, reusable, 1.5 L	**2165953**
C	Latex breathing bags with a hole. For anesthetic set Kuhn type.	
❶	**Breathing bag with hole, latex, reusable, 0.5 L, for Kuhn set**	**2165763**
	Breathing bag with hole, latex, reusable, 1.5 L, for Kuhn set	**2165775**
D	Chloroprene breathing bags for use as reservoir e.g. on anesthesia devices. Note: Chloroprene breathing bags are the only breathing bags which may be used at the anesthesia workplace system Zeus®.	
❶	**Breathing bag, chloroprene, reusable, 0.5 L**	**MX50045**
❷	**Breathing bag, chloroprene, reusable, 1 L**	**MX50046**
	Breathing bag Medbag, latex-free, disposable, 0.25 L, 30 pcs.	**MX50030**
	Breathing bag Rainbow bag, latex-free, disposable, 0.5 L, colored, 30 pcs.	**MX50031**
	Breathing bag Rainbow bag, latex-free, disposable, 1 L, colored, 30 pcs.	**MX50032**

A

MT-0810-2008

B

MT-0811-2008

C

MT-1536-2007

D

MT-097-2003

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	Demo lung to simulate neonatal lungs, with suitcase	8418077
B	Test lung NeoTestLung, N, latex-free, bellows	8409742
	Test lung, silicone, N, with hose	8410079
	Test lung, silicone, N	8403208

A

D-1457-2009

B

MT-2673-2004

Not all articles are available worldwide.

VENTILATION ACCESSORIES

The TwinStar® filter/HME from Dräger Medical is a combination of an efficient HME and a high-performance breathing system filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance breathing system filter
- High retention rates for bacteria and viruses
- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and blue color coding for quick identification.

A Electrostatic filter and HME TwinStar® 10A, disp, 10mL deadspace, angled, 50 pcs **MP01825**

B Electrostatic filter and HME TwinStar® 8, disp., 8 mL deadspace, 50 pcs. **MP01820**

HumidStar® heat and moisture exchangers from Dräger Medical partially take over the function of the upper airways and efficiently heat and humidify the inspired air.

- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and green color coding for quick identification.

C HME HumidStar® 10A, disp., 10 mL deadspace, angled, 50 pcs. **MP01740**

D HME HumidStar® 2, disp., 2 mL deadspace, 50 pcs. **MP01745**

A

MT-4397-2007

B

MT-4396-2007

C

MT-4395-2007

D

D-959-2010

Not all articles are available worldwide.

VENTILATION ACCESSORIES

CO_2 cuvettes are designed for the monitoring of CO_2 concentration during patient ventilation.

A	**CO_2 cuvette disposable, P, 10 pcs.**	**MP01063**
B	**CO_2 cuvette reusable, P, for CO_2 sensors 6871500, 6870300, 6871950**	**6870280**
C	**CO_2-mainstream sensor, for Evita 2 dura®, Evita® 4 Edition and Evita® XL**	**6871500**
D	**CO_2-mainstream sensor, for Evita® Infinity® V500, Babylog VN500, Infinity® M540 and Oxylog® 3000 plus**	**6871950**

A

D-7061-2009

B

D-7060-2009

C

MT-0986-2007

D

D-14953-2010

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A **Anesthesia face mask LiteStar®, disp., w/o hook ring, size 1, premat., 30 pcs.** **MP01501**

B **Anesthesia face mask LiteStar®, disp., w/o hook ring, size 2, baby, 30 pcs.** **MP01502**

Additional disposable hook rings and disposable headgears for fixation are available (cf. Mask accessories).

A

D-938-2010

B

D-937-2010

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	**Anesth. face mask ComfortStar®, disp., hook rg, std., size 0, premat., 20 pcs**	**MP01510**
B	**Anesth. face mask ComfortStar®, disp., hook rg, std., size 1, neo., 20 pcs.**	**MP01511**
C	**Anesth. face mask ComfortStar®, disp., hook rg, std., size 2, baby, 20 pcs.**	**MP01512**
D	**Anesth. face mask ComfortStar®, disp., hook rg, strawb., size 1, neo., 20 pcs.**	**MP01521**
E	**Anesth. face mask ComfortStar®, disp., hook rg, strawb., size 2, baby, 20 pcs.**	**MP01522**
F	**Anesth. face mask ComfortStar®, disp., hook rg, bubblg., size 1, neo., 20 pcs.**	**MP01531**
G	**Anesth. face mask ComfortStar®, disp., hook rg, bubblg., size 2, baby, 20 pcs.**	**MP01532**

Pumpball as well as different headgears for fixation are available (cf. Mask accessories).

A

MT-4105-2008

B

MT-4180-2008

C

MT-4184-2008

D

MT-4155-2008

E

MT-4160-2008

F

MT-4110-2008

G

MT-4115-2008

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	❶ Face mask All-round, reusable, size 1, small	2165732
	❷ Face mask All-round, reusable, size 2, medium	2165740
B	Foregger face mask, reusable, size 1, extrasmall	2165910
	Foregger face mask, reusable, size 2, small	2166097
C	Rendell-Baker face mask, reusable, size 0, premature baby	M22764
	Rendell-Baker face mask, reusable, size 1, neonate	M14631
	Rendell-Baker face mask, reusable, size 2, baby	M14632

A

MT-22-97

B

MT-0729-2008

C

MT-0731-2008

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	**Silicone face mask, reusable, size 0, small neonate**	**MP01910**
B	**Silicone face mask, reusable, size 1, large neonate**	**MP01911**
C	**Silicone face mask, reusable, size 0, small neonate**	**2121018**
D	**Silicone face mask, reusable, size 1, large neonate**	**2121026**
E	**Silicone face mask, reusable, size 2, round, small child**	**2121034**

Additional mask accessories, e. g. reusable hook rings as well as reusable headgears are available for fixation (cf. Mask accessories).

A

D-2291-2011

B

D-2292-2011

C

D-2329-2011

D

D-2330-2011

E

D-2331-2011

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	Headgear, reusable, silicone, small	MP01557
B	Headgear, reusable, soft fabric, small	MP01559
C	Headgear, reusable, soft rubber, small	MP01561
D	Hook ring for LiteStar® anesth. face masks, disp.,15 mm OD,for sizes 1-2, 30 pcs	MP01551
E	Hook ring for silicone face masks, reus., 15 mm OD, for sizes 0-1, 10 pcs.	MP01916
	Hook ring for All-round and Foregger face masks	M11044
F	Elbow for CPAP masks, disposable	8409683
G	Two-sided pump ball for air management	MP01590

A

MT-9659-2006

B

MT-9658-2006

C

MT-9654-2006

D

MT-0925-2008

E

D-35640-2009

F

D-1458-2009

G

MT-11178-2006

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	**Bacterial filter connection set, for inspiratory port of Babylog, without filter**	**8410230**
B	**Analog cable for Babylog® 8000, 3 pcs.**	**8306487**
C	**Breathing bag set with PEEP valve, disposable**	**MU04776**
D	**Man. breathing bag MR-100, reus., ltx-fr., P, w/ press. valve, relief >40±5mbar***	**5702321**
D	**Man. breathing bag MR-100, reus., ltx-fr., N, w/ press. valve, relief >40±5mbar***	**5702322**

*Made by GaleMed Corporation, Taiwan.

A

MT-0108-2008

B

MT-3015-2004

C

MT-1960-2005

D

MT-0166-2006

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	Humidifier chamber for F&P MR 290, disposable, 10 pcs.	8418282
A	Humidifier chamber for F&P MR 290, disposable, 40 pcs.	8418283
B	Humidifier chamber F&P MR 340, reusable, N/P, with 100 pcs. filter paper	8411047
C	Filter paper for F&P MR 340, 100 pcs.	8411073
D	Rail clamp for F&P humidifier	8411074
E	Holder for F&P humidifier U-shaped, for trolley, with rail clamp	MP01002
F	Hose heater for F&P MR 700/730, 70 cm	8411154
G	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit	8414993

A

MT-0099-2004

B

MT-148-98

C

MT-297-94

D

MT-139-98

E

MT-1883-2004

F

MT-2264-2004

G

MT-2266-2004

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	Dual temperature probe for F&P MR 700/730, 1.1 m	8411048
B	Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m	8414989
B	Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m	8414966
C	Hose heater adapter for F&P MR 700/730, for reusable breathing circuit	8411097
D	Hose heater adapter for F&P MR 850, for reusable breathing circuit	8414968
E	Hose heater adapter for F&P MR 850, for third-party breathing circuit	MP01001
F	Hose heater adapter for F&P MR 730, for third-party breathing circuit	8418433
G	Draw wire for hose heater 1.5 m, for reusable breathing circuit	8411050

A

MT-141-98

B

MT-2265-2004

C

MT-2678-2004

D

MT-2262-2004

E

MT-1887-2004

F

MT-2267-2004

G



MT-142-98

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	Medication nebulizer for Babylog® 8000 with quick connector	8411030
B	Connector set for med. nebulizer, for neonatal breathing circuit	8411031
	Nebulizer hose	8412985
C	Medication nebulizer Aeroneb Pro	MP01010
D	Nebulizer unit with filler cap for Aeroneb Pro	MP01030
E	T-piece set with plug for Aeroneb Pro, P, 15 mm, w/ adapter 10mm f. neo., 5 pcs.	MP01032
F	T-connector for Aeroneb Pro, 12 mm, with plug, 5 pcs.	MP01037

A

MT-2258-2004

B

D-9107-2009

C

MT-957-2005

D

MT-0939-2005

E

MT-0942-2005

F

MT-7733-2006

Not all articles are available worldwide.

SENSORS

3. SENSORS

A	Neonatal flow sensor with Y-piece, PSU, disinfectable and sterilizable	8410185
B	Neonatal flow sensor ISO 15, PSU, disinfectable and sterilizable	8411130
C	Insert for neonatal flow sensor, PSU, disinfectable and sterilizable	8410179
D	Flow sensor cable, for neonatal flow sensor, e.g., Babylog	8409626

A

MT-351-2003

B

D-9121-2009

C

MT-0510-2007

D

MT-2672-2004

Not all articles are available worldwide.

SENSORS

A	O_2 sensor capsule, for mainstream measurement	6850645
B	O_2 sensor housing Oxydig, for O_2 sensor capsule, with spiral cable	6850250
C	O_2 sensor housing Anemone, for O_2 sensor capsule, with smooth cable	6850720

A

MT-423-2002

B

MT-2662-2004

C

MT-2663-2004

Not all articles are available worldwide.

MONITORING ACCESSORIES

4. MONITORING ACCESSORIES

Infinity® Monitoring: Gamma, Gamma XL, Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.

OR/Anesthesia Monitoring: PM8010, PM8014, PM8060, PM8060 Vitara, Julian, Cicero EM, Parameterbox.

ELECTROCARDIOGRAPHY (ECG)

A	**Multiparameter cable NeoMed Pod, for ECG, resp., SpO_2, temp., and FiO_2, 2.5 m**	**5590539**
B	**ECG electrodes, single-patient use, neonate, 300 pcs.**	**5195024**
C	**Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.**	**5194779**
D	**ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m**	**5592162**

A

D-1466-2009

B

D-8983-2009

C

D-2341-2011

D

D-9001-2009

Not all articles are available worldwide.

MONITORING ACCESSORIES

			INFINITY® MONITORING	OP/ANÄSTHESIE-MONITORING	MICRO$_2$+
	PULSE OXIMETRY (SPO_2)				
	MASIMO® SENSORS				
A	**SpO_2 multisite sensor Masimo® LNOP YI, reusable**	**7497014**	■		■
B	**SpO_2 adhesive sensor Masimo® LNOP Neo, disposable, neonate, 20 pcs.**	**7496974**	■		■
C	**SpO_2 adhesive sensor Masimo® LNOP NeoPt, disposable, premature baby, 20 pcs.**	**7496966**	■		■
D	**SpO_2 adhesive sensor set Masimo® LNOP, 3 pcs. Neo + 1 pc. NeoPt**	**7496958**	■		■
E	**SpO_2 adhesive sensor Masimo® LNOP Neo-L, disposable, neonate, long, 20 pcs.**	**5702879**			■
F	**SpO_2 adhesive sensor Masimo® LNOP NeoPt-L, disp., premature baby, long, 20 pcs.**	**5702878**			■
	SpO_2 adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	**MP00792**	■		
	SpO_2 adhesive sensor Masimo® LNCS Pt, disposable, child, 20 pcs.	**MP00793**	■		
	SpO_2 adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	**MP00794**	■		
	SpO_2 Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	**MP00789**	■		

A

D-2365-2011

B

MT-70-2001

C



MT-69-2001

D

MT-357-2008

E

MT-2666-2004

F

MT-2655-2004

Not all articles are available worldwide.

MONITORING ACCESSORIES

MASIMO® ACCESSORIES

			INFINITY® MONITORING	OP/ANÄSTHESIE-MONITORING	MICRO$_2$+
A	SpO_2 adhesive wrap Masimo® Cleanshield-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	5702218			■
B	SpO_2 adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496917	■		■
	SpO_2 adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496909	■		■
C	SpO_2 foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO_2 sensor, 12 pcs.	7496891	■		■
D	SpO_2 adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO_2 sensor, 12 pcs.	7496933	■		■
E	SpO_2 adhesive wrap Masimo®, for NeoPt SpO_2 sensor, 100 pcs.	7496925	■		■
	SpO_2 adhesive wrap Masimo® Posey-Wrap, for NeoPt-L SpO_2 sensor, 12 pcs.	5702888			■
	SpO_2 adhesive wrap Masimo®, for NeoL SpO_2 sensor, 100 pcs.	5702889			■

A

MT-2252-2004

B



MT-4305-2004

C

MT-4304-2004

D

D-2363-2011

E

D-2361-2011

Not all articles are available worldwide.

MONITORING ACCESSORIES

			INFINITY® MONITORING	OP/ANÄSTHESIE-MONITORING	MICRO$_2$+
	NELLCOR® SENSORS				
A	**SpO_2 adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.**	**MX50067**	■	■	■
B	**SpO_2 adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.**	**MX50068**	■	■	■
C	**SpO_2 multisite sensor Nellcor® Oxiband™ A/N, reusable, neonate/adult**	**8201013**		■	■
	NELLCOR® ACCESSORIES				
D	**Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.**	**8201012**		■	■

A

MT-156-2003

B

MT-158-2003

C

MT-2624-91

D

MT-2257-2004

Not all articles are available worldwide.

MONITORING ACCESSORIES

CABLES

			INFINITY® MONITORING	OP/ANÄSTHESIE-MONITORING	MICRO$_2$+
A	SpO_2 sensor cable Masimo® ProCal, for Multimed 5/6 and NeoMed pods, 2 m	7492601	■		■
	SpO_2 sensor cable Masimo® ProCal, for Multimed 5/6 and NeoMed pods, 1.5 m	MS13926	■		■
B	SpO_2 intermediate cable Masimo® LNOP, 1.2 m	MS18680	■		■
	SpO_2 intermediate cable Masimo® LNOP, 3 m	MS17041	■		■
C	SpO_2 extension cable Dräger/Nellcor®, for Multimed 5/6 and NeoMed pods, 1 m	3368433	■		■
	SpO_2 extension cable Dräger/Nellcor®, for Multimed 5/6 and NeoMed pods, 2 m	3375834	■		■
D	SpO_2 intermediate cable Dräger/Nellcor®, for Multimed Plus/Plus OR, 1.2 m	MS18683	■		■
E	SpO_2 intermediate cable Dräger/Nellcor®, for Multimed Plus/Plus OR, 3 m	MS17330	■		■
F	SpO_2 intermediate cable, 1.5 m	M35371		■	
F	SpO_2 intermediate cable, 2.4 m	M35370		■	

A

D-9044-2009

B

MT-346-2008

C

MT-344-2008

D

D-2394-2011

E

D-2393-2011

F

MT-2660-2004

Not all articles are available worldwide.

INFINITY MONITORING

MONITORING ACCESSORIES

TEMPERATURE

SINGLE-PATIENT USE TEMPERATURE PROBES

A	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997
B	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998

REUSABLE TEMPERATURE PROBES

C	Skin temperature probe, reusable, with 7-pin connector, 1,5 m	4329822
C	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669
D	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616

A

D-7377-2011

B

D-7378-2011

C

D-2335-2011

D

D-2354-2011

Not all articles are available worldwide.

INFINITY MONITORING
OR/ANESTHESIA MONITORING

MONITORING ACCESSORIES

NON-INVASIVE BLOOD PRESSURE CUFFS (NIBP)

A	NIBP hose, neonate, 2.4 m	2870298
B	NIBP double hose, with Luer Slip connector, 1.5 m	M36039
B	NIBP double hose, with Luer Slip connector, 3 m	M36040

A

D-8954-2009

B

MT-3042-2004

Not all articles are available worldwide.

MONITORING ACCESSORIES

INFINITY MONITORING
OR/ANESTHESIA MONITORING

A	NIBP cuff, disposable, neonate, size 1, 3.1-5.7 cm, 10 pcs.	2870181	■	■
B	NIBP cuff, disposable, neonate, size 2, 4.3-8.0 cm, 10 pcs.	2870199	■	■
C	NIBP cuff, disposable, neonate, size 3, 5.8-10.9 cm, 10 pcs.	2870207	■	■
D	NIBP cuff, disposable, neonate, size 4, 7.1-13.1 cm, 10 pcs.	2870215	■	■
E	NIBP cuff, disposable, neonate, size 5, 8.3-15 cm, 10 pcs.	2870173	■	■

A

MT-2073-2007

B

MT-2072-2007

C

MT-2071-2007

D

MT-2069-2007

E

MT-2070-2007

Not all articles are available worldwide.

INFINITY® MONITORING

MONITORING ACCESSORIES

$ETCO_2$ AND RESPIRATORY MECHANICS

For Gamma X XL, Delta, Delta XL, Kappa.

A	**$etCO_2$ airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.**	**7869550**
B	**$etCO_2$ nasal cannula Microstream®, child, max. 12 h, 25 pcs.**	**7869469**
	$etCO_2$ nasal cannula Microstream®, child, max. 24 h, 25 pcs.	**7869600**
	$etCO_2$ nasal cannula Microstream®, + O_2, child, max. 24 h, 25 pcs.	**7869485**
C	**$etCO_2$ nasal/mouth cannula Microstream®, + O_2, child, max. 12 h, 25 pcs.**	**7869584**
D	**$etCO_2$ nasal cannula Microstream®, neonate/child, max. 24 h, 25 pcs.**	**7869618**

For Delta, Delta XL, Kappa, Kappa XLT.

	Sensor for respiratory mechanics and flow, disposable, neonate, 10 pcs.	**5957100**
	Sensor for respiratory mechanics, flow and CO_2, disposable, neonate, 10 pcs.	**5957118**

For Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.

E	**$etCO_2$ airway adapter, reusable, neonate**	**4721788**

A

D-1478-2009

B

D-9053-2009

A

MT-3010-2004

B

MT-3014-2004

E

D-8978-2009

NEONATAL CARE

Not all articles are available worldwide.

MONITORING ACCESSORIES

TRANSCUTANEOUS MONITORING ($TPO_2/TPCO_2$)

For Delta, Delta XL, Kappa.

A	**Patient parameter unit Infinity® $tpO_2/tpCO_2$ SmartPod®**	**5592535**
B	**tpO_2-/$tpCO_2$ solid-state electrode**	**4529988**
	Membrane replacement set for $tcpO_2/tcpCO_2$ electrodes	**MP00715**
	Fixation set for tpO_2- and $tpCO_2$ electrodes	**MP00716**
	Calibration gas, for $tpO_2/tcCO_2$, 20,9% O_2 and 5% CO_2, 12 pcs.	**MP00717**

A

MT-2179-2004

B

D-8969-2009

Not all articles are available worldwide.

MONITORING ACCESSORIES

OXYGEN MEASUREMENT FOR NEONATES (FiO_2)

For Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.

A	**Multiparameter cable NeoMed Pod, for ECG, resp., SpO_2, temp., and FiO_2, 2.5 m**	**5590539**
B	**FiO_2 sensor cable, 1,5 m**	**5597898**
	FiO_2 cell with O-ring	**9004979**

RECORDER PAPER

	Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls	**4711201**

A

D-1466-2009

B

D-9019-2009

Not all articles are available worldwide.

WARD EQUIPMENT

5. WARD EQUIPMENT

These O_2 Flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates of up to 32 L/min can be set with a high degree of accuracy. The large rotary knob makes setting easier.

Accuracy of flow rate at (1,013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D):	160 x 40 x 130 mm (6.3 x 1.6 x 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polycarbonate Flow indicator: Glass
Weight:	Approx. 500 g (1.1 lb).

A **O_2 flowmeter, 4L/min, CS, DIN, ISO and neutral color, M34x1.5 f. accessories** **2M86517**

TWIN FLOWMETER

The particular advantage of the twin flowmeter is, that two patients can be treated simultaneously and independently of one another, while occupying only one wall terminal.

Accuracy of flow rate at (1,013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D):	160 x 150 x 190 mm (6.3 x 5.9 x 7.15 in)
Material:	Housing: Aluminium Pressure dome: Polycarbonate Flow indicator: Glass
Weight:	Approx. 900 g (1.98 lb).

B **O_2 twin flowmeter, CS, 2 x 16 L/min, CS, DIN, M34x1.5 ISO, neutral color** **2M86561**

C **O_2 twin flowmeter, CS, 2 x 16 L/min, CS, DIN, 9/16", ISO, neutral color** **2M86564**

A

D-1446-2009

B

D-9104-2009

C

D-1449-2009

Not all articles are available worldwide.

WARD EQUIPMENT

These O_2 flowmeters for rail attachment can be used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4, 16 or 32 L/min can be set with a high degree of accuracy. The large rotay knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. A 2 m (6.6 ft) connecting hose is attached to the easily operated clamp.

Accuracy of flow rate at (1,013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D):	160 x 40 x 130 mm (6.3 x 1.6 x 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polycarbonate Flow indicator: Glass
Weight:	Approx. 950 g (2.09 lbs).

A

D-2322-2011

B

D-1462-2009

A	**O_2 flowmeter, 4 L/min, rail with hose 2m, ISO, DIN, M34x1.5 for accessories**	**2M86516**
B	**O_2 flowmeter, 4L/min, rail w/ hose 2m, neutr. color, DIN, M34x1.5 f. accessories**	**MP01191**

Not all articles are available worldwide.

WARD EQUIPMENT

A **O_2 flowmeter, 4L/min, rail, 90°, with hose 2m, ISO, DIN, M34x1.5 for accessories** — **2M86575**

B **O_2 flowmeter, 4 L/min, rail, 90° with hose 2m, neutral color, DIN, M34x1.5** — **MP01197**

C **O_2 flowmeter, 16L/min, rail, NIST, ISO and neutral color, M34x1,5; adapter 9/16"** — **MP01201**

CS hoses — **8601697**

Several hoses to connect e.g. flowmeter with the central supply.

COMPACT FLOWMETER

Following flows can be set: 1, 2, 3, 4, 6, 8, 12 and 15 L/min.
A speciality of this device is the high accuracy.

Technical Data:

Gas-Inlet:	DIN O_2 CS connector
Accuracy (at 4.5 + 0.2 bar):	± 0.5 L/min or ± 10%, whichever is greater
Supply pressure:	4.5 + 0.2 bar
Weight:	420 g.

D **O_2 compact flowmeter, Fix flows: 1, 2, 3, 4, 6, 8, 12, 15 L/min, CS, 6 mm nozzle** — **2M86793**

E **O_2 compact flowmeter, Fix flows: 1, 2, 3, 4, 6, 8, 12, 15 L/min, CS, 9/16"** — **MP01204**

A

D-2327-2011

B

D-2388-2011

C

MT-2390-2011

D

MT-190-2003

E

MT-3334-2005

Not all articles are available worldwide.

WARD EQUIPMENT

Flowmeter with digital displaying of the setted flow. For direct connection to the wall or with rail clamp. DigiFlow has a very high level of accuracy and the flow is easy to read. Additional functions like preset of therapy time, consumption of oxygen and expired time of use are integrated.

Input pressure:	270 to 600 kPa (2.7 to 6 bar)
Display resolution:	0.3 to 3.0 L/min: 0.1 L/min higher: 0.5 L/min
Measurement accuracy:	± 5% of displayed value
Display accuracy:	± 1 digit
Dimensions (W x H x D):	With direct probe: 56 x 144 x 140 mm (2.2 x 5.67 x 5.51 in) With universal holder: 56 x 144 x 105 mm (2.2 x 5.67 x 4.13 in)
Weight:	With direct probe: 340 g (0.74 lbs) With universal holder: 740 g (1.63 lbs).

3 l/min oxygen flow meter with digital display showing the delivered flow rates. For directly plugging into an oxygen supply coupler. This version is particularly suitable for low flows in the neonatal and pediatric fields. Adjustment from 0.3 to 3 l/min in 0.1 increments.

A	**Electronic O_2 flowmeter DigiFlow, 3 L/min, CS, DIN, 9/16", for sterile water**	**MP01210**
	Electronic O_2 flowmeter DigiFlow, 3L, CS, British Standard, 9/16"	**MP01218**
	Electronic O_2 flowmeter DigiFlow, 3L, CS, French Standard, 9/16"	**MP01222**
B	**Electronic O_2 flowmeter DigiFlow, 3 L/min, CS, DIN, M34x1.5 for accessories**	**MP01211**

A

MT-0071-2005

B

MT-0072-2005

Not all articles are available worldwide.

WARD EQUIPMENT

A	Electronic O_2 flowmeter DigiFlow, 3 L/min, rail, NIST, 9/16'' for sterile water	MP01212
B	Electronic O_2 flowmeter DigiFlow, 3 L/min, rail, NIST, M34x1.5 for accessories	MP01213
C	Electronic Air flowmeter DigiFlow, 3 L/min, CS, 9/16", DIN, ISO, neutral color	MP01214
	Electronic Air flowmeter DigiFlow, 3L, CS, 9/16", British Standard, ISO	MP01220
	Electronic Air flowmeter DigiFlow, 3L, CS, 9/16", French Standard, ISO	MP01224
D	Electronic Air flowmeter DigiFlow, 3L/min, rail, NIST, 9/16", ISO, neutral color	MP01215
E	Electronic Air flowmeter DigiFlow, 3L/min, rail, NIST, M32x1.5, ISO, neutr.color	MP01235

A

D-1492-2009

B

MT-0103-2005

C

D-1491-2009

D

D-1492-2009

E

D-35637-2009

Not all articles are available worldwide.

WARD EQUIPMENT

A	Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity	2M85834
B	Adapter, to connect tube to O_2 flowmeter, M34x1.5 to 6 mm nozzle	M06258
C	Adapter, for disposable sterilized water systems to O_2 flowmeters, M34x1.5	2M86680
D	Adapter, with 6 mm nozzle, e.g., for disp. breathing masks, 9/16" connection	MP00416

A

MT-246-2000

B

MT-2585-95

C

MT-83-2000

D

MT-5607-2005

Not all articles are available worldwide.

WARD EQUIPMENT

A Ultrasonic nebulizer Tropic plus, basic unit with all accessories **MP01205**

Includes:
- Short and long disposable hose
- Bacterial filter
- Power cable
- Nebulizer chamber
- Oscillating crystal
- Cap.

Ultrasonic nebulizer for effective humidification of the ambient air surrounding the patient, completely independently of any Central Gas Supply System. The nebulizer is driven by a quartz oscillator, with the result that only electrical energy is needed for operation. The use of highly effective bacterial filters at the point at which the air enters the system, together with the possibility of nebulizing from sterilized water systems, largely prevents the spread of bacteria, viruses and germs. It is possible to nebulize distilled water both with or without a feeder system for long-term operation. The integrated timer allows presetting a defined therapy time. Medication can be applied in aerosol form using the disposable medicament containers (Tropic plus nebulizer set). For use with 110/127/230 V.

Power consumption:	Ultrasonic nebulizer 50 VA Hose heating 15 VA
Ultrasonic frequency:	1.68 MHz ± 5%
Sound pressure level:	Approx. 35 dB(A)
Protection against moisture:	IP 32 (dripping water)
Method of operation:	Continuous operation
Nebuliser output:	Max. 3 mL/min
Output with sterile water system:	Up to 2.5 mL/min
Size of droplets:	0.2 to 4 µm approx. 86% is smaller than 4 µm
Air flow:	6 to 10 L/min when using Filter SafeStar® 55 10 to 15 L/min when using Filter CareStar® 30
Classification:	Class I B.

B Table set for Tropic plus, stand, hinged arm, clamp, bottle holder **MP01209**

C Trolley Tropic plus, w/ stand, hinged arm, clamp, bottle holder **MP01206**

D Rail set for Tropic plus, stand, hinged arm, clamp, bottle holder **MP01207**

A

MT-367-2008

A

MT-368-2008

A



D-35635-2009

B

MT-0638-2008

C

MT-372-2008

D

MT-373-2008

Not all articles are available worldwide.

WARD EQUIPMENT

A	Heatable hose Tropic plus, 1.1 m, for aerosol heating, cable, plug	2M85759
B	Corrugated hose Tropic plus, reusable, 1.2 m, autoclavable, for nebulizers	8403896
C	Corrugated hose Tropic plus, reusable, 0.3 m, autoclavable, for nebulizers	2M85813
D	Automatic refilling set Tropic plus, for large sterile water containers	MP01208
E	Nebulizer set for Tropic plus, disposable, for medication nebulization, 48 pcs.	MP00006

A

D-1547-2009

B

MT-320-2001

C

MT-294-2003

D

D-35681-2009

E

D-1481-2009

Not all articles are available worldwide.

WARD EQUIPMENT

A	Quartz oscillator for Tropic plus, reusable, autoclavable	2M85794
B	Lid for nebulizer chamber Tropic plus, autoclavable	2M85795
C	Hose for Tropic plus, disposable, patient side, for Tropic plus, 100 cm, 15 pcs.	MX22793
C	Hose for Tropic plus, disposable, connects fan/chamber, for Tropic plus, 40 cm, 20 pcs.	MX22790
D	Nebulizer chamber for Tropic plus, spare part	2M85796

A

MT-289-2003

B

MT-291-2003

C

MT-2501-95

D

MT-292-2003

Not all articles are available worldwide.

WARD EQUIPMENT

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be fully autoclaved at up to 134 °C. The two 700 ml jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high quality polysulfone, are reusable, extremely robust and implosion proof. The long service lifes makes the jars both environmentally friendly and cost effective.
An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the secretion jar set quickly.

A

D-7354-2011

B

MT-2575-95

A Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose — **2M85056**

Maximum capacity up to the overflow safeguard 2 x 1000 mL.
Scale in steps of 10 mL up to max. 700 mL.
Weight: 1000 g (empty).
Dimensions (W/H/D) in mm: 300 x 340 x 100.

B Secretion jar set, with protection jar and 700 mL secretion jars (2 pcs.) — **2M85607**

Maximum capacity up to the overflow safeguard 2 x 1000 mL.
Scale in steps of 10 mL up to max. 700 mL.
With additional protection jar 300 mL.
Weight: 1000 g (empty).
Dimensions (W/H/D) in mm: 300 x 340 x 100.

Not all articles are available worldwide.

WARD EQUIPMENT

A **Vacuum regulator,compact,for Babytherm®, max.vacuum -90 kPa,gas connection O_2/AIR** **2M21189**

With vacuum regulator up to -0.9 bar, fitted beneath the bed area. Portable secretion jar set, connection to central vacuum system.

A **Ejector, compact, for Babytherm, max. vaccuum -50 kPa, gas connection O_2/AIR** **2M21187**

A **Ejector, compact, for incubator, max. vacuum -50 kPa, gas connection O_2/AIR** **2M85040**

A

D-2317-2011

Not all articles are available worldwide.

WARD EQUIPMENT

A **Secretion jar VacuSmart®, PE (polyethylene), disposable, 700 mL, 25 pcs.** **MX23023**

The VacuSmart® is a disposable cartridge and has been specially designed and thoroughly tested to for compatibility with the Dräger Medical endotracheal suction unit using 700 mL secretion jars, so there is no need to modify the suction unit. It is adaptable within few seconds. An overflow safeguard reliably protects the aspirator and the environment against contamination.

Technical data:	
Maximum capacity:	700 mL
Maximum capacity up to the overflow safeguard:	1000 mL
Overflow safeguard:	Integrated, hydrophobic filter
Recommended duration of use:	24 h.

B **Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 mL, 25 pcs.** **MX23025**

The VacuSmart® Gel is a disposable cartridge with an integrated gelling agent for all Dräger Medical endotracheal suction units using 700 mL secretion jars. The gelling agent coagulates the bronchial secretion and prevent thereby the leakage e.g. in case of disposal in a waste press. The integrated sodium polyacrylate is additionally packed in a water soluble bag in order to avoid skin contact.

Technical data:	
Maximum capacity:	700 mL
Maximum capacity up to the overflow safeguard:	1000 mL
Geling agent:	Sodium polyacrylate
Overflow safeguard:	Integrated, hydrophobic filter
Recommended duration of use:	24 h.

C **Suction tube VacuSmart® Tube, polyethylene, disp., 2 m, w/ finger tip, 25 pcs.** **MX23026**

You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:

D **Suction set, disp., VacuSmart®, 700 mL and VacuSmart® Tube, 25 pcs. each** **MP00061**

A

MT-171-2003

B

MT-3716-2008

C



MT-953-2000

D

MT-171-2003 | MT-953-2000

Not all articles are available worldwide.

WARD EQUIPMENT

The vacuum regulator is directly connected to a central vacuum supply, or mounted on a rail. The smoothly adjustable vacuum, up to max. -160 mbar (-16 kPa), is displayed on a rotating manometer, legible from all sides. All plastic parts (with the exception of the manometer) are autoclavable up to 134 °C. All VarioVac® vacuum regulators offer dual color coding according to ISO 32 (yellow) and the color-neutral gas code (black).
All vacuum regulators include a shut-off valve.
You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 L/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 x 200 x 160
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe).

A **Vacuum regulator VarioVac® D Rail, for continuous and wound drainage,gas connect. AIR** **MP00511**

A

MT-0026-2004

Not all articles are available worldwide.

WARD EQUIPMENT

A	Bacterial filter 767, for ejectors (model range until 2010), 5 pcs.	6723976
B	Suction hose, silicone, reusable, 1.5 m, for medical suction	M25780
C	Connection hose, silicone, reus., ID 5 mm, wall thickness 2 mm, by meter	1203606
D	Secretion jar, PSU (Polysulfone), reusable, 300 mL, autoclavable up to 134°C	2M86207
E	Secretion jar, PSU (Polysulfone), reusable, 700 mL, autoclavable up to 134°C	2M85594
F	Elbow, angled hose connection for secretion jar caps	2M19063

A

MT-3005-2004

B

MT-2568-95

C

MT-2219-92

D

MT-10979-2006

E

D-7359-2011

F

MT-2492-95

Not all articles are available worldwide.

WARD EQUIPMENT

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/ rail or to a rail on a ceiling supply unit. The devices are only latched and can be detached and moved easily if this is requiered.

A	**Wall holder, with fixing screws, f. compact suction unit and secretion jar set**	**M26859**
B	**Rail holder with clamp, for compact suction unit and secretion jar set**	**M26842**
	Rail clamp lever type, for attachment of devices to 25x10 mm standard rail, for compact suction unit and secretion jar set.	
C	**Ceiling holder, rail holder for compact suction systems and secretion jar sets**	**2M85119**

Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.

D	**CS connection hose holder**	**2M85446**
E	**Suction hose holder, suitable for various diameters**	**2M85239**

A

MT-2473-95

B

MT-2542-95

C

MT-10962-2006

D

MT-2517-95

E

MT-2524-95

Not all articles are available worldwide.

WARD EQUIPMENT

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints of the Quickstop hinged arm can be fixed into place and released with just one quick hand – movement. All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

A **Hinged arm Quickstop 2, w/ universal ball holder system for optional accessories** — **2M85706**

Contains:
2 x hose clamps (2 pcs.)
1 x hose clamp, coaxial
1 x hose clamp with ball
Length: 1078 mm.
Load capacity: max. 2 kg.


MT-2547-95

B **Hinged arm Quickstop short, with universal tube holder plate** — **2M86463**

For various cable and tube dimensions and coaxial hoses.
Specifically designed for OR tables.
Contains:
1 x Universal tube holder plate
for various cable and tube dimensions.
Length: 403 mm.
Load capacity: max. 4 kg.

MT-4419-2005

C **Hose clip, adult, neo., for ball mounting, for standard breathing hoses** — **8409841**

Applicable for quickstop hinged arm 2 (2M85706) and hinged arm 240° (8409609).

MT-0899-2008

D **Hose clip double, for standard breathing hoses, adult, neo., 2 pcs.** — **8406138**

Applicable for quickstop hinged arm 1 (2M85705), quickstop hinged arm 2 (2M85706) and hinged arm 240° (8409609).

MT-0902-2005

E **Hose clip, for coaxial breathing hoses, adult, for quickstop 2 (2M85706), 2 pcs.** — **MP00493**

MT-1642-2007

F **Holder for Y-piece, with ball mounting** — **8409746**

Applicable for Quickstop 2 (2M85706), hinged arm 240° (8409609) and hinged arm Infinity ACS (MP00690).

MT-2493-95

G **Hose holder plate, for ball mounting, for all cable and hose dimensions** — **2M86465**

As well as for coaxial and pediatric hoses.
Applicable for quickstop hinged arm 2 (2M85706), hinged arm 240° (8409609) and hinged arm Infinity ACS (MP00690).

MT-8555-2006

Not all articles are available worldwide.

WARD EQUIPMENT

Proper illumination and working conditions are vital throughout patient care. You can choose the right lightning solution for the different applications such as examination or reading at the patient's bedside.
Dräger's solutions provide ideally suited lightning for examinations, wound management and for different specific applications, e.g. the positioning of syringes and IV lines. All three solutions fit standard rail systems and are easy to mount.

A NCL examination light, w/ NCL filter for natural light color+color rendering — **2M85657**

Two-level switch to adjust the amount of light.
– Level I: Reading light
– Level II: Diagnosis light.
Minimal heat emissions through a heat protection filter and double wall housing. Integrated electronic safety transformer with line and thermal fuse.

Max illumination at a distance of 0.5 m:	
	Step I: 11000 lux ± 10%
	Step II: 20000 lux ± 10%
Color temperature (Kelvin):	4,100 K ± 5%
Color rendering index:	RA 92, class 1A
Type:	Philips Brilliant Line Pro Halogen Lamp 12V/35W/24°
Plug:	DIN Standard
Weight:	Approx. 1.3 kg
Protection class:	II
Power cord:	3 m
Rail clamp:	10 x 25 mm (0.4 x 1 in) to 8 x 35 mm (0.3 x 1.4 in)
Measurement:	400 and 420 mm.

B Examination light HX 35 TM, with British standard plug — **MP00435**

Similar to the examination lamp NCL but with shorter power cable and lower light intensity.

Max illumination at a distance of 0.5 m:	
	Step I: 5000 lux ± 10%
	Step II: 13000 lux ± 10%
Power cord:	1.4 m.

C Bulb, 12 V, 35 W, 24°, for NCL (2M85657) + HX35TM (MP00435) — **MP00681**

A

MT-265-98

B

D-1546-2009

C

D-974-2010

Not all articles are available worldwide.

WARD EQUIPMENT

A	**Rail clamp, for attachment to poles of different diameters** Rotable by 90° to left and right. Length of standard rail: 20 cm.	**2M85274**
	Wire baskets The wire baskets are used for storage of disposable catheters or dispoables gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chromeplated and are thus easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).	
B	**Basket 150, 15 x 20 x 10 cm, e.g., for disposable gloves**	**M26146**
B	**Basket 300, 15 x 28 x 10 cm, e.g., for 300 mm catheters**	**M26145**
B	**Basket 600, 15 x 48 x 10 cm, e.g., for 600 mm catheters**	**M25121**
	Catheter receptacle These recaptacles are for storage of sterile insufflation catheters. The catheter receptical is provided with a rail clamp and can be attached to intensive care rails. The diameter of the receptal is 50 mm. Catheter receptacle is 50 mm. Catheter receptacle 710 is designed for catheters up to 600 mm (23.6 in) long, and catheter receptacle 510 for catheters up to 400 mm (15.7 in) long.	
C	**Rail holder, for catheter receptacle, 12.5 x 8.4 x 18 cm**	**MP00652**
D	**Catheter receptacle, large, 12.2 x 25.2 x 12.2 cm (top) and Ø 85 mm (bottom)**	**MP00650**
E	**Catheter receptacle, small, 12.2 x 16.6 x 12.2 cm (top) + Ø 60 mm (bottom)**	**MP00651**
F	**Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)**	**M24695**
	Litter bags, disposable, for litter bag holder, 100 pcs.	**M26240**
G	**Infusion bottle holder, for standard rail, variable height, 3 hooks**	**M20719**

A

MT-1978-2008

B

MT-2558-95

C

MT-10947-2006

D

MT-10948-2006

E

MT-10949-2006

F

MT-3720-2008

G

MT-10964-2006

Not all articles are available worldwide.

INDEX

1
1190520 26
1198343 304
1203606 231, 353
1678270 137
1828932 287

2
2112760 34, 35
2120186 65
2120194 65
2121018 65, 321
2121026 65, 321
2121034 65, 321
2165600 41, 312
2165619 31, 36, 40
2165627 31, 36, 40
2165635 36, 40
2165643 33, 35, 40
2165651 37, 38, 41, 305, 310, 311, 312
2165678 26, 27, 29, 30, 41
2165686 26, 27, 45, 314
2165694 45
2165708 45
2165716 45
2165724 45
2165732 63, 320
2165740 63, 320
2165759 63
2165763 45, 314
2165775 45, 314
2165783 45
2165821 29, 30, 32, 37, 41, 309, 310, 311, 312
2165848 29, 32, 37, 41, 309, 310, 311, 312
2165856 32, 37, 41, 309, 310, 311, 312
2165902 41
2165910 63, 320
2165953 45, 314
2165961 26, 27, 41, 312
2166011 28, 30, 40
2166038 25, 28, 30, 40
2166046 25, 40
2166054 45, 314
2166062 25, 28, 45
2166070 45
2166097 63, 320
2166100 63
2166119 63
2166127 45, 314
2170205 186
2170221 116, 186
2870173 124, 158, 188, 336
2870181 124, 158, 188, 336
2870199 124, 158, 188, 336
2870207 124, 158, 188, 336
2870215 124, 158, 188, 336
2870298 121, 155, 335

3
3361164 146, 179
3368383 130
3368391 99
3368425 100, 125
3368433 107, 114, 116, 333
3368458 133, 160
3375834 107, 114, 116, 333
3375933 132
3375941 128
3375958 128, 135

4
4315961 126
4319310 139
4319435 126
4321563 131
4322975 143
4329822 120, 154, 334
4329848 120, 154
4329889 120, 154
4527750 105, 149, 165, 181
4528741 132
4529038 145
4529988 145, 338
4710211 146
4711201 145, 339
4714387 140
4714395 140
4714429 140
4714437 140
4721408 129
4721416 129
4721424 129
4721614 129
4721788 140, 337
4721796 140

5
5191221 99
5192112 129
5194779 105, 329
5195024 105, 149, 329
5195180 131
5195198 100
5196980 128
5196998 128
5198333 119
5201319 120
5201327 120
5201335 120
5201343 120
5202747 100
5204644 120, 154
5204651 120, 154
5204669 120, 154, 334
5206573 130
5206581 132
5206607 130
5207415 144
5588095 130
5588822 126
5589663 99
5590539 99, 145, 329, 339
5591925 126
5591933 126
5592097 146
5592147 130
5592154 119
5592162 105, 329
5592535 145, 338
5597377 146
5597898 145, 339
5598128 100
5701935 113
5702218 110, 151, 177, 331
5702222 151
5702223 151
5702321 72, 323
5702322 72, 323
5702877 168
5702878 330
5702879 330
5702881 72
5702888 331
5702889 331
5703041 19
5704964 19
5730354 213
5731281 130
5732354 146
5734418 104
5736744 137

INDEX

5740704 139
5740738 139
5741975 133, 160
5947226 106
5947697 146
5947804 137
5950196 99
5954859 137
5956359 175
5956367 175
5956433 104
5956441 104
5956458 104
5956466 104
5956474 104
5956482 104
5956490 104
5956508 104
5957100 143, 337
5957118 143, 337
5957126 143
5957134 143
5957142 143

6 6723976 221, 230, 239, 246, 353
6724492 71
6733895 54
6850250 89, 328
6850435 161
6850645 89, 328
6850720 89, 328
6850930 89
6870279 55, 161
6870280 55, 161, 317
6870281 161
6871500 55, 317
6871950 55, 161, 317
6871980 87
6872020 144
6872128 144
6872130 144
6872160 144

7 7014616 120, 154, 189, 334
7257988 100
7262764 116, 152, 153, 171, 178, 184
7265114 139
7265122 139
7265155 160
7265163 160
7267151 131
7270304 110, 167, 176
7270312 110, 167, 176
7270460 129
7485621 100, 125, 126
7486140 106
7486876 131
7489417 131
7489433 131
7492601 109, 333
7496875 111, 151, 170, 177
7496883 111, 151, 170, 177
7496891 110, 151, 170, 331
7496909 110, 151, 170, 177, 331
7496917 110, 151, 170, 177, 331
7496925 111, 113, 151, 177, 331
7496933 111, 151, 177, 331
7496941 113, 168
7496958 113, 330
7496966 112, 168, 330
7496974 112, 330
7496982 112, 168, 176
7496990 112, 168, 176
7497006 111, 167, 176
7497014 110, 167, 176, 330
7497709 139
7498947 131
7499804 163, 175
7499812 163, 175
7499820 163, 175
7499838 163, 175
7499846 163, 175
7499853 163, 175
7864155 131
7864908 131
7869469 141, 337
7869477 141
7869485 142, 337
7869493 142
7869501 142
7869535 141
7869543 141
7869550 141, 337
7869584 142, 337
7869592 141
7869600 142, 337
7869618 142, 337
7870947 139
7872174 138

8 8201012 116, 186, 332
8201013 186, 332
8201015 182
8290285 44
8290286 144
8305622 88
8306370 88
8306487 323
8306488 294
8401644 36
8401645 32, 37, 43, 304, 309, 310, 311
8402041 31, 36
8402868 71
8402918 31
8402953 26, 27
8403056 32, 44, 309
8403070 38, 305, 307
8403073 307
8403075 26, 27, 32, 37, 43, 309, 310, 311, 313
8403076 31, 36, 44
8403077 43, 304, 313
8403080 38, 305, 307
8403201 46
8403208 46, 304, 315
8403333 32, 309
8403345 76
8403377 304
8403566 31, 36
8403684 44, 304
8403685 31, 34, 36
8403735 87
8403896 218, 347
8403944 304
8404760 32, 309
8404985 28, 30, 31, 36, 44
8405000 82, 214
8405029 76
8405031 76
8405371 77
8405435 31, 43
8405752 32, 44, 309
8406138 250, 355
8407475 34
8408647 76

INDEX

8408950 70
8409609 249
8409625 76, 307, 308
8409626 88, 327
8409627 29, 30, 32, 37, 38, 39, 44, 305, 306, 307, 308, 309, 310, 311
8409634 37, 310, 311
8409683 69, 322
8409742 37, 38, 39, 46, 305, 306, 307, 308, 310, 311, 315
8409746 250, 355
8409841 250, 355
8409897 37, 38, 44, 305, 307, 308, 310, 311
8409898 304
8410019 307, 308
8410079 26, 46, 315
8410179 87, 327
8410185 87, 327
8410230 54, 323
8410535 77
8410536 77
8410580 70
8410600 76
8410709 38, 305, 307
8410813 39, 307
8410814 39, 306, 308
8410816 39, 306, 308
8410817 308
8410929 35
8411024 83, 326
8411030 82, 214, 326
8411031 82, 214, 326
8411040 39, 308
8411041 38, 305
8411044 37, 38, 44, 305, 310, 311
8411045 36, 38, 79, 305, 310
8411047 78, 324
8411048 80, 325
8411050 81, 325
8411073 78, 324
8411074 79, 324
8411075 269, 274
8411097 80, 325
8411130 87, 327
8411148 39, 308
8411153 39, 306
8411154 39, 79, 306, 324
8411352 33, 304
8411353 33, 304
8411354 304
8411471 33, 304
8411472 33, 304
8412001 35
8412015 70
8412034 35, 87
8412068 35
8412081 310
8412092 31
8412217 78
8412218 78
8412235 30, 35, 43
8412344 32, 309
8412710 161
8412860 33
8412888 28, 33, 36, 42
8412913 35
8412935 82
8412985 82, 214, 326
8413125 70
8413293 35
8413660 70
8414776 70
8414966 80, 325
8414968 80, 325
8414969 79
8414986 36
8414987 37, 311
8414989 80, 325
8414991 24
8414992 80
8414993 37, 79, 311, 324
8414994 24, 303
8415270 70
8416352 161
8416600 88
8416750 70
8417050 70
8418077 315
8418282 78, 324
8418283 78, 324
8418289 38, 39, 43, 305, 306
8418404 39, 306
8418405 39, 306
8418407 39, 306
8418410 297
8418411 297
8418414 297
8418415 299
8418416 299
8418417 299
8418418 301
8418419 301
8418420 301
8418421 301
8418422 301
8418423 301
8418433 81, 325
8418435 298
8418455 39, 306
8418458 38, 305
8418462 80
8418471 301
8418472 301
8418473 301
8418474 301
8418475 301
8418476 301
8418490 299
8418491 299
8418531 299
8418534 300
8418535 300
8418536 300
8418537 300
8418538 300
8418539 300
8418540 301
8418550 298
8418576 297
8418578 298
8418582 297
8418583 297
8418584 298
8418603 299
8418605 299
8418607 299
8418609 299
8418611 299
8418617 299
8418619 299
8419160 133, 160
8420077 133, 160
8500347 189
8539983 133, 160
8600224 29
8600225 29

INDEX

	8600859	182
	8601321	189
	8601474	189
	8601697	197, 199, 202, 265, 342
	8603839	40
9	9004979	145, 339
2M	2M12754	26
	2M13259	77
	2M14190	280
	2M16520	281
	2M16843	216
	2M17909	287
	2M18420	287
	2M18810	212, 274, 280
	2M19063	232, 353
	2M19090	212
	2M19250	280
	2M20277	274
	2M20434	274, 280
	2M20736	274, 279
	2M20827	279
	2M20907	274
	2M20914	280
	2M21009	292
	2M21010	292
	2M21012	279
	2M21021	287
	2M21023	287
	2M21158	281
	2M21161	281
	2M21186	275
	2M21187	281, 350
	2M21189	281, 350
	2M21191	281
	2M21342	281
	2M21514	270, 275, 280
	2M22130	275
	2M30078	280
	2M30079	280
	2M30084	280
	2M30160	280
	2M30161	280
	2M30263	279
	2M30462	293
	2M50040	270
	2M50385	269
	2M50412	269
	2M85003	254
	2M85011	231
	2M85012	231
	2M85013	231
	2M85040	275, 350
	2M85049	255
	2M85056	208, 221, 227, 239, 349
	2M85119	221, 228, 239, 256, 354
	2M85139	247
	2M85151	239, 244
	2M85153	239, 244
	2M85154	239, 244
	2M85163	239, 245
	2M85233	257
	2M85239	221, 228, 235, 238, 239, 255, 354
	2M85274	255, 357
	2M85337	208, 258
	2M85441	235, 237
	2M85442	235, 237
	2M85443	235, 237
	2M85446	221, 228, 235, 238, 239, 255, 354
	2M85493	209
	2M85571	216
	2M85575	211
	2M85594	221, 232, 235, 353
	2M85607	221, 227, 239, 349
	2M85657	252, 356
	2M85674	215
	2M85692	215
	2M85693	215
	2M85705	249
	2M85706	249, 355
	2M85728	202
	2M85759	218, 347
	2M85794	219, 348
	2M85795	219, 348
	2M85796	219, 348
	2M85813	218, 347
	2M85834	205, 211, 345
	2M85835	205, 211
	2M85853	211
	2M85911	66, 213
	2M85912	205, 213
	2M86029	208, 210
	2M86174	208, 210
	2M86185	210
	2M86199	253
	2M86204	207
	2M86205	207
	2M86207	221, 232, 353
	2M86248	196
	2M86249	197
	2M86410	209, 210
	2M86463	249, 355
	2M86464	100, 126, 249
	2M86465	250, 355
	2M86511	34
	2M86516	195, 341
	2M86517	193, 340
	2M86551	195
	2M86552	199
	2M86553	193
	2M86554	198
	2M86561	194, 340
	2M86562	193
	2M86563	193
	2M86564	194, 340
	2M86567	194
	2M86568	195
	2M86569	198
	2M86570	199
	2M86571	196
	2M86575	196, 342
	2M86680	212, 345
	2M86752	235, 237
	2M86757	235, 238
	2M86758	221, 231, 235, 238
	2M86793	197, 342
	2M86800	34
	2M86832	34
	2M86837	19
	2M86841	19
AM	AM00201	29
	AM00202	29
	AM00203	43
	AM00209	29
	AM00354	29
CH	CH00102	230, 246
G	G12985	258
	G13040	258
	G13171	258
	G13768	258
	G15225	258
M	M06258	211, 345
	M11015	83, 216

INDEX

M11044 69, 322
M12394 83, 216
M14631 64, 320
M14632 64, 320
M14633 64
M14737 63
M16395 247
M17716 216
M17717 216
M19334 26
M19335 26
M19336 26
M19338 26
M19347 304
M19351 37, 38, 39, 305, 306, 307, 308, 310, 311
M20650 255
M20668 247
M20719 257, 357
M21112 257
M22764 64, 320
M23840 31, 36
M24678 254
M24692 254
M24695 257, 357
M25121 256, 357
M25567 304
M25647 25, 26, 27, 28, 29, 30, 31, 36, 44
M25649 28, 30, 31, 36, 43
M25650 42
M25682 42
M25739 255
M25742 238
M25780 231, 353
M26145 256, 357
M26146 256, 357
M26240 257, 357
M26391 254
M26842 208, 221, 228, 239, 255, 354
M26859 221, 228, 239, 354
M27077 27, 29, 42, 313
M27542 27
M30146 25
M30543 42
M30574 232
M30606 232
M32692 144
M33278 25, 42
M33681 26
M34568 26, 27, 43, 313
M35056 205, 210, 212
M35058 205, 210, 212
M35330 261
M35332 261
M35333 263
M35335 263
M35339 264
M35340 264
M35360 181
M35361 181
M35362 181
M35363 181
M35364 180
M35365 180
M35366 180
M35367 180
M35368 180
M35369 180
M35370 182, 333
M35371 182, 333
M35372 189
M35373 189
M35374 189
M35375 265
M35376 265
M35377 265
M35383 265
M35384 265
M35385 265
M35386 265
M35387 265
M35388 265
M35389 263
M35390 263
M35393 263
M35394 263
M35395 263
M35396 263
M35397 263
M35398 264
M35399 264
M35402 264
M35403 264
M35404 264
M35405 264
M35406 264
M35416 261
M35417 261
M35420 261
M35421 261
M35422 261
M35423 261
M35424 261
M35434 262
M35435 262
M35436 262
M35452 262
M35453 262
M35454 262
M35455 262
M35456 262
M35457 262
M35489 259
M35490 259
M35491 259
M35495 259
M35496 259
M35497 259
M35498 259
M35499 259
M36000 259
M36001 259
M36002 259
M36003 259
M36004 260
M36005 260
M36006 260
M36010 260
M36011 260
M36012 260
M36013 260
M36014 260
M36015 260
M36016 260
M36017 260
M36018 260
M36032 187
M36033 187
M36034 187
M36035 187
M36036 187
M36039 188, 335
M36040 188, 335

MK
MK00514 230
MK01900 87
MK02588 95
MK02933 30

INDEX

MK02934 30
MK02935 29
MK04248 28
MK04249 29

MP MP00004 137
MP00006 218, 347
MP00038 208, 210
MP00061 229, 351
MP00062 229
MP00090 257
MP00100 203
MP00100 207
MP00100 208, 209
MP00220 70
MP00222 15
MP00224 70
MP00234 18, 303
MP00300 11
MP00301 16
MP00302 16
MP00303 16
MP00304 16
MP00305 14
MP00306 18
MP00307 18
MP00308 18, 303
MP00309 18, 303
MP00310 20, 283, 303
MP00311 20, 283, 303
MP00312 20
MP00313 20
MP00315 14
MP00316 14
MP00327 14
MP00329 14, 302
MP00330 16
MP00331 16
MP00333 16, 302
MP00334 13
MP00335 19
MP00337 13
MP00338 12
MP00340 21
MP00341 23
MP00342 21
MP00343 24, 303
MP00344 24
MP00345 24
MP00349 11
MP00350 11
MP00351 12
MP00352 12
MP00353 12, 302
MP00355 14
MP00356 14
MP00361 13
MP00362 13
MP00363 13, 302
MP00365 17
MP00366 17
MP00371 17
MP00372 17
MP00374 17
MP00375 17
MP00380 15
MP00381 15
MP00383 15, 302
MP00384 15
MP00416 205, 212, 345
MP00435 252, 356
MP00493 250, 355
MP00494 233
MP00495 247
MP00496 233
MP00497 247
MP00498 257
MP00501 221, 222
MP00502 221, 222
MP00503 221, 222
MP00504 221, 222
MP00505 221, 222, 235, 236
MP00506 221, 225
MP00507 239, 240
MP00508 239, 240
MP00509 239, 240
MP00510 239, 240
MP00511 239, 240, 352
MP00512 239, 241, 245
MP00518 239, 245
MP00530 221, 223
MP00531 221, 223
MP00532 221, 223
MP00533 221, 223
MP00534 221, 223
MP00535 221, 223, 235, 236
MP00536 221, 225
MP00537 239, 242
MP00538 239, 242
MP00539 239, 242
MP00540 239, 242
MP00541 239, 242
MP00542 239, 243
MP00544 239, 243
MP00545 221, 224
MP00547 221, 226
MP00555 221, 230, 235, 239, 246
MP00560 235, 237
MP00565 248
MP00569 248
MP00570 221, 232
MP00578 233
MP00579 247
MP00580 233
MP00595 248
MP00596 248
MP00650 256, 357
MP00651 256, 357
MP00652 256, 357
MP00653 100, 126, 251
MP00681 252, 356
MP00690 249
MP00692 251
MP00693 251
MP00715 145, 338
MP00716 145, 338
MP00717 145, 338
MP00718 145
MP00721 100
MP00722 145
MP00740 188
MP00741 188
MP00742 188
MP00743 188
MP00748 152, 153
MP00788 115, 169
MP00789 115, 169, 330
MP00790 115, 150, 169
MP00791 115, 150, 169
MP00792 115, 150, 330
MP00793 115, 150, 169, 330
MP00794 115, 150, 330
MP00795 115, 150, 169
MP00796 115, 150, 169
MP00797 150
MP00799 115, 169
MP00800 150
MP00875 103, 148, 164
MP00877 103, 148, 164

INDEX

MP00879	103, 148, 164
MP00881	103, 148, 164
MP00911	122, 156
MP00912	122, 156
MP00913	122, 156
MP00915	122, 156
MP00916	122, 156
MP00917	122, 156
MP00918	122, 156
MP00919	122, 156
MP00921	122, 156
MP00924	123, 157
MP00925	123, 157
MP00926	123, 157
MP00928	123, 157
MP00929	123, 157
MP00930	123, 157
MP00931	123, 157
MP00932	123, 157
MP00934	123, 157
MP00945	121, 155
MP00953	121, 155
MP00990	173
MP00991	119
MP00992	119
MP00993	119
MP00994	119
MP00995	119
MP00996	119
MP00997	119, 334
MP00998	119, 334
MP01001	81, 325
MP01002	79, 324
MP01006	81
MP01007	36, 42, 81
MP01008	79
MP01010	83, 326
MP01030	83, 326
MP01031	83
MP01032	83, 326
MP01035	83
MP01036	83
MP01037	83, 326
MP01060	70
MP01061	70
MP01062	55, 161
MP01063	55, 161, 317
MP01101	206, 207
MP01102	206, 207
MP01103	206, 208, 209
MP01104	206
MP01105	206
MP01191	195, 341
MP01192	195
MP01193	199
MP01194	195
MP01195	199
MP01196	196
MP01197	196, 342
MP01198	196
MP01199	197
MP01201	197, 342
MP01202	199
MP01204	197, 342
MP01205	217, 346
MP01206	217, 346
MP01207	217, 346
MP01208	218, 347
MP01209	217, 346
MP01210	200, 343
MP01211	200, 343
MP01212	201, 344
MP01213	201, 344
MP01214	202, 344
MP01215	202, 344
MP01216	202
MP01217	202
MP01218	200, 343
MP01219	201
MP01220	202, 344
MP01221	202
MP01222	200, 343
MP01223	201
MP01224	202, 344
MP01225	202
MP01226	201
MP01227	201
MP01228	201
MP01229	201
MP01235	202, 344
MP01255	202
MP01260	194
MP01261	194
MP01325	22
MP01326	21
MP01329	23
MP01330	23
MP01340	21
MP01341	21
MP01343	23
MP01347	22
MP01348	21
MP01350	21
MP01401	271
MP01402	282
MP01403	285
MP01404	282
MP01405	285
MP01414	294
MP01415	293
MP01416	293
MP01417	293
MP01418	293
MP01423	293
MP01424	293
MP01425	293
MP01426	269, 293
MP01427	271, 293
MP01440	296
MP01441	296
MP01442	296
MP01443	296
MP01444	296
MP01445	296
MP01501	60, 318
MP01502	60, 318
MP01503	60
MP01504	60
MP01505	60
MP01506	60
MP01510	61, 319
MP01511	61, 319
MP01512	61, 319
MP01513	61
MP01514	61
MP01515	61
MP01516	61
MP01521	62, 319
MP01522	62, 319
MP01523	62
MP01524	62
MP01531	62, 319
MP01532	62, 319
MP01533	62
MP01534	62
MP01543	62
MP01544	62
MP01545	62
MP01546	62
MP01551	69, 322

INDEX

MP01552 69
MP01557 67, 322
MP01558 67
MP01559 67, 322
MP01560 67
MP01561 67, 322
MP01562 67
MP01570 57
MP01571 57
MP01572 57
MP01573 57
MP01574 57
MP01575 57
MP01576 59
MP01577 59
MP01578 59
MP01579 59
MP01580 59
MP01581 59
MP01583 67
MP01584 67
MP01585 69
MP01590 69, 322
MP01591 68
MP01592 68
MP01620 58
MP01621 58
MP01622 58
MP01623 58
MP01624 58
MP01625 58
MP01632 68
MP01650 73
MP01651 73
MP01652 73
MP01653 73
MP01654 73
MP01655 73
MP01656 73
MP01657 73
MP01660 74
MP01661 74
MP01662 74
MP01663 74
MP01664 74
MP01665 74
MP01668 74
MP01669 74
MP01671 74
MP01673 74
MP01674 74
MP01676 73
MP01677 73
MP01680 75
MP01681 75
MP01682 75
MP01683 75
MP01684 75
MP01685 75
MP01686 75
MP01730 50, 53
MP01735 50, 53
MP01740 50, 53, 316
MP01745 50, 53, 316
MP01750 50, 53
MP01755 48, 52
MP01765 48, 52
MP01770 48, 52, 218
MP01785 49, 52
MP01790 49, 52, 218
MP01795 49, 52
MP01800 47, 51
MP01801 47, 51
MP01805 47, 51
MP01810 47, 51
MP01815 47, 51
MP01820 47, 51, 316
MP01825 47, 51, 316
MP01840 56
MP01845 56
MP01850 56
MP01855 56
MP01860 56
MP01890 56
MP01895 56
MP01910 65, 321
MP01911 65, 321
MP01912 65
MP01913 65
MP01914 65
MP01915 65
MP01916 69, 322
MP01917 69
MP02400 46
MP02401 46
MP02405 46

MS MS00788 150
MS00789 150
MS00799 150
MS13218 138
MS13235 108, 166, 183
MS13826 144
MS13926 109, 333
MS14555 101, 147, 162
MS14556 101, 147, 162
MS14559 101, 147, 162
MS14560 101, 147, 162
MS14679 106, 149, 165, 175
MS14680 106, 149, 165, 175
MS14681 106
MS14682 101, 147, 162
MS14683 101, 147, 162
MS14693 147
MS14694 147
MS14796 137
MS15007 138
MS15053 138
MS15084 138
MS15085 138
MS15086 138
MS15087 138
MS15893 125
MS15894 125
MS15895 125
MS15896 125
MS16157 103, 148, 163
MS16158 103, 148, 163
MS16159 103, 148, 163
MS16160 102
MS16161 102
MS16229 102
MS16230 102
MS16231 103, 148, 163
MS16232 102
MS16233 102
MS16256 106, 149, 165
MS16444 108, 166, 183
MS16445 108, 166, 183
MS16446 108, 183
MS16447 108, 183
MS16448 108, 166, 183
MS16449 108, 166, 183
MS16492 106
MS16546 103, 148, 163
MS16547 103, 148, 163
MS16916 135
MS16918 135
MS16919 135
MS16920 135

INDEX

MS17041 109, 167, 333
MS17075 125
MS17185 101, 147, 162
MS17330 107, 114, 116, 166, 171, 333
MS17441 135
MS17522 114, 169
MS18630 173, 175, 179
MS18680 109, 167, 333
MS18683 107, 114, 116, 166, 171, 333
MS20093 99
MS20094 99
MS20163 109
MS20475 147
MS20476 147
MS20725 126, 159
MS20783 159
MS20979 152, 153
MS22147 127, 159
MS22148 127, 159
MS22259 161
MS22364 148
MS22365 148
MS22532 127, 159
MS22533 127, 159
MS22534 127, 159
MS22535 127, 159
MS22832 149
MS22905 173, 175, 179
MS23598 128
MS23897 159
MS23898 159
MS24303 114, 169
MS25951 149
MS26122 125
MS26123 125
MS26125 125
MS26187 142
MS26188 142

MU MU03677 292
MU03681 292
MU03876 273, 278, 290
MU03891 278
MU03927 292
MU04366 288, 290
MU04472 288, 290
MU04765 288
MU04767 288
MU04771 288
MU04772 288
MU04776 288, 323
MU04804 288
MU04991 288
MU06008 289, 291
MU06009 288, 290
MU06010 288, 290
MU06011 289, 291
MU06558 294
MU06560 294
MU06565 273, 278, 289, 290
MU06570 273, 278, 290
MU06571 273
MU06662 277
MU06664 277
MU06665 277
MU06666 277
MU06667 277
MU06668 277
MU06732 277
MU06785 295
MU06933 276, 285
MU06941 294
MU06942 294
MU06943 294
MU06944 294
MU06951 276, 285, 288, 290
MU06955 276
MU06956 295
MU07266 278
MU08394 272, 286
MU09390 285
MU09577 282
MU09578 285
MU09579 282
MU09580 285
MU10169 286
MU10175 286
MU10384 286
MU10833 276
MU10841 283
MU10900 283
MU10902 284
MU10915 284
MU10916 284
MU10917 284
MU10918 272, 284
MU10923 284
MU11225 282
MU11228 282
MU12249 271
MU12504 272
MU12520 271
MU12525 271
MU12533 271
MU12551 271
MU12609 272
MU12702 273
MU13202 272
MU13223 272
MU14205 295
MU14206 295
MU16052 289, 291
MU21093 272
MU21120 272

MX MX00001 93
MX00004 93
MX00013 95
MX01004 116, 178, 184
MX01005 178, 184
MX01049 89
MX01050 270
MX10209 93
MX11000 269, 274, 279
MX11001 269, 274, 279
MX11002 294
MX17012 269
MX17015 270
MX17018 270
MX22790 219, 348
MX22793 219, 348
MX23023 221, 229, 351
MX23025 221, 229, 351
MX23026 221, 229, 351
MX30101 66, 205, 213
MX30108 66, 205, 213
MX37021 235, 238
MX50004 93
MX50030 314
MX50031 314
MX50032 314
MX50045 29, 30, 45, 314
MX50046 30, 45, 314
MX50047 45
MX50048 45
MX50050 93
MX50065 117, 152, 153, 172, 178, 185

INDEX

MX50066	117, 152, 153, 172, 178, 185
MX50067	117, 152, 153, 172, 178, 185, 332
MX50068	117, 152, 153, 172, 185, 332
MX50069	117, 185
MX50070	117, 185
MX50071	117, 152, 153, 172, 178, 185
MX50080	95
MX50090	95
MX50100	93
MX50120	93

INDEX

A	Absorber adapter CLIC Zeus, for Zeus anesthesia workstation	MX50080	95
	Absorber adapter CLIC, for Dräger anesthesia workstations	MX50090	95
	Absorber intermediate plate, to connect adapter to Cato, Cicero, or Fabius	MX00013	95
	Accessory ear clip for Masimo® sensor	5702222	151
	Accessory ear hangers for Masimo® sensor, 5 pcs.	5702223	151
	Activated charcoal filter for absorption of anesthetic vapors, disp., 5 pcs.	6724492	71
	Adapter cable for Infinity® PiCCO® SmartPod®, for 10-pin connector	MS16920	135
	Adapter cable for skin temperature probe 4, reusable	MU12520	271
	Adapter cable for skin temperature probes MX11000 and MX11001, reusable	2M20736	274, 279
	Adapter cable kit for TI 5400	2M18420	287
	Adapter cable, 7-pin connector for temperature probe with 1/4" connector	5198333	119
	Adapter for prongs and masks for reusable BabyFlow, reusable	8418411	297
	Adapter NIST to DIN CS-Coupling AIR	M35058	205, 210
	Adapter NIST to DIN CS-Coupling O_2	M35056	205, 210
	Adapter WaterLock® 2, set of 12 pcs.	6872128	144
	Adapter, for disposable sterilized water systems to O_2 flowmeters, M34x1.5	2M86680	212, 345
	Adapter, to connect a tube to Air flowmeter, M 32 x 1.5 to 5mm nozzle	2M85575	211
	Adapter, to connect Dräger humidifier to mixing block, M 15x1 to M 34x1.5	2M85853	211
	Adapter, to connect tube to O_2 flowmeter, M34x1.5 to 6 mm nozzle	M06258	211, 345
	Adapter, with 6 mm nozzle, e.g., for disp. breathing masks, 9/16" connection	MP00416	205, 212, 345
	Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.	8201012	116, 186, 332
	Adhesive wrap for Nellcor® Oxiband™ P/I, 100 pcs.	2170221	116, 186
	Aerosol mask, adult, 30 pcs.	2M85911	66, 213
	AIR CS hose 1.5 m (4.9 ft) NIST BS straight	M35402	264
	AIR CS hose 1.5 m (4.9 ft) NIST EN AGASSg straight	M35383	265
	AIR CS hose 1.5 m (4.9 ft) NIST EN BS	M35393	263
	AIR CS hose 1.5 m (4.9 ft) NIST EN DIN	M35495	259
	AIR CS hose 1.5 m (4.9 ft) NIST EN NF	M35420	261
	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36010	260
	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35452	262
	AIR CS hose 3 m (9.8 ft) NIST BS straight	M35403	264
	AIR CS hose 3 m (9.8 ft) NIST EN AGASSg straight	M35384	265
	AIR CS hose 3 m (9.8 ft) NIST EN BS	M35394	263
	AIR CS hose 3 m (9.8 ft) NIST EN DIN	M35496	259
	AIR CS hose 3 m (9.8 ft) NIST EN NF	M35421	261
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36011	260
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35453	262
	AIR CS hose 5 m (16.4 ft) NIST BS straight	M35340	264
	AIR CS hose 5 m (16.4 ft) NIST EN AGASSg straight	M35385	265
	AIR CS hose 5 m (16.4 ft) NIST EN BS	M35335	263
	AIR CS hose 5 m (16.4 ft) NIST EN DIN	M35497	259
	AIR CS hose 5 m (16.4 ft) NIST EN NF	M35332	261
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36012	260
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35454	262
	Air distributor with 3 DIN terminal units, with rail clamp	2M19090	212
	Air flowmeter, 16 L/min, CS, DIN, M 32 x 1.5, ISO and neutral color	2M86554	198
	Air flowmeter, 16 L/min, rail, NIST, M 32 x 1.5, neutral color, ISO	MP01202	199

INDEX

Air flowmeter, 16 L/min, rail, with hose 2 m, DIN, M 32 x 1.5, ISO	2M86552	199
Air flowmeter, 16 L/min, rail, with hose 2 m, DIN, M 32 x 1.5, neutral color	MP01193	199
Air flowmeter, 32 L/min, CS, DIN, M 32 x 1.5, ISO and neutral color	2M86569	198
Air flowmeter, 32 L/min, rail, with hose 2 m, DIN, M 32 x 1.5, ISO	2M86570	199
Air flowmeter, 32 L/min, rail, with hose 2 m, DIN, M 32 x 1.5, neutral color	MP01195	199
Air intake filter for Caleo®, reusable, 20 pcs.	MX17015	270
Air intake filter for Isolette® C2000 and 8000, reusable, 4 pcs.	MU12504	272
Air intake filter for Isolette® C450, reusable	MU03891	278
Air intake filter for TI 500 and TI 500 Globetrotter, reusable, 5 pcs.	MU04472	288, 290
Air temperature probe for Isolette® C450, reusable	MU06955	276
Air temperature sensor for Isolette® C500 and C550, reusable	MU06956	295
AIR/O_2 CS hose 1.5 m (4.9 ft) NIST EN DIN	M36001	259
AIR/O_2 CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36016	260
AIR/O_2 CS hose 3 m (9.8 ft) NIST EN DIN	M36002	259
AIR/O_2 CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36017	260
AIR/O_2 CS hose 5 m (16.4 ft) NIST EN DIN	M36003	259
AIR/O_2 CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36018	260
Airway connector ErgoStar® AC 90, disp.,double-swivel elbow w/ double cap,50 pcs	MP01890	56
Airway connector ErgoStar® AC 95, disp., w/ Luer-Lock sampling port, 50 pcs.	MP01895	56
Analog cable for Babylog® 8000, 3 pcs.	8306487	323
Anesth. face mask ComfortStar®, disp., hook rg, bubblg., size 1, neo., 20 pcs.	MP01531	62, 319
Anesth. face mask ComfortStar®, disp., hook rg, bubblg., size 2, baby, 20 pcs.	MP01532	62, 319
Anesth. face mask ComfortStar®, disp., hook rg, bubblg., size 3, inf., 20 pcs.	MP01533	62
Anesth. face mask ComfortStar®, disp., hook rg, bubblg., size 4, adt. S, 20 pcs	MP01534	62
Anesth. face mask ComfortStar®, disp., hook rg, mint, size 4, adult S, 20 pcs.	MP01544	62
Anesth. face mask ComfortStar®, disp., hook rg, mint, size 5, adult M, 20 pcs.	MP01545	62
Anesth. face mask ComfortStar®, disp., hook rg, mint, size 6, adult L, 20 pcs.	MP01546	62
Anesth. face mask ComfortStar®, disp., hook rg, std., size 0, premat., 20 pcs	MP01510	61, 319
Anesth. face mask ComfortStar®, disp., hook rg, std., size 1, neo., 20 pcs.	MP01511	61, 319
Anesth. face mask ComfortStar®, disp., hook rg, std., size 2, baby, 20 pcs.	MP01512	61, 319
Anesth. face mask ComfortStar®, disp., hook rg, std., size 3, inf., 20 pcs.	MP01513	61
Anesth. face mask ComfortStar®, disp., hook rg, std., size 4, adt. S, 20 pcs	MP01514	61
Anesth. face mask ComfortStar®, disp., hook rg, std., size 5, adt. M, 20 pcs	MP01515	61
Anesth. face mask ComfortStar®, disp., hook rg, std., size 6, adt. L, 20 pcs	MP01516	61
Anesth. face mask ComfortStar®, disp., hook rg, strawb., size 1, neo., 20 pcs.	MP01521	62, 319
Anesth. face mask ComfortStar®, disp., hook rg, strawb., size 2, baby, 20 pcs.	MP01522	62, 319
Anesth. face mask ComfortStar®, disp., hook rg, strawb., size 3, inf., 20 pcs.	MP01523	62
Anesth. face mask ComfortStar®, disp., hook rg, strawb., size 4, adt. S, 20 pcs	MP01524	62
Anesthesia face mask ComfortStar®, disp., hook rg, mint, size 3, inf., 20 pcs.	MP01543	62

INDEX

Anesthesia face mask LiteStar®, disp., w/o hook ring, size 1, premat., 30 pcs.	MP01501	60, 318
Anesthesia face mask LiteStar®, disp., w/o hook ring, size 2, baby, 30 pcs.	MP01502	60, 318
Anesthesia face mask LiteStar®, disp., w/o hook ring, size 3, infant, 30 pcs.	MP01503	60
Anesthesia face mask LiteStar®, disp., w/o hook ring, size 4, adult S, 30 pcs.	MP01504	60
Anesthesia face mask LiteStar®, disp., w/o hook ring, size 5, adult M, 30 pcs.	MP01505	60
Anesthesia face mask LiteStar®, disp., w/o hook ring, size 6, adult L, 30 pcs.	MP01506	60
Anesthesia set for Zeus®, reusable, P, tidal volume up to 200 mL	MK04249	29
Anesthesia set for Zeus®, reusable, P/A, 2.3 L, tidal volume above 100 mL	MK04248	28
Anesthesia set VentStar®, latex-free, disp., basic, 2 L, 1.8 m/1.5 m, 25 pcs.	MP00365	17
Anesthesia set VentStar®, latex-free, disp., basic, 2 L, 2.5 m/1.5 m, 10 pcs.	MP00366	17
Anesthesia set VentStar®, latex-free, disp., w/o Luer Lock, 1.8 m/0.8 m, 25 pcs.	MP00330	16
Anesthesia set VentStar®, latex-free, disposable, N, 1.8 m/1.1 m, 25 pcs.	MP00333	16, 302
Anesthesia set VentStar®, latex-free, disposable, P, WT, 1 L, 1.8m/1.1m, 10 pcs.	MP00374	17
Anesthesia set VentStar®, latex-free, disposable, WT, 2 L, 1.8 m/1.5 m, 10 pcs.	MP00372	17
Anesthesia set VentStar®, ltx-fr., disp., P, w/o Luer Lock, 1.5 m/1.1 m, 25 pcs.	MP00331	16
Anesthesia set VentStar®, ltx-fr., disp., WT, w/o LL, 2 L, 1.8 m/1.5 m, 10 pcs.	MP00371	17
Anesthesia set VentStar®, ltx-free, disp., P, WT, w/o LL, 1L, 1.8m/1.1m, 10 pcs.	MP00375	17
Anesthesia set, latex, disposable, basic, 1.5 m/0.8 m, 25 pcs.	MP00302	16
Anesthesia set, latex, disposable, extendable, 1.8 m/0.8 m, 25 pcs.	MP00304	16
Anesthesia set, latex-free, disposable, basic, 1.5 m/0.8 m, 25 pcs.	MP00301	16
Anesthesia set, latex-free, disposable, extendable, 1.8 m/0.8 m, 25pcs.	MP00303	16
Anesthesia set, reusable, A, silicone breathing bag 2.3 L	M30146	25
Anesthesia set, reusable, P, latex breathing bag 0.5 L	M33681	26
Anesthesia set, reusable, P, latex breathing bag 0.5 L	M27542	27
Automatic refilling set Tropic plus, for large sterile water containers	MP01208	218, 347

B

Bacteria filter IBF absorber, only use with Zeus®/Zeus® IE. 5 pcs.	MK02588	95
Bacterial and viral filter system VarioSafe, for VarioAir® & VarioVac®, disp., 10 pcs.	MP00555	221, 230, 235, 239, 246
Bacterial filter 767, disposable, for ejectors (model range until 2010)	CH00102	230, 246
Bacterial filter 767, for ejectors (model range until 2010), 5 pcs.	6723976	221, 230, 239, 246, 353
Bacterial filter connection set, for inspiratory port of Babylog, without filter	8410230	54, 323
Bacterial filter for Dräger patient monitors, reusable	8402868	71
Bacterial filter, disp., for endotr. Suction for Primus®,Fabius®, Zeus®, 20 pcs.	MK00514	230
Bacterial filter, disposable, for Evac 40, 10 pcs.	MX37021	235, 238
Basket 150, 15 x 20 x 10 cm, e.g., for disposable gloves	M26146	256, 357
Basket 300, 15 x 28 x 10 cm, e.g., for 300 mm catheters	M26145	256, 357
Basket 600, 15 x 48 x 10 cm, e.g., for 600 mm catheters	M25121	256, 357
Battery charger for Infinity® Gamma/Gamma XL	4710211	146
Battery for Isolette® C400 and C450, 8.4 V, rechargeable	MU07266	278
Battery for TI 5400, 12 V, rechargeable7	1828932	28
Battery, 12 V, rechargeable	MU16052	289, 291
Bed clip for cables	MS15087	138
Bed with tilt mechanism for BabyTherm® 8004 and 8010	2M30263	279

INDEX

Block for EEG referential lead conversion	5954859	137
Bolt, 2 pcs.	8403944	304
Breath. circ. f. Resuscitaire VentStar®, ltx-fr,disp,N,press. meas. line,1m,25pcs	MP00311	20, 283, 303
Breathing bag Medbag, latex-free, disposable, 0.25 L, 30 pcs.	MX50030	314
Breathing bag Rainbow bag, latex-free, disposable, 0.5 L, colored, 30 pcs.	MX50031	314
Breathing bag Rainbow bag, latex-free, disposable, 1 L, colored, 30 pcs.	MX50032	314
Breathing bag set Infinity® ID, latex-free, disp., 2 L, 1.2m, 25 pcs.	MP00341	23
Breathing bag set Infinity® ID, latex-free, disp., 2 L, 1.5 m, 25 pcs.	MP01330	23
Breathing bag set Infinity® ID, latex-free, disp., N, 0.5 L, 1.1 m, 25 pcs.	MP01329	23
Breathing bag set Infinity® ID, latex-free, disp., P, 1 L, 1.1 m, 25 pcs.	MP01343	23
Breathing bag set VentStar®, latex-free, disp., 2 L, 0.8 m, 25 pcs.	MP00222	15
Breathing bag set VentStar®, latex-free, disp., 2 L, 1.2 m, 25 pcs.	MP00380	15
Breathing bag set VentStar®, latex-free, disp., 2 L, 1.5 m, 25 pcs.	MP00381	15
Breathing bag set VentStar®, latex-free, disp., N, 0.5 L, 1.1 m, 25 pcs.	MP00383	15, 302
Breathing bag set VentStar®, latex-free, disp., P, 1 L, 1.1 m, 25 pcs.	MP00384	15
Breathing bag set with PEEP valve, disposable	MU04776	288, 323
Breathing bag set, reusable	MU04765	288
Breathing bag with hole, latex, reusable, 0.5 L, for Kuhn set	2165763	45, 314
Breathing bag with hole, latex, reusable, 1.5 L, for Kuhn set	2165775	45, 314
Breathing bag with hole, latex, reusable, 2.3 L, for Kuhn set	2165783	45
Breathing bag, chloroprene, reusable, 0.5 L	MX50045	29, 30, 45, 314
Breathing bag, chloroprene, reusable, 1 L	MX50046	30, 45, 314
Breathing bag, chloroprene, reusable, 2 L	MX50047	45
Breathing bag, chloroprene, reusable, 3 L	MX50048	45
Breathing bag, latex, reusable, 0.5 L	2165686	26, 27, 45, 314
Breathing bag, latex, reusable, 1.5 L	2165953	45, 314
Breathing bag, latex, reusable, 2 L	2165694	45
Breathing bag, latex, reusable, 2.3 L	2165708	45
Breathing bag, latex, reusable, 3 L	2165716	45
Breathing bag, latex, reusable, 5 L	2165724	45
Breathing bag, silicone, reusable, 0.5 L	2166054	45, 314
Breathing bag, silicone, reusable, 1.5 L	2166127	45, 314
Breathing bag, silicone, reusable, 2.3 L	2166062	25, 28, 45
Breathing bag, silicone, reusable, 3 L	2166070	45
Breathing circuit Fisher & Paykel RT212, disp., inspiratory heated, 10 pcs.	8414991	24
Breathing circuit Fisher & Paykel RT225, disp., N, insp. heated, 10 pcs.	8414994	24, 303
Breathing circuit for Oxylog 1000 VentStar®, latex-free, disp., 1.8m, 25 pcs. set	2M86837	19
Breathing circuit for Oxylog 2000, latex-free, disp., 1.8m, 5 pcs. set	2M86841	19
Breathing circuit for Oxylog 3000F 2000+ VentStar®, latex-fr.,disp., 3m, 5 pcs.	MP00335	19
Breathing circuit for Resuscitaire VentStar®, latex-free, disp., N, 1 m, 25 pcs.	MP00310	20, 283, 303
Breathing circuit Infinity® ID, latex-free, disp., dual heated, 1.5 m, 10 pcs.	MP00344	24
Breathing circuit Infinity® ID, latex-free, disp., extendable, 2.2m, 25 pcs.	MP01347	22
Breathing circuit Infinity® ID, latex-free, disp., N, heated, 1.2 m, 10 pcs.	MP00343	24, 303
Breathing circuit Infinity® ID, latex-free, disp., smoothbore, 1.6 m, 25 pcs.	MP00340	21
Breathing circuit Infinity® ID, latex-free, disp., water trap, 1.8 m, 25 pcs.	MP01326	21

INDEX

Breathing circuit Infinity® ID, latex-free, disp.,P, water trap, 1.8 m,25 pcs.	MP01341	21
Breathing circuit Infinity® ID, latex-free, disposable, basic, 1.8 m	MP01350	21
Breathing circuit Infinity® ID, latex-free, disposable, basic, 2.5 m, 10 pcs.	MP01348	21
Breathing circuit Infinity® ID, latex-free, disposable, coaxial, 1.6 m, 20 pcs.	MP00342	21
Breathing circuit Infinity® ID, latex-free, disposable, heated, 1.5 m, 10 pcs.	MP00345	24
Breathing circuit Infinity® ID, latex-free, disposable, P, basic, 1.8 m, 25 pcs.	MP01340	21
Breathing circuit Infinity® ID, latex-free, disposable, smoothbore, 3 m, 10 pcs.	MP01325	22
Breathing circuit Oxylog 3000, 3000+ VentStar®, ltx-fr., disp., P, 1.9 m, 5 pcs.	5704964	19
Breathing circuit Oxylog3000, 3000+,2000+VentStar®, ltx-fr.,disp., 1.5m, 5pcs. set	5703041	19
Breathing circuit Vent Set, latex-free, disp., coax, with holder, 1.5 m, 20 pcs.	MP00316	14
Breathing circuit Vent Set, latex-free, disp., extendable, 1.8 m, 25 pcs.	MP00305	14
Breathing circuit Vent Set, latex-free, disposable, 1.5 m, basic, 25 pcs.	MP00300	11
Breathing circuit Vent Set, latex-free, disposable, coaxial, 1.5 m, 20 pcs.	MP00315	14
Breathing circuit VentStar® Carina® ExpV, latex-free, disposable, 1.5 m, 5 pcs.	MP00313	20
Breathing circuit VentStar® Carina® LeakV, latex-free, disposable, 1.5 m, 5 pcs.	MP00312	20
Breathing circuit VentStar®, latex-free, disp., 1.8 m, basic, 25 pcs.	MP00349	11
Breathing circuit VentStar®, latex-free, disp., 2.5 m, basic, 10 pcs.	MP00350	11
Breathing circuit VentStar®, latex-free, disp., dual heated, 1.5 m, 10 pcs.	MP00306	18
Breathing circuit VentStar®, latex-free, disp., extendable, 2.2 m, 25 pcs.	MP00355	14
Breathing circuit VentStar®, latex-free, disp., heated, 1.5 m, 10 pcs.	MP00307	18
Breathing circuit VentStar®, latex-free, disp., N, heated, 1.2m, 10 pcs.	MP00308	18, 303
Breathing circuit VentStar®, latex-free, disp., N, water trap, 1.8 m, 25 pcs.	MP00363	13, 302
Breathing circuit VentStar®, latex-free, disp., P, 1.5 m, basic, w/o LL, 25 pcs.	MP00338	12
Breathing circuit VentStar®, latex-free, disp., P, 1.8 m, basic, 25 pcs.	MP00351	12
Breathing circuit VentStar®, latex-free, disp., P, water trap, 1.8 m, 25 pcs.	MP00361	13
Breathing circuit VentStar®, latex-free, disp., P, water trap,w/o LL, 1.8m, 25pcs	MP00362	13
Breathing circuit VentStar®, latex-free, disp., smoothbore, f. MRI, 3 m, 10 pcs.	MP00327	14
Breathing circuit VentStar®, latex-free, disp., water trap, 1.8 m, 25 pcs.	MP00337	13
Breathing circuit VentStar®, latex-free, disp., water trap, w/o LL, 1.8m, 25pcs.	MP00334	13
Breathing circuit VentStar®, latex-free, disposable, coaxial, 1.8 m, 20 pcs.	MP00356	14
Breathing circuit VentStar®, latex-free, disposable, N, basic, 1.8 m, 25 pcs.	MP00353	12, 302
Breathing circuit VentStar®, latex-free, disposable, N, MRI, 3 m, 10 pcs.	MP00329	14, 302
Breathing circuit VentStar®, latex-free, disposable, P, basic, 2.5 m, 25 pcs.	MP00352	12
Breathing circuit VentStar®, ltx-fr., disp.,N, heated, w/o chamber, 1.2m,10 pcs.	MP00309	18, 303
Breathing hose for Babylog® 2000, reusable, N, for TI 5400	8411353	33, 304
Breathing hose for Babylog® 2000, reusable, N, for ward use	8411352	33, 304
Breathing hose for Biomed MVP-10, reusable	MU04767	288
Breathing hose for breathing bag, disposable, 15 mm, 25 pcs.	MU10900	283
Breathing hose for breathing hose set Zeus®, reus., N, 1.5m, connector 15mm/22mm	AM00354	29
Breathing hose for Oxylog® 1000, reusable, silicone, 1.5 m	2M86511	34
Breathing hose for Oxylog® 1000, reusable, silicone, 3 m	2112760	34, 35

INDEX

Breathing hose for Oxylog® 2000Family/3000Family, reusable, A, 1.5 m	2165643	33, 35, 40
Breathing hose for Resuscitaire® with AutoBreath, disposable, 25 pcs.	MU10841	283
Breathing hose for TI 500 Globetrotter, disposable, 20 pcs.	MU04771	288
Breathing hose holder for Babytherm, neonatal, for 10 mm breathing hose, mounts to Babytherm side access panels	2M21191	281
Breathing hose set for Aquapor EL, A, for active humidification	8412092	31
Breathing hose set for Aquapor EL, P, for active humidification	8412344	32, 309
Breathing hose set for Babylog 8000/8000+, reusable, heated, for F&P MR 850	8411041	38, 305
Breathing hose set for Babylog® 2000/Aquapor EL, reusable	8411471	33, 304
Breathing hose set for Babylog® 2000/F&P MR730, reusable	8411472	33, 304
Breathing hose set for Babylog® 8000/Aquapor EL, with thermometer	8411040	39, 308
Breathing hose set for Babylog® 8000+/Aquamod, reusable, P	8410813	39, 307
Breathing hose set for Evita XL NeoFlow, reusable, heated	8412081	310
Breathing hose set for Evita XL NeoFlow, reusable, heated, for F&P MR850	8414987	37, 311
Breathing hose set for Oxylog® 2000/3000 family, reus., w/ flow meas. line, 3 m	8412913	35
Breathing hose set for Oxylog® 2000/3000 family, reus., w/ flow meas. line, 1.5 m	8412068	35
Breathing hose set for Zeus®, reusable, N, tidal volume up to 200 mL	MK02935	29
Breathing hose set for Zeus®, reusable, N/P, tidal volume up to 200 mL	MK02934	30
Breathing hose set for Zeus®, reusable, P/A, tidal volume above 100 mL	MK02933	30
Breathing hose set, reusable, heated, for Fisher & Paykel MR 850	8414986	36
Breathing hose, Hytrel, 25 cm	8410817	308
Breathing hose, Hytrel, 40 cm	8410816	39, 306, 308
Breathing hose, Hytrel, 65 cm	8410814	39, 306, 308
Breathing hose, Hytrel, 70 cm	8418404	39, 306
Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	2165635	36, 40
Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	2166038	25, 28, 30, 40
Breathing hose, silicone, reusable, A, 1.5 m	8603839	40
Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046	25, 40
Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm	2165619	31, 36, 40
Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	2166011	28, 30, 40
Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	2165627	31, 36, 40
Breathing hose, silicone, reusable, N, 50 cm, Ø 10 mm	8418458	38, 305
Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/10 mm	2165600	41, 312
Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm	2165651	37, 38, 41, 305, 310, 311, 312
Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678	26, 27, 29, 30, 41
Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961	26, 27, 41, 312
Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm	2165856	32, 37, 41, 309, 310, 311, 312
Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm	2165848	29, 32, 37, 41, 309, 310, 311, 312
Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm	2165821	29, 30, 32, 37, 41, 309, 310, 311, 312
Breathing hose, silicone, reusable, P, 60 cm, connector 22 mm/22 mm, Ø 10 mm	2165902	41
Breathing hose, silicone, reusable, P/N, 1 m, Ø 10 mm	8403080	38, 305, 307
Breathing hose, silicone, reusable, P/N, 35 cm, Ø 10 mm	8403070	38, 305, 307
Breathing hose, silicone, reusable, P/N, 60 cm	8403073	307

INDEX

	Bulb, 12 V, 35 W, 24°, for NCL (2M85657) + HX35TM (MP00435)	MP00681	252, 356
C	Cable holder for rail, 10 pcs.	G15225	258
	Cable holder for support pole, 4 pcs.	G13171	258
	Cable mounting clip, reusable, Ø 2,54 cm, adhesive, 10 pcs.	MU06560	294
	Cable mounting clip, reusable, Ø 9,6 mm, adhesive, 10 pcs.	MU06558	294
	Calibration gas, for $tpO_2/tcCO_2$, 20,9% O_2 and 5% CO_2, 12 pcs.	MP00717	145, 338
	Calibration kit MultiGas, incl. bottle, regulator, reservoir bag	5207415	144
	Calibration set, with test connection and test gas cylinder	8412710	161
	Canister opener, for canisters MX00001 and MX50050, 5 pcs.	MX10209	93
	Cap BabyFlow, disposable, size L, green, 5 pcs.	8418536	300
	Cap BabyFlow, disposable, size M, red, 5 pcs.	8418535	300
	Cap BabyFlow, disposable, size S, yellow, 5 pcs.	8418534	300
	Cap BabyFlow, disposable, size XL, orange, 5 pcs.	8418537	300
	Cap BabyFlow, disposable, size XXL, blue, 5 pcs.	8418538	300
	Cap BabyFlow, disposable, size XXL+, black, 5 pcs.	8418539	300
	Cap for Vario Vac® + VarioAir® B/OR, ISO, 10 pcs.	MP00494	233
	Cap for Vario Vac® + VarioAir® B/OR, neutral color, 10 pcs.	MP00496	233
	Cap for Vario Vac® + VarioAir® D, ISO, 10 pcs.	MP00495	247
	Cap for Vario Vac® + VarioAir® D, neutral color, 10 pcs.	MP00497	247
	Cap for water vacuum gauge	MP00595	248
	Cap set, reusable, 11 mm, 5 pcs.	8402918	31
	Cap set, reusable, 7 mm, 5 pcs.	8402953	26, 27
	Cap, for 700 mL secretion jar, with overflow safeguard	2M85011	231
	Cap, for secretion jar, for fistula indicator for continuous + thoracic drainage	2M85013	231
	Cap, for secretion jar, w/ overflow safeguard+ pressure relief valve (≥ 0.1 kPa)	2M85012	231
	Cap, reusable, 11 mm	8401644	36
	Cap, reusable, 7 mm	8401645	32, 37, 43, 304, 309, 310, 311
	Cardiac output kit, Baxter	7265155	160
	Cardiac output kit, Ohmeda	7265163	160
	Catheter mount ErgoStar® CM 40, disp., 10 cm, double swivel elbow, 50 pcs.	MP01840	56
	Catheter mount ErgoStar® CM 45, disp., 15 cm, double swivel elbow, 50 pcs.	MP01845	56
	Catheter mount ErgoStar® CM 50, disp., 10 - 16 cm, extendable, 50 pcs.	MP01850	56
	Catheter mount ErgoStar® CM 55, disp., 15 cm, straight, 50 pcs.	MP01855	56
	Catheter mount ErgoStar® CM 60, disp., 10cm, small, double swivel elbow, 50 pcs	MP01860	56
	Catheter receptacle, large, 12.2 x 25.2 x 12.2 cm (top) and Ø 85 mm (bottom)	MP00650	256, 357
	Catheter receptacle, small, 12.2 x 16.6 x 12.2 cm (top) + Ø 60 mm (bottom)	MP00651	256, 357
	Ceiling holder, rail holder for compact suction systems and secretion jar sets	2M85119	221, 228, 239, 256, 354
	CNAP™ cuff controller and cradle	MS26125	125
	CNAP™ cuff controller forearm strap	MS26122	125
	CNAP™ intermediate cable for Infinity® CNAP™ SmartPod®, for CNAP™ controller	MS15893	125
	CNAP™ sensor cuff, size L	MS15896	125
	CNAP™ sensor cuff, size M	MS15895	125
	CNAP™ sensor cuff, size S	MS15894	125
	CO cable for Infinity® PICCO® Pod	MS16916	135
	CO catheter cable	8419160	133, 160
	CO catheter cable for Infinity® PICCO® Pod	MS16918	135
	CO connection cable, 1 m	3368458	133, 160
	CO thermistor cable Baxter/Edwards	8539983	133, 160
	CO thermistor cable for Infinity® PICCO® Pod	MS16919	135
	CO thermistor cable Ohmeda	8420077	133, 160
	CO thermistor T-piece Ohmeda	5741975	133, 160
	CO_2 absorber CLIC 800+, disposable absorber, 1.2 L, 6 pcs.	MX00004	93
	CO_2 absorber CLIC 800+, disposable absorber, 1.2 L, with RFID, 6 pcs.	MX50004	93

INDEX

CO_2 absorber CLIC Free, disposable absorber, 1.2 L, 6 pcs.	MX50100	93
CO_2 absorber CLIC Free, disposable absorber, 1.2 L, with RFID, 6 pcs.	MX50120	93
CO_2 cuvette disposable, A, 10 pcs.	MP01062	55, 161
CO_2 cuvette disposable, P, 10 pcs.	MP01063	55, 161, 317
CO_2 cuvette reusable, A, for CO_2 sensors 6871500, 6870300, 6871950	6870279	55, 161
CO_2 cuvette reusable, P, for CO_2 sensors 6871500, 6870300, 6871950	6870280	55, 161, 317
CO_2-mainstream sensor, for Evita 2 dura®, Evita® 4 Edition and Evita® XL	6871500	55, 317
CO_2-mainstream sensor, for Evita® Infinity® V500, Babylog VN500, Infinity® M540 and Oxylog® 3000 plus	6871950	55, 161, 317
Compact rail, for 38 mm tube, standard rail profile 10 x 25 mm, each side 10 cm	2M85337	208, 258
Condensate management hoses for Isolette® 8000, disposable, 20 pcs.	MU21120	272
Connection cable Babylink	8306488	294
Connection cable for MX 300 and MX 300-i	MP01444	296
Connection cable, connects HemoMed Pod to monitor, 3 m	5591925	126
Connection cable, connects HemoMed Pod to monitor, 5 m	5591933	126
Connection hose, silicone, reus., ID 5 mm, wall thickness 2 mm, by meter	1203606	231, 353
Connector 900 MR 533, for HFV breathing circuit by F&P	8418407	39, 306
Connector 900 MR 830, for HFV breathing circuit by F&P	8418455	39, 306
Connector for breathing hose, reusable, A	8403076	31, 36, 44
Connector for endotracheal tube, plastic, reusable, 2.5 mm	M19334	26
Connector for endotracheal tube, plastic, reusable, 3 mm	M19335	26
Connector for endotracheal tube, p lastic, reusable, 3.5 mm	M19336	26
Connector for endotracheal tube, plastic, reusable, 4.5 mm	M19338	26
Connector for endotracheal tube, reusable, angled	M25567	304
Connector for endotracheal tube, reusable, size 11 mm	M19351	37, 38, 39, 305, 306, 307, 308, 310, 311
Connector for endotracheal tube, reusable, size 12.5 mm	M23840	31, 36
Connector for endotracheal tube, reusable, size 9 mm	M19347	304
Connector for Inhalette, O_2 flowm. to O_2/air connection hose, M 34x1,5/M 15x1	2M16843	216
Connector for thermometer, reusable, for breathing hose set Aquapor EL	8403056	32, 44, 309
Connector set for endotracheal tube, reusable, size 1.5 mm - 5.5 mm, 9 pcs.	8403684	44, 304
Connector set for endotracheal tube, reusable, size 6 mm - 12.5 mm, 12 pcs.	8403685	31, 34, 36
Connector set for med. nebulizer, for neonatal breathing circuit	8411031	82, 214, 326
Connector with Luer Lock port, reusable, 15 mm/22 mm	8290285	44
Connector with Luer Lock port, reusable, part of breathing hose set Zeus®	AM00202	29
Connector, aluminum, reusable, 22 mm/11 mm	8405752	32, 44, 309
Continuous drainage 1, for continuous and wound drainage	2M85151	239, 244
Continuous drainage 3, for continuous, wound, and thoracic drainage	2M85153	239, 244
Continuous drainage 4, for continuous, wound+thoracic dr., electr. 220 V/50 Hz, DIN	2M85154	239, 244
Controller cable for Aeroneb Pro	MP01036	83
Corrugated hose Tropic plus, reusable, 0.3 m, autoclavable, for nebulizers	2M85813	218, 347
Corrugated hose Tropic plus, reusable, 1.2 m, autoclavable, for nebulizers	8403896	218, 347
Corrugated hose, P, 14 cm, catheter mount	8403333	32, 309
Corrugated hose, reusable, catheter mount	8402041	31, 36
Corrugated hose, silicone, 13 cm, Ø 10 mm, catheter mount, 2 pcs.	8409634	37, 310, 311

INDEX

	Corrugated hose, silicone, N, 20 cm, catheter mount	8410709	38, 305, 307
	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disp., lrg., 100 pcs.	MU06943	294
	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disp., sm., 100 pcs.	MU06944	294
	Cover for skin temperature probe Critter Cover, foam, disposable, 100 pcs.	MU06942	294
	Cover for skin temperature probe Critter Cover, foam, disposable, 600 pcs.	MU06941	294
	Cover for skin temperature probe ThermoPad, Hydrogel, disposable, 50 pcs.	MX11002	294
	CS connection hose holder	2M85446	221, 228, 235, 238, 239, 255, 354
	CS hoses	8601697	197, 199, 202, 265, 342
	Cuff controller cradle allows CNAP™ cuff controller to “slide” with movement of patient’s arm	MS26123	125
	Curtain clip, for fixing a curtain to telescopic arm	M21112	257
	Cylinder holder, for fixing gas cylinders on cylinder trolley 2M86029	2M86174	208, 210
	Cylinder jacket, plastic, to protect 10 L gas cylinder	2M86410	209, 210
	Cylinder trolley, for gas cylinders up to a volume of 11 L	2M86029	208, 210
D	Dehumidification tubing for $etCO_2$ sidestream sampling, Nafion®, 10 pcs.0	4714429	14
	Demo lung SmartLung, latex-free, reusable, max.1 L	MP02405	46
	Demo lung to simulate neonatal lungs, with suitcase	8418077	315
	Demo package CPAP system BabyFlow, disp., with prongs, masks, caps, US/CA only	8418584	298
	Demo package CPAP system BabyFlow, disposable, with prongs, masks, caps	8418550	298
	Deposit plate for BT 8000	2M21158	281
	Diaphragm	8403377	304
	Dish, stainless steel, Ø 20.5 cm, with rail clamp	2M85233	257
	Distance tube for monitor shelves	M26391	254
	Double connector, outer diameter 11 mm	8409897	37, 38, 44, 305, 307, 308, 310, 311
	Draw wire for hose heater 1.5 m, for reusable breathing circuit	8411050	81, 325
	Dual temperature probe for F&P MR 700/730, 1.1 m	8411048	80, 325
E	Ear clip for Nellcor® Dura-Y	MX01005	178, 184
	ECG "4-lead" spacer, 10 pcs.	MS22832	149
	ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679	106, 149, 165, 175
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680	106, 149, 165, 175
	ECG basic cable, 3-lead, 1.5 m, w/o HF prot., for PM8060, Vitara, Parameterbox	M35369	180
	ECG basic cable, 3-lead, 1.5 m, with HF prot., for PM8060, Vitara, Parameterbox	M35367	180
	ECG basic cable, 3-lead, 2.75 m, w/o HF prot. for PM8060, Vitara, Parameterbox	M35364	180
	ECG basic cable, 3-lead, 2.75 m, with HF prot., for PM8060, Vitara, Parameterbox	M35366	180
	ECG basic cable, 5-lead, 2.75 m, w/o HF prot., for PM8060, Vitara, Parameterbox	M35365	180
	ECG basic cable, 5-lead, 2.75 m, with HF prot., for PM8060, Vitara, Parameterbox	M35368	180
	ECG cable for C lead MonoLead® 5, IEC1 (European color code), 1.5 m	MS16232	102
	ECG cable for C lead, IEC1 (European color code), 1.5 m	5956508	104
	ECG cable for V lead MonoLead® 5, IEC2 (AHA/US color code), 1.5 m	MS16230	102
	ECG cable for V lead, IEC2 (AHA/US color code), 1.5 m	5956490	104
	ECG cable, 3-lead Infinity® TruST™, IEC1 (European color code), 70 cm	7499804	163, 175
	ECG cable, 3-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	7499812	163, 175
	ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC1 (Eur. color code), 2 m	MS16160	102

INDEX

ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2m	MS16233	102
ECG cable, 3-lead, dual-pin connector, IEC1 (European color code), 1 m	5956433	104
ECG cable, 3-lead, dual-pin connector, IEC2 (AHA/US color code), 1 m	5956441	104
ECG cable, 3-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1 m	MP00875	103, 148, 164
ECG cable, 3-lead, single-pin conn., single-pat. use, IEC2 (AHA/US c. c.), 1 m	MP00877	103, 148, 164
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (Eur. color code), 2m	MS14555	101, 147, 162
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color c.), 2m	MS14556	101, 147, 162
ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MS16159	103, 148, 163
ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MS16231	103, 148, 163
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (Eur. color c.), 1m	MS14693	147
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (Eur. color c.), 3m	MS20476	147
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color c.), 1m	MS14694	147
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color c.), 3m	MS20475	147
ECG cable, 4-lead, single-pin connector, IEC1 (European color code), 1 m	MS22365	148
ECG cable, 4-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MS22364	148
ECG cable, 5-lead Infinity® telemetry, IEC1 (European color code)	5956367	175
ECG cable, 5-lead Infinity® telemetry, IEC2 (AHA/US color code)	5956359	175
ECG cable, 5-lead Infinity® TruST™, IEC1 (European color code), 70 cm	7499820	163, 175
ECG cable, 5-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	7499838	163, 175
ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC1 (Eur. color code), 2.5m	MS16161	102
ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC2 (AHA/US color c.), 2.5m	MS16229	102
ECG cable, 5-lead, dual-pin connector, IEC1 (European color code), 1 m	5956466	104
ECG cable, 5-lead, dual-pin connector, IEC2 (AHA/US color code), 1 m	5956458	104
ECG cable, 5-lead, dual-pin connector, radiotranslucent, IEC2, 1.5 m	5734418	104
ECG cable, 5-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1/1.5 m	MP00879	103, 148, 164
ECG cable, 5-lead, single-pin conn., single-pat. use, IEC2 (AHA/US c.c.), 1/1.5m	MP00881	103, 148, 164
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (Eur. color c.), 2.5m	MS14559	101, 147, 162
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US c. c.), 2.5 m	MS14560	101, 147, 162
ECG cable, 5-lead, single-pin connector, IEC1 (Eur. color code), 1 m	MS16158	103, 148, 163
ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MS16546	103, 148, 163
ECG cable, 6-lead Infinity® TruST™, IEC1 (European color code), 70 cm	7499846	163, 175
ECG cable, 6-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	7499853	163, 175
ECG cable, 6-lead, dual-pin connector, IEC1 (European color code), 1 m	5956482	104
ECG cable, 6-lead, dual-pin connector, IEC2 (AHA/US color code), 1 m	5956474	104
ECG cable, 6-lead, single-pin connector MonoLead® 6 OR, IEC1 (Eur. color code), 4.8m	MS17185	101, 147

INDEX

ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (Eur. color c.), 3 m	MS14683	101, 147, 162
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color c.),3 m	MS14682	101, 147, 162
ECG cable, 6-lead, single-pin connector, IEC1 (Europ. color code), 1 m	MS16157	103, 148, 163
ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code)	MS16547	103, 148, 163
ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750	105, 149, 165, 181
ECG electrodes, single-patient use, neonate, 300 pcs.	5195024	105, 149, 329
ECG ESU block, for OR use of 3-, 5-, or 6-lead ECG cables with MultiMed® 6	7486140	106
ECG ESU block, for OR use of 3- or 5-lead ECG cables with MultiMed® 5	5947226	106
ECG extension cable, dual-pin connector, 2 m	MS16492	106
ECG extension cable, single-pin connector, 2 m	MS16256	106, 149, 165
ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162	105, 329
ECG neonatal 3-lead adapter cable, 2 m	MS25951	149
ECG patient cable, 3-lead, w/o HF protection, for PM8060, Vitara, Parameterbox	M35360	181
ECG patient cable, 3-lead, with HF protection, for PM8060, Vitara, Parameterbox	M35361	181
ECG patient cable, 5-lead, 1 m, w/o HF prot., for PM8060, Vitara, Parameterbox	M35362	181
ECG patient cable, 5-lead, 1 m, with HF prot., for PM8060, Vitara, Parameterbox	M35363	181
EEG connection cable, 2.5 m	1678270	137
EEG electrode cable, color-coded, 9 pcs.	5947804	137
Ejector VarioAir® B AGA, for bronchial suction, gas connection AIR	MP00533	221, 223
Ejector VarioAir® B BS, for bronchial suction, gas connection AIR	MP00531	221, 223
Ejector VarioAir® B compact, for bronchial suction, gas connection AIR, NIST	MP00536	221, 225
Ejector VarioAir® B DIN, for bronchial suction, gas connection AIR	MP00530	221, 223
Ejector VarioAir® B NF, for bronchial suction, gas connection AIR	MP00532	221, 223
Ejector VarioAir® B UNI, for bronchial suction, gas connection AIR	MP00534	221, 223
Ejector VarioAir® B/OR rail, for bronchial-+OR suction, gas connection NIST, AIR	MP00535	221, 223, 235, 236
Ejector VarioAir® D AGA, for continuous and wound drainage, gas connection AIR	MP00540	239, 242
Ejector VarioAir® D BS, for continuous and wound drainage, gas connection AIR	MP00538	239, 242
Ejector VarioAir® D DIN, for continuous and wound drainage, gas connection AIR	MP00537	239, 242
Ejector VarioAir® D NF, for continuous and wound drainage, gas connection AIR	MP00539	239, 242
Ejector VarioAir® D Rail, for continuous+wound drainage, gas connect. NIST, AIR	MP00542	239, 243
Ejector VarioAir® D UNI, for continuous and wound drainage, gas connection AIR	MP00541	239, 242
Ejector VarioAir® P compact, for bronchial suction, gas connection AIR	MP00547	221, 226
Ejector VarioAir® P rail, for bronchial suction, gas connection AIR, NIST	MP00545	221, 224
Ejector VarioAir® T Rail WV, for thoracic drainage, with water vacuum gauge	MP00544	239, 243
Ejector, compact, for Babytherm, max. vaccuum -50 kPa, gas connection O_2/AIR	2M21187	281, 350
Ejector, compact, for incubator, max. vacuum -50 kPa, gas connection O_2/AIR	2M85040	275, 350
Elbow for CPAP masks, disposable	8409683	69, 322
Elbow with Luer Lock	AM00201	29

INDEX

Elbow, angled hose connection for secretion jar caps	2M19063	232, 353
Elbow, reusable	8412235	30, 35, 43
Elbow, reusable	8418289	38, 39, 305, 306
Elbow, reusable	M25649	28, 30, 31, 36, 43
Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.	5194779	105, 329
Electrode holder set, Electrode holder, screw, and O-ring	MP00718	145
Electronic Air flowmeter DigiFlow, 16 L/min, CS, 9/16", DIN, ISO, neutral color	MP01216	202
Electronic Air flowmeter DigiFlow, 16L, CS, 9/16", British Standard, ISO	MP01221	202
Electronic Air flowmeter DigiFlow, 16L, CS, 9/16", French Standard, ISO	MP01225	202
Electronic Air flowmeter DigiFlow, 16L/min, rail, NIST, 9/16" ISO, neutral color	MP01217	202
Electronic Air flowmeter DigiFlow, 16L/min, rail, NIST, M32x1.5, ISO, neutr.col.	MP01255	202
Electronic Air flowmeter DigiFlow, 3 L/min, CS, 9/16", DIN, ISO, neutral color	MP01214	202, 344
Electronic Air flowmeter DigiFlow, 3L, CS, 9/16", British Standard, ISO	MP01220	202, 344
Electronic Air flowmeter DigiFlow, 3L, CS, 9/16", French Standard, ISO	MP01224	202, 344
Electronic Air flowmeter DigiFlow, 3L/min, rail, NIST, 9/16", ISO, neutral color	MP01215	202, 344
Electronic Air flowmeter DigiFlow, 3L/min, rail, NIST, M32x1.5, ISO, neutr.color	MP01235	202, 344
Electronic O_2 flowmeter DigiFlow, 16 L, CS, French Standard, 9/16"	MP01223	201
Electronic O_2 flowmeter DigiFlow, 16 L/min, CS, DIN, 9/16", for sterile water	MP01226	201
Electronic O_2 flowmeter DigiFlow, 16 L/min, CS, DIN, M34x1.5 for accessories	MP01227	201
Electronic O_2 flowmeter DigiFlow, 16 L/min, rail, NIST, 9/16" for sterile water	MP01228	201
Electronic O_2 flowmeter DigiFlow, 16 L/min, rail, NIST, M34x1.5 for accessories	MP01229	201
Electronic O_2 flowmeter DigiFlow, 16L, CS, British Standard, 9/16"	MP01219	201
Electronic O_2 flowmeter DigiFlow, 3 L/min, CS, DIN, 9/16", for sterile water	MP01210	200, 343
Electronic O_2 flowmeter DigiFlow, 3 L/min, CS, DIN, M34x1.5 for accessories	MP01211	200, 343
Electronic O_2 flowmeter DigiFlow, 3 L/min, rail, NIST, 9/16'' for sterile water	MP01212	201, 344
Electronic O_2 flowmeter DigiFlow, 3 L/min, rail, NIST, M34x1.5 for accessories	MP01213	201, 344
Electronic O_2 flowmeter DigiFlow, 3L, CS, British Standard, 9/16"	MP01218	200, 343
Electronic O2 flowmeter DigiFlow, 3L, CS, French Standard, 9/16"	MP01222	200, 343
Electrostatic filter and HME TwinStar® 10A, disp, 10mL deadspace, angled, 50 pcs	MP01825	47, 51, 316
Electrostatic filter and HME TwinStar® 25, disp., 25 mL deadspace, 50 pcs.	MP01815	47, 51
Electrostatic filter and HME TwinStar® 55, disp., 55 mL deadspace, 50 pcs.	MP01805	47, 51
Electrostatic filter and HME TwinStar® 65A, disp, 65mL deadspace, angled, 50 pcs	MP01810	47, 51
Electrostatic filter and HME TwinStar® 8, disp., 8 mL deadspace, 50 pcs.	MP01820	47, 51, 316
Electrostatic filter and HME TwinStar® 90, disp., 90 mL deadspace, 50 pcs.	MP01800	47, 51
Electrostatic filter CareStar® 30, disp., 30 mL deadspace, 50 pcs.	MP01770	48, 52, 218
Electrostatic filter CareStar® 40A, disp., 40 mL deadspace, angled, 50 pcs.	MP01765	48, 52
Electrostatic filter CareStar® 45, disp., 45 mL deadspace, 50 pcs.	MP01755	48, 52
$etCO_2$ airway adapter Microstream®, adult/child, max. 12 h, 25 pcs.	7869535	141
$etCO_2$ airway adapter Microstream®, adult/child, max. 72 h, 25 pcs.	7869543	141

INDEX

$etCO_2$ airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.	7869550	141, 337
$etCO_2$ airway adapter, reusable, adult	4721796	140
$etCO_2$ airway adapter, reusable, neonate	4721788	140, 337
$etCO_2$ nasal cannula Microstream®, + O_2, adult, max. 24 h, 25 pcs.	7869493	142
$etCO_2$ nasal cannula Microstream®, + O_2, child, max. 24 h, 25 pcs.	7869485	142, 337
$etCO_2$ nasal cannula Microstream®, adult, max. 12 h, 25 pcs.	7869477	141
$etCO_2$ nasal cannula Microstream®, adult, max. 24 h, 25 pcs.	7869592	141
$etCO_2$ nasal cannula Microstream®, child, max. 12 h, 25 pcs.	7869469	141, 337
$etCO_2$ nasal cannula Microstream®, child, max. 24 h, 25 pcs.	7869600	142, 337
$etCO_2$ nasal cannula Microstream®, neonate/child, max. 24 h, 25 pcs.	7869618	142, 337
$etCO_2$ nasal cannula, adult, 10 pcs.	4714395	140
$etCO_2$ nasal cannula, child, 10 pcs.	4714387	140
$etCO_2$ nasal/mouth cannula Microstream®, + O_2, child, max. 12 h, 25 pcs.	7869584	142, 337
$etCO_2$ nasal/mouth cannula Microstream®, child, max. 12 h, 25 pcs.	7869501	142
$etCO_2$ sensor set Capnostat-III	4322975	143
$etCO_2$ sidestream airway adapter, including tubing, 10 pcs.	4714437	140
Examination light HX 35 TM, with British standard plug	MP00435	252, 356
Expiratory valve for Babylog® 8000	8408950	70
Expiratory valve for Babylog® VN 500, reusable	8415270	70
Expiratory valve for Carina, disposable	MP00220	70
Expiratory valve for Evita Infinity® V500, reusable	8416750	70
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776	70
Expiratory valve for Evita® V500, disposable, Infinity ID, 10 pcs.	MP01060	70
Expiratory valve for Evita®, reusable	8410580	70
Expiratory valve for Savina® 300, reusable	8417050	70
Expiratory valve for Savina®, disposable, 10 pcs.	MP01061	70
Expiratory valve for Savina®, reusable	8413660	70
Expiratory valve for TI 500 Globetrotter, disposable, 50 pcs.	MU04772	288
Expiratory valve housing	8409898	304
Extension arm set for cables and hoses, with cable/hose guide channels	G13040	258
Extension set, for Quickstop hinged arm 2M86464	MP00653	100, 126, 251

F

Face mask All-round, reusable, size 1, small	2165732	63, 320
Face mask All-round, reusable, size 2, medium	2165740	63, 320
Face mask All-round, reusable, size 3, large	2165759	63
Fast O_2 sensor, for sidestream measurement9	6850930	8
Filler cap for Aeroneb Pro, silicone, 5 pcs.	MP01035	83
Filling kit for Aquapor EL	8405031	76
Filter and HME, disposable	MU04991	288
Filter and tube for suction bottle, disposable, 25 pcs.	MU10923	284
Filter for Dew-ette® 2, disposable, for humidity sensor, 5 pcs.	MU06732	277
Filter for suction bottle, disposable, 10 pcs.	MU10915	284
Filter for T-piece	8600225	29
Filter paper for F&P MR 340, 100 pcs.	8411073	78, 324
Filter paper for F&P MR 370, 100 pcs.	8412218	78
FiO_2 cell with O-ring	9004979	145, 339
FiO_2 sensor cable, 1.5 m	5597898	145, 339
Fixation set for tpO_2- and $tpCO_2$ electrodes	MP00716	145, 338
Fixation strap BabyFlow, reusable, size L, green, 10 pcs.	8418474	301
Fixation strap BabyFlow, reusable, size M, red, 10 pcs.	8418473	301
Fixation strap BabyFlow, reusable, size S, yellow, 10 pcs.	8418472	301
Fixation strap BabyFlow, reusable, size XL, orange, 10 pcs.	8418475	301
Fixation strap BabyFlow, reusable, size XS, white, 10 pcs.	8418471	301
Fixation strap BabyFlow, reusable, size XXL, blue, 10 pcs.	8418476	301
Flow measuring line for Oxylog® 2000/3000 family, 1.5 m, 2 pcs.	8410929	35

INDEX

	Flow measuring line for Oxylog® 2000/3000 family, 3 m, 2 pcs.	8413293	35
	Flow sensor cable for V500 with Neo option and VN500	8416600	88
	Flow sensor cable, for neonatal flow sensor, e.g., Babylog	8409626	88, 327
	Flow sensor connection cable	8305622	88
	Flow sensor Infinity® ID, ABS, disinfectable, 5 pcs.	6871980	87
	Flow sensor SpiroLife®, PPSU, disinfectable and sterilizable	MK01900	87
	Flow sensor Spirolog®, ABS, disinfectable, 5 pcs.	8403735	87
	Foregger face mask, reusable, size 1, extrasmall	2165910	63, 320
	Foregger face mask, reusable, size 2, small	2166097	63, 320
	Foregger face mask, reusable, size 3, medium	2166100	63
	Foregger face mask, reusable, size 4, large	2166119	63
G	Gel mattress for BabyTherm® 8000 / 8010, reusable	2M20827	279
	General-purpose temperature probe, reusable, adult, 1/4“ connector, 3 m	5201327	120
	General-purpose temperature probe, reusable, adult, 1/4“ connector, 5 m	5201319	120
	General-purpose temperature probe, reusable, adult, 2.75 m	M35372	189
	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889	120, 154
	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644	120, 154
	General-purpose temperature probe, reusable, child, 1/4“ connector, 3 m	5201343	120
	General-purpose temperature probe, reusable, child, 2.75 m	M35374	189
	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848	120, 154
	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651	120, 154
	General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 1.6m	MP00991	119, 153
	General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 3 m	MP00992	119, 153
	General-purpose temperature probe, single-pat. use, child, 7-pin connector, 1.6m	MP00993	119, 153
	General-purpose temperature probe, single-pat. use, child, 7-pin connector, 3 m	MP00994	119, 153
H	Halogen light, 12 V, 50 W	2M30084	280
	Hand port cuff for Isolette® C2000/8000, TI 500, Globetrotter, reusable	MU06565	273, 278, 289, 290
	Hand port cuff, disposable, oval, 100 pcs.	MU06570	273, 278, 290
	Hand port cuff, reusable, 10 pcs.	MU12702	273
	Handle, cpl. for BT 8000	2M21161	281
	Headband BabyFlow, reusable, size L, green	8418421	301
	Headband BabyFlow, reusable, size M, red	8418420	301
	Headband BabyFlow, reusable, size S, yellow	8418419	301
	Headband BabyFlow, reusable, size XL, orange	8418422	301
	Headband BabyFlow, reusable, size XS, white	8418418	301
	Headband BabyFlow, reusable, size XXL plus, black	8418540	301
	Headband BabyFlow, reusable, size XXL, blue	8418423	301
	Headgear for NovaStar® TS AAV NIV full-face mask	MP01584	67
	Headgear for NovaStar® TS SE NIV full-face mask	MP01583	67
	Headgear, reusable, silicone, large	MP01558	67
	Headgear, reusable, silicone, small	MP01557	67, 322
	Headgear, reusable, soft fabric, large	MP01560	67
	Headgear, reusable, soft fabric, small	MP01559	67, 322
	Headgear, reusable, soft rubber, large	MP01562	67
	Headgear, reusable, soft rubber, small	MP01561	67, 322
	Heatable hose Tropic plus, 1.1 m, for aerosol heating, cable, plug	2M85759	218, 347
	HFO breathing hose set, w/ lightweight hoses made of Hytrel, autoclav., heated	8411153	39, 306
	HFV breathing hose set f. Aquamod, w/ lightweight hoses made of Hytrel, autoclav.	8411148	39, 308
	Hinged arm 240°, 3 hinges, fixable, ball holder system, with hose clamps	8409609	249

INDEX

Hinged arm Infinity® ACS, for positioning and fixation of breathing hoses	MP00690	249
Hinged arm Quickstop 1, Length 106.7 cm, max.load 2 kg	2M85705	249
Hinged arm Quickstop 2, w/ universal ball holder system for optional accessories	2M85706	249, 355
Hinged arm Quickstop short, with universal tube holder plate	2M86463	249, 355
Hinged arm Quickstop, for attaching and positioning Dräger pods	2M86464	100, 126, 249
HME breathing hose set, silicone, reusable, 1.5 m, w/o water traps	8412860	33
HME HumidStar® 10A, disp., 10 mL deadspace, angled, 50 pcs.	MP01740	50, 53, 316
HME HumidStar® 2, disp., 2 mL deadspace, 50 pcs.	MP01745	50, 53, 316
HME HumidStar® 25, disp., 25 mL deadspace, 50 pcs.	MP01735	50, 53
HME HumidStar® 55, disp., 55 mL deadspace, 50 pcs.	MP01730	50, 53
HME HumidStar® Trach, disp., 8 mL deadspace, for tracheostomy tube, 50 pcs.	MP01750	50, 53
Holder for F&P humidifier U-shaped, for trolley, with rail clamp	MP01002	79, 324
Holder for hinged hood for Babytherm 8000 WB, 8004 and 8010, reusable, neonatal, mounts to hand rail	2M21342	281
Holder for Infinity® M300 bedside charger, swiveling 360°	MP00990	173
Holder for MultiMed® 12 Pod	5202747	100
Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods	5598128	100
Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods, swiveling 360°	MP00721	100
Holder for MX 300 and MX 300-i	MP01443	296
Holder for Y-piece, with ball mounting	8409746	250, 355
Hook ring for All-round and Foregger face masks	M11044	69, 322
Hook ring for LiteStar® anesth. face masks, disp.,15 mm ID, for sizes 3-6, 30 pcs	MP01552	69
Hook ring for LiteStar® anesth. face masks, disp.,15 mm OD, for sizes 1-2, 30 pcs	MP01551	69, 322
Hook ring for silicone face masks, reus., 15 mm OD, for sizes 0-1, 10 pcs.	MP01916	69, 322
Hook ring for silicone face masks, reus., 22 mm ID, for sizes 2-5, 10 pcs.	MP01917	69
Hose clip double, for standard breathing hoses, adult, neo., 2 pcs.	8406138	250, 355
Hose clip double, gray, for hinged arm Infinity® ACS (MP00690)	MP00693	251
Hose clip, 10 pcs.	8403566	31, 36
Hose clip, adult, neo., for ball mounting, for standard breathing hoses	8409841	250, 355
Hose clip, for coaxial breathing hoses, adult, for quickstop 2 (2M85706), 2 pcs.	MP00493	250, 355
Hose for Tropic plus, disposable, connects fan/chamber, for Tropic plus, 40 cm, 20 pcs.	MX22790	219, 348
Hose for Tropic plus, disposable, patient side, for Tropic plus, 100 cm, 15 pcs.	MX22793	219, 348
Hose heater adapter for F&P MR 700/730, for disposable breathing circuit	8418462	80
Hose heater adapter for F&P MR 700/730, for reusable breathing circuit	8411097	80, 325
Hose heater adapter for F&P MR 730, for third-party breathing circuit	8418433	81, 325
Hose heater adapter for F&P MR 850, for disposable breathing circuit	8414992	80
Hose heater adapter for F&P MR 850, for double-heated disp. breathing circuit	MP01006	81
Hose heater adapter for F&P MR 850, for reusable breathing circuit	8414968	80, 325
Hose heater adapter for F&P MR 850, for third-party breathing circuit	MP01001	81, 325
Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit	8414969	79
Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit	8414993	37, 79, 311, 324

INDEX

	Hose heater for F&P MR 700/730, 70 cm	8411154	39, 79, 306, 324
	Hose heater, A , 1.1 m	8411045	36, 38, 79, 305, 310
	Hose holder plate, for ball mounting, for all cable and hose dimensions	2M86465	250, 355
	Hose, silicone, reusable, N	1198343	304
	Humidification module for Aquamod, 20 pcs.	8410600	76
	Humidifier chamber F&P MR 340, reusable, N/P, with 100 pcs. filter paper	8411047	78, 324
	Humidifier chamber F&P MR 370, reusable, A, with 100 pcs. filter paper	8412217	78
	Humidifier chamber for Dew-ette® 2, disposable, with nipple fill, 40 pcs.	MU06664	277
	Humidifier chamber for Dew-ette® 2, disposable, with pour spout, 40 pcs.	MU06665	277
	Humidifier chamber for Dew-ette® 2, reusable, with nipple fill	MU06666	277
	Humidifier chamber for Dew-ette® 2, reusable, with pour spout, cap required	MU06667	277
	Humidifier chamber for F&P MR 290, disposable, 10 pcs.	8418282	78, 324
	Humidifier chamber for F&P MR 290, disposable, 40 pcs.	8418283	78, 324
	Humidifier chamber for Isolette® C2000, reusable	MU13202	272
	Humidifier chamber VentStar®, disposable, 10 pcs.	MP00234	18, 303
	Humidifier filter for Dew-ette® 2, disposable, 4 pcs.	MU06662	277
	Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity	2M85834	205, 211, 345
	Humidifier-nebulizer, for oxygen humidification up to 100% relative humidity	2M85835	205, 211
	Humidity pad, disposable, antibacterial, 25 pcs.	MU06008	289, 291
	Humidity reservoir	MU21093	272
I	IBP adapter, 10-pin to 7-pin	3368383	130
	IBP connection cable Ohmeda, 3.7 m	3375933	132
	IBP holder for pressure transducer Memscap (Capto/SensoNor) 844, 4 pcs.	7864155	131
	IBP press. transducer for Memscap (Capto/SensoNor) 844, disp., sterile, 50 pcs.	7864908	131
	IBP press. transducer plate, f.Hemo2/4 Pods, f. Abbott TranspacII/III/Braun,5pcs	5192112	129
	IBP press. transducer plate, for Hemo2/4 Pods, for Abbott Transpac IV, 5pcs.	7270460	129
	IBP press. transducer plate, for Hemo4 Pod, for Memscap (Capto/SensoNor), 5pcs.	4721416	129
	IBP pressure transducer cable for Memscap (Capto/SensoNor) 844, 3 m	7486876	131
	IBP pressure transducer cable for Memscap (Capto/SensoNor), 3.7 m	4321563	131
	IBP pressure transducer for Memscap (Capto/SensoNor) 844, reusable	7489417	131
	IBP pressure transducer plate Novotrans II, transducer, cable, and 2 disp. domes	8500347	189
	IBP pressure transducer plate, f.Hemo2 Pod, f.Memscap (Capto/SensoNor), 5 pcs.	4721614	129
	IBP pressure transducer plate, for Hemo2 Pod, universal, 5 pcs.	4721408	129
	IBP pressure transducer set for Memscap (Capto/SensoNor) 844	7498947	131
	IBP pressure transducer set for Memscap (Capto/SensoNor) 844, disp., 10 pcs.	7489433	131
	IBP pressure transducer set Ohmeda, disposable, sterile, 5 pcs.	4528741	132
	IBP transducer adapter Abbott-Medex	MS22535	127, 159
	IBP transducer adapter Baxter/Edwards	MS22147	127, 159
	IBP transducer adapter Becton Dickinson	MS22148	127, 159
	IBP transducer adapter cable, Dräger 10-pin	MS22532	127, 159
	IBP transducer adapter cable, Dräger 7-pin	MS22533	127, 159
	IBP transducer adapter Utah Medical	MS22534	127, 159
	IBP Y-adapter, 10-pin	5731281	130
	IBP Y-adapter, 10-pin to 7-pin	5588095	130
	IBP Y-adapter, 7-pin	5592147	130

INDEX

	IBP Y-cable Ohmeda, 3.7 m	5206581	132
	IBP Y-cable, Abbott/Medex, 3.7 m	5206573	130
	IBP Y-cable, Baxter/Edwards, 3.7 m	5206607	130
	IBP Y-cable, for Memscap (Capto/SensoNor), 3.7 m	5195180	131
	IIBP press. transducer plate, for Hemo4 Pod, universal, 5 pcs.	4721424	129
	Immersion tube, for continuous drainages, not scaled	M16395	247
	Immersion tube, for water vacuum gauge of for VarioVac® T + VarioAir® T, scaled	MP00569	248
	Incubator cover for Caleo®, reusable	MP01423	293
	Incubator cover for Incubator 8000, reusable	MP01425	293
	Incubator cover for Isolette® C2000 and 8000, reusable	MP01424	293
	Infinity® etCO$_2$ Module kit with sensor	7265122	139
	Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725	126, 159
	Infusion bottle holder for Babytherm, reusable, neonatal, 1 pcs.	2M16520	281
	Infusion bottle holder set, attaches to standard rail 10 x 25 mm	G12985	258
	Infusion bottle holder, for standard rail, variable height, 3 hooks	M20719	257, 357
	Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514	270, 275, 280
	Inhalation mask for Inhalette, autoclavalable	M11015	216
	Inhalation set, inhalation mask, 2x corrugated hose Ø 22 mm 1 m, connect. piece	2M85912	205, 213
	Insert for neonatal flow sensor, PSU, disinfectable and sterilizable	8410179	87, 327
	Iris port sleeve for TI 5400, reusable, 2 pcs.	2M21021	287
	Iris port sleeve, disposable, 100 pcs.	MU03876	273, 278, 290
	Iris port sleeve, disposable, soft, 100 pcs.	MU06571	273
	ISO double connector, reusable, 22 mm/22 mm	M25647	25, 26, 27, 28, 29, 30, 31, 36, 44
L	Lead-acid battery	5947697	146
	Leakage valve for Carina SyncVent, disposable, 5 pcs.	MP00224	70
	Lid for nebulizer chamber Tropic plus, autoclavable	2M85795	219, 348
	Light for BabyTherm® 8004 and 8010, 120 V, 23 W	2M30160	280
	Light for BabyTherm® 8004 and 8010, 120 V, 9 W	2M30161	280
	Light for BabyTherm® 8004 and 8010, 230 V, 20 W	2M30079	280
	Light for BabyTherm® 8004 and 8010, 230 V, 7 W	2M30078	280
	Light for Photo Therapy 1400	MU03927	292
	Light for Photo Therapy 4000, fluorescent bulb, blue	2M21010	292
	Light for Photo Therapy 4000, fluorescent bulb, white	2M21009	292
	Light for Photo Therapy 533, fluorescent bulb, 20 W, blue	MU03677	292
	Light for Photo Therapy 533, fluorescent bulb, 20 W, white	MU03681	292
	Lithium battery, for Infinity® Telemetry Transmitter, MicrO$_2$ and MicrO$_2$+, 6pcs.	3361164	146, 179
	Lithium-ion battery for Infinity® Gamma/Gamma XL	5732354	146
	Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)	M24695	257, 357
	Litter bags, disposable, for litter bag holder, 100 pcs.	M26240	257, 357
	Locking screw, for immersion tube, with gaskets	MP00596	248
	Luer Lock elbow, N	M34568	26, 27, 43, 313
M	M540 Hemo connection cable, 1.5 m	MS23897	159
	M540 Hemo connection cable, 3 m	MS23898	159
	Magnetic clip for headgears for NovaStar® TS SE and AAV, 4 pcs.	MP01585	69
	Man. breathing bag MR-100, reus., ltx-fr., A, w/ pressure valve, 60±10mbar	5702881	72
	Man. breathing bag MR-100, reus., ltx-fr., N, w/ press. valve, relief >40±5mbar	5702322	72, 323
	Man. breathing bag MR-100, reus., ltx-fr., P, w/ press. valve, relief >40±5mbar	5702321	72, 323
	Mask BabyFlow, disposable, size L, 10 pcs.	8418619	299
	Mask BabyFlow, disposable, size M, 10 pcs.	8418490	299

INDEX

Mask BabyFlow, disposable, size S, 10 pcs.	8418491	299
Mattress for IICS-90, reus., standard, w/o scale, neoprene cover, w/o panel	MU09390	285
Mattress for IICS-90, reusable, large, with scale, with panel	MU09580	285
Mattress for IICS-90, reusable, large, without scale, with panel	MU09578	285
Mattress for Isolette® C100, C200, C286 and C386, reusable	MU06785	295
Mattress for Isolette® C2000, reusable	MU12249	271
Mattress for Isolette® C450, disposable, 10 pcs.	MU10833	276
Mattress for Versalet, reusable, with scale	MU14206	295
Mattress for Versalet, reusable, without scale	MU14205	295
Mattress SoftBed, for BabyTherm®, reusable	2M21012	279
Mattress SoftBed, for Caleo®, reusable	MX17012	269
Mattress SoftBed, for IICS-90, reusable, large, with scale	MP01405	285
Mattress SoftBed, for IICS-90, reusable, large, without scale	MP01403	285
Mattress SoftBed, for Incubator 8000, reusable	2M20907	274
Mattress SoftBed, for Isolette® C2000 and 8000, reusable	MP01401	271
Mattress SoftBed, for Resuscitaire®, reusable, with scale	MP01404	282
Mattress SoftBed, for Resuscitaire®, reusable, without scale	MP01402	282
Mattress SoftBed, for TI 5400, reusable	2M21023	287
Mattress, disposable, 10 pcs.	MU06010	288, 290
Mattress, reusable, 10 pcs.	MU06009	288, 290
Mattress, reusable, standard, with scale, with panel	MU09579	282
Mattress, reusable, standard, without scale, with panel	MU09577	282
Mechanical filter and HME TwinStar® HEPA, disp., 55 mL deadspace, 50 pcs.	MP01801	47, 51
Mechanical filter SafeStar® 55, disp., 55 mL deadspace, 50 pcs.	MP01790	49, 52, 218
Mechanical filter SafeStar® 60A, disp., 60 mL deadspace, angled, 50 pcs.	MP01795	49, 52
Mechanical filter SafeStar® 80, disp., 80 mL deadspace, 50 pcs.	MP01785	49, 52
Medication nebulizer Aeroneb Pro	MP01010	83, 326
Medication nebulizer for Babylog® 8000 with quick connector	8411030	82, 214, 326
Medication nebulizer for Evita 2 dura®, Evita® 4, Evita® XL, Savina®	8412935	82
Medication nebulizer Inhalette S, with toggle switch valve, O_2/Air, DIN	2M85674	215
Medication nebulizer Inhalette Vario CS, with O_2/Air flowmeter, CS, DIN	2M85692	215
Medication nebulizer Inhalette Vario rail, with O_2/Air flowmeter, 2 m hose, DIN	2M85693	215
Membrane for Evita 2 dura®, Evita® 4, Evita® XL, for expiratory valve	8412015	70
Membrane replacement set for $tcpO_2$/$tcpCO_2$ electrodes	MP00715	145, 338
Microbial filter for breathing system, ISO-CLIC, reusable, 5 pcs.	6733895	54
Mixing block, with mixing chart, or O_2 and air flowmeter or DigiFlow w/ M34x1.5	2M85728	202
Module holder for Incubator 7520 and non-Dräger incubators	8410536	77
Module holder for Incubator 8000, for humidification module Aquamod	8410535	77
Monitor shelf 5035, 50 x 35.5 cm, max. load 20 kg, weight 5 kg	2M85003	254
Monitor shelf 5450, 50 x 35.5 cm, max. load 20 kg, weight 8.7 kg	M24692	254
Mouthpiece for Inhalette, autoclavalable	M12394	216
MPod-Dual Hemo, 2 invasive blood pressures for M540	MS20783	159
MRI flow sensor extension cable, for MRI patient monitor	8306370	88
Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO_2, and temp., 1.5 m	5950196	99
Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO_2, and temp., 2.5 m	3368391	99
Multiparameter cable MultiMed® 6 Pod, for ECG, resp., SpO_2, and temp., 2.5 m	5191221	99
Multiparameter cable MultiMed® plus OR, for ECG, resp., SpO_2, and temp., 2.5 m	MS20094	99

INDEX

	Multiparameter cable MultiMed® plus, for ECG, resp., SpO_2, and temp., 2.5 m	MS20093	99
	Multiparameter cable NeoMed Pod, for ECG, resp., SpO_2, temp., and FiO_2, 2.5 m	5590539	99, 145, 329, 339
	Multiple socket for BabyTherm® 8000, 220/240 V	2M20914	280
N	Nasal CPAP system BabyFlow, disposable, 20 pcs.	8418583	297
	Nasal CPAP system BabyFlow, disposable, US/CA only	8418582	297
	Nasal CPAP system BabyFlow, reusable	8418410	297
	Nasal CPAP system BabyFlow, reusable, US/CA only	8418576	297
	NCL examination light, w/ NCL filter for natural light color+color rendering	2M85657	252, 356
	Nebulizer chamber for Tropic plus, spare part	2M85796	219, 348
	Nebulizer element for Inhalette, spare part	2M85571	216
	Nebulizer hose	8412985	82, 214, 326
	Nebulizer set for Tropic plus, disposable, for medication nebulization, 48 pcs.	MP00006	218, 347
	Nebulizer unit with filler cap for Aeroneb Pro	MP01030	83, 326
	Nebulizer, reusable, with DISS connector	MU10384	286
	Needle electrode cable	8601321	189
	Nellcor® intermediate cable, 1.2 m	MP00748	152
	Nellcor® intermediate cable, 3 m	MS20979	152
	Neonatal flow sensor ISO 15, PSU, disinfectable and sterilizable	8411130	87, 327
	Neonatal flow sensor with Y-piece, PSU, disinfectable and sterilizable	8410185	87, 327
	NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953	121, 155
	NIBP cuff adapter, 10 pcs.	MP00945	121, 155
	NIBP cuff L, reusable, large adult, 31-40 cm/40 cm	MP00918	122, 156
	NIBP cuff L, single-patient use, large adult, 31-40 cm/40 cm, 10 pcs.	MP00931	123, 157
	NIBP cuff L+, reusable, large adult, long, 31-40 cm/55 cm	MP00919	122, 156
	NIBP cuff L+, single-patient use, large adult long, 31-40 cm/55 cm, 10 pcs.	MP00932	123, 157
	NIBP cuff M, reusable, adult, 23-33 cm/33 cm	MP00915	122, 156
	NIBP cuff M, single-patient use, adult, 23-33 cm/33 cm, 10 pcs.	MP00928	123, 157
	NIBP cuff M+, reusable, adult, long, 23-33 cm/43 cm	MP00916	122, 156
	NIBP cuff M+, single-patient use, adult long, 23-33 cm/43 cm, 10 pcs.	MP00929	123, 157
	NIBP cuff M++, reusable, adult, extra long, 23-33 cm/53 cm	MP00917	122, 156
	NIBP cuff M++, single-patient use, adult extra long, 23-33 cm/53 cm, 10 pcs.	MP00930	123, 157
	NIBP cuff S, reusable, small adult, 17-25 cm/29 cm	MP00913	122, 156
	NIBP cuff S, single-patient use, small adult, 17-25 cm/29 cm, 10 pcs.	MP00926	123, 157
	NIBP cuff XL, reusable, thigh, 38-50 cm/50 cm	MP00921	122, 156
	NIBP cuff XL, single-patient use, thigh, 38-50 cm/50 cm, 10 pcs.	MP00934	123, 157
	NIBP cuff XS, reusable, child, 12-19 cm/19 cm	MP00912	122, 156
	NIBP cuff XS, single-patient use, child, 12-19 cm/19 cm, 10 pcs.	MP00925	123, 157
	NIBP cuff XXS, reusable, infant, 8-13 cm/13 cm	MP00911	122, 156
	NIBP cuff XXS, single-patient use, infant, 8-13 cm/13 cm, 10 pcs.	MP00924	123, 157
	NIBP cuff, disposable, neonate, size 1, 3.1-5.7 cm, 10 pcs.	2870181	124, 158, 188, 336
	NIBP cuff, disposable, neonate, size 2, 4.3-8.0 cm, 10 pcs.	2870199	124, 158, 188, 336
	NIBP cuff, disposable, neonate, size 3, 5.8-10.9 cm, 10 pcs.	2870207	124, 158, 188, 336
	NIBP cuff, disposable, neonate, size 4, 7.1-13.1 cm, 10 pcs.	2870215	124, 158, 188, 336
	NIBP cuff, disposable, neonate, size 5, 8.3-15 cm, 10 pcs.	2870173	124, 158, 188, 336
	NIBP cuff, latex-free, reus., small adult, 17-25 cm/10,5 cm, Luer Slip connector	M36033	187
	NIBP cuff, latex-free, reusable, adult, 23-33 cm/14 cm, Luer Slip connector	M36034	187
	NIBP cuff, latex-free, reusable, child, 12-19 cm/8 cm, Luer Slip connector	M36032	187

INDEX

	NIBP cuff, latex-free, reusable, large adult, 31-40cm/18cm, Luer Slip connector	M36035	187
	NIBP cuff, latex-free, reusable, thigh, 38-50 cm/21 cm, Luer Slip connector	M36036	187
	NIBP double hose, with Luer Slip connector, 1.5 m	M36039	188, 355
	NIBP double hose, with Luer Slip connector, 3 m	M36040	188, 355
	NIBP hose with Luer Lock connector, 1.5 m	MP00740	188
	NIBP hose with Luer Lock connector, 3 m	MP00741	188
	NIBP hose, neonate, 2.4 m	2870298	121, 155, 335
	NIBP set, adult, 1.5 m	MP00743	188
	NIBP set, adult, 3 m	MP00742	188
	NIV full-face mask ClassicStar® AAV, single-patient use, size L	MP01572	57
	NIV full-face mask ClassicStar® AAV, single-patient use, size M	MP01571	57
	NIV full-face mask ClassicStar® AAV, single-patient use, size S	MP01570	57
	NIV full-face mask ClassicStar® SE, single-patient use, size L	MP01575	57
	NIV full-face mask ClassicStar® SE, single-patient use, size M	MP01574	57
	NIV full-face mask ClassicStar® SE, single-patient use, size S	MP01573	57
	NIV full-face mask NovaStar® TS AAV, reusable, size L	MP01578	59
	NIV full-face mask NovaStar® TS AAV, reusable, size M	MP01577	59
	NIV full-face mask NovaStar® TS AAV, reusable, size S	MP01576	59
	NIV full-face mask NovaStar® TS SE, reusable, size L	MP01581	59
	NIV full-face mask NovaStar® TS SE, reusable, size M	MP01580	59
	NIV full-face mask NovaStar® TS SE, reusable, size S	MP01579	59
	NIV nasal mask ClassicStar® non-vented, single-patient use, size L	MP01625	58
	NIV nasal mask ClassicStar® non-vented, single-patient use, size M	MP01624	58
	NIV nasal mask ClassicStar® non-vented, single-patient use, size S	MP01623	58
	NIV nasal mask ClassicStar® vented, single-patient use, size L	MP01622	58
	NIV nasal mask ClassicStar® vented, single-patient use, size M	MP01621	58
	NIV nasal mask ClassicStar® vented, single-patient use, size S	MP01620	58
	NMT accelerometer Trident®	MS15085	138
	NMT electrode cable Trident®, 2-lead, 0.3 m	MS13218	138
	NMT hand adapter Trident®	MS15086	138
	NMT intermediate cable for Infinity® Trident (NMT) SmartPod®, 1.9 m	7872174	138
	NMT thermistor Trident®	MS15053	138
	NMT thumb adapter for Infinity® Trident (NMT) SmartPod®, disposable, 50 pcs.	MS15084	138
O	O_2 analyzer MX 300	MP01441	296
	O_2 analyzer MX 300-i	MP01440	296
	O_2 compact flowmeter, Fix flows: 1, 2, 3, 4, 6, 8, 12, 15 L/min, CS, 6 mm nozzle	2M86793	197, 342
	O_2 compact flowmeter, Fix flows: 1, 2, 3, 4, 6, 8, 12, 15 L/min, CS, 9/16"	MP01204	197, 342
	O_2 CS hose 1.5 m (4.9 ft) NIST EN AGASSg straight	M35375	265
	O_2 CS hose 1.5 m (4.9 ft) NIST EN BS	M35389	263
	O_2 CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35398	264
	O_2 CS hose 1.5 m (4.9 ft) NIST EN DIN	M35489	259
	O_2 CS hose 1.5 m (4.9 ft) NIST EN NF	M35416	261
	O_2 CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36004	260
	O_2 CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35434	262
	O_2 CS hose 3 m (9.8 ft) NIST EN AGASSg straight	M35376	265
	O_2 CS hose 3 m (9.8 ft) NIST EN BS	M35390	263
	O_2 CS hose 3 m (9.8 ft) NIST EN BS straight	M35399	264
	O_2 CS hose 3 m (9.8 ft) NIST EN DIN	M35490	259
	O_2 CS hose 3 m (9.8 ft) NIST EN NF	M35417	261
	O_2 CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36005	260
	O_2 CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35435	262

INDEX

O_2 CS hose 5 m (16.4 ft) NIST EN AGASSg straight	M35377	265
O_2 CS hose 5 m (16.4 ft) NIST EN BS	M35333	263
O_2 CS hose 5 m (16.4 ft) NIST EN BS straight	M35339	264
O_2 CS hose 5 m (16.4 ft) NIST EN DIN	M35491	259
O_2 CS hose 5 m (16.4 ft) NIST EN NF	M35330	261
O_2 CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36006	260
O_2 CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35436	262
O_2 distributor with 3 DIN terminal units, with rail clamp	2M18810	212, 274, 280
O_2 Flowmeter 16 l, CS, Japanese Standard (JIS), ISO, M34x1.5; Adapter 9/16"	MP01263	194
O_2 Flowmeter 4 l, CS, Japanese Standard (JIS), ISO, M34x1.5; Adapter 9/16"	MP01262	193
O_2 flowmeter for anesth., 16 L/min, rail, w/ hose 1m, NIST screw, ISO, M34x1.5	2M86248	196
O_2 flowmeter for anesth., 16L/min, 90° rail w/ hose 1m, NIST screw, ISO, M34x1.57	2M86249	19
O_2 flowmeter for anesth., 16L/min, 90°, rail,w/ hose 1m, NIST, neutr.color,M34x1.5	MP01199	197
O_2 flowmeter for anesth., 16L/min, rail, w/ hose 1m, NIST, neutr.color, M34x1.5	MP01198	196
O_2 flowmeter, 16 L, CS, British Standard, ISO, M34x1,5; Adapter 9/16"	MP01260	194
O_2 flowmeter, 16 L, CS, French Standard, ISO, M34x1,5; Adapter 9/16"	MP01261	194
O_2 flowmeter, 16 L/min, CS, DIN, ISO and neutral color, 9/16" for sterile water	2M86562	193
O_2 flowmeter, 16 L/min, rail w/ hose 2m, neutr. color, DIN, M34x1.5 for acc.	MP01192	195
O_2 flowmeter, 16 L/min, rail with hose 2m, ISO, DIN, M34x1.5 for accessories	2M86551	195
O_2 flowmeter, 16 L/min, rail, 90° with hose 2m, ISO, DIN, M34x1.5 f. accessories	2M86571	196
O_2 flowmeter, 16 L/min, rail, 90° with hose 2m, neutral color, DIN, M34x1.5	MP01196	196
O_2 flowmeter, 16L/min, CS 6cm, DIN, ISO and neutr. color, M 34x1.5 for acc.	2M86563	193
O_2 flowmeter, 16L/min, CS, DIN, ISO and neutr. color, M34x1.5 f. accessories	2M86553	193
O_2 flowmeter, 16L/min, rail, NIST, ISO and neutral color, M34x1,5; adapter 9/16"	MP01201	197, 342
O_2 flowmeter, 32 L/min, CS, DIN, ISO and neutral color, M34x1.5 for accessories	2M86567	194
O_2 flowmeter, 32 L/min, rail with hose 2m ISO, DIN, M34x1.5 for accessories	2M86568	195
O_2 flowmeter, 32L/min, rail w/ hose 2m, neutr.color, DIN, M34x1.5 f. accessories	MP01194	195
O_2 flowmeter, 4 L/min, rail with hose 2m, ISO, DIN, M34x1.5 for accessories	2M86516	195, 341
O_2 flowmeter, 4 L/min, rail, 90° with hose 2m, neutral color, DIN, M34x1.5	MP01197	196, 342
O_2 flowmeter, 4L/min, CS, DIN, ISO and neutral color, M34x1.5 f. accessories	2M86517	193, 340
O_2 flowmeter, 4L/min, rail w/ hose 2m, neutr. color, DIN, M34x1.5 f. accessories	MP01191	195, 341
O_2 flowmeter, 4L/min, rail, 90°, with hose 2m, ISO, DIN, M34x1.5 for accessories	2M86575	196, 342
O_2 hood Oxydome, reusable	MU08394	272, 286
O_2 hood, reusable	2M19250	280
O_2 injector, reusable, 30/40/50 % Vol. O_2, 23 cm side walls required	2M14190	280
O_2 nasal cannula, disposable, with hose 2.1 m, adult, 50 pcs.	5730354	213
O_2 sensor capsule, for mainstream measurement	6850645	89, 328
O_2 sensor for Isolette® C2000 and 8000, reusable	MU13223	272

INDEX

O_2 sensor for MX 300 and MX 300-i, reusable	MP01442	296
O_2 sensor for TI 500 Globetrotter, reusable	MU04804	288
O_2 sensor housing Anemone, for O_2 sensor capsule, with smooth cable	6850720	89, 328
O_2 sensor housing Oxydig, for O_2 sensor capsule, with spiral cable	6850250	89, 328
O_2 sensor Oxytrace VE, for Savina® ventilator	MX01049	89
O_2 sensor OxyTrace, for Caleo®, reusable	MX01050	270
O_2 twin flowmeter, CS, 2 x 16 L/min, CS, DIN, 9/16", ISO, neutral color	2M86564	194, 340
O_2 twin flowmeter, CS, 2 x 16 L/min, CS, DIN, M34x1.5 ISO, neutral color	2M86561	194, 340
O_2/Air connection hose, for Inhalette, 1.5 m, black, 2 x M15x1	M17716	216
O_2/Air connection hose, for Inhalette, 3 m, black, 2 x M15x1	M17717	216
OR aspirator Evac 40, mains plug DIN, rated voltage 230 V, 50/60 Hz	2M86752	235, 237
OR aspirator Evac 40, mains plug NEMA, rated voltage 110 V, 50/60 Hz	MP00560	235, 237
Oxator head OxyLine, pressure reducer G3/4", 200 bar, NIST, 2x DIN-CS, ejector	MP01103	206, 208, 209
Oxator head, configurable via OxyLine®	MP00100	208
Oxett adapter plate, to mount Oxett on bed in higher position	2M86205	207
Oxett carrying frame,for Oxett head+ O_2 cylinder up to 2.5L, with secretion jar	2M86204	207
Oxett head OxyLine, press. reducer G3/4", 200 bar, NIST,flowmeter, DIN-CS,ejector	MP01101	206, 207
Oxett head OxyLine, press.redcr G3/4",200 bar flow regulator, NIST,DIN-CS,ejector	MP01102	206, 207
Oxett head, configurable via OxyLine®	MP00100	207, 209
Oxygen mask, w/ tubing (2.1 m) and reservoir, high concentr., adult, 50 pcs.	MX30108	66, 205, 213
Oxygen mask, w/ tubing (2.1 m), medium concentration, adult, 50 pcs.	MX30101	66, 205, 213

P

Pack2Go® anesthesia pack, A, w/ anesth. set, flex.+ mask ComfortStar®, mint, sz.6	MP01681	75
Pack2Go® anesthesia pack, A, w/ anesth. set, flex.+ mask ComfortStar®, std., sz.5	MP01680	75
Pack2Go® anesthesia pack, A, with anesthesia set, watertrap + mask	MP01682	75
Pack2Go® anesthesia pack, P, w/ anesth.set, basic+ mask ComfortStar®,strawb.,sz.3	MP01684	75
Pack2Go® anesthesia pack, P, w/ anesth.set,basic + mask ComfortStar®, std., sz.3	MP01683	75
Pack2Go® Carina NIV ventilation pack with full-face mask ClassicStar® SE, size L	MP01665	74
Pack2Go® Carina NIV ventilation pack with full-face mask ClassicStar® SE, size M	MP01664	74
Pack2Go® Carina NIV ventilation pack with full-face mask ClassicStar® SE, size S	MP01663	74
Pack2Go® Carina NIV ventilation pack with full-face mask NovaStar® TS SE, size L	MP01662	74
Pack2Go® Carina NIV ventilation pack with full-face mask NovaStar® TS SE, size M	MP01661	74
Pack2Go® Carina NIV ventilation pack with full-face mask NovaStar® TS SE, size S	MP01660	74
Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, basic, 1.8 m	MP01657	73
Pack2Go® Evita invasive vent. pack w/ breath. circuit VentStar®, coax, + cuvette	MP01676	73
Pack2Go® Evita invasive vent. pack w/ breath. circuit VentStar®, basic, + cuvette	MP01656	73
Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, coax,1.8m	MP01677	73
Pack2Go® Evita NIV ventilation pack with full-face mask NovaStar® TS SE, size L	MP01655	73

Pack2Go® Evita NIV ventilation pack with full-face mask NovaStar® TS SE, size M	MP01654	73
Pack2Go® Evita NIV ventilation pack with full-face mask ClassicStar® SE, size L	MP01652	73
Pack2Go® Evita NIV ventilation pack with full-face mask ClassicStar® SE, size M	MP01651	73
Pack2Go® Evita NIV ventilation pack with full-face mask ClassicStar® SE, size S	MP01650	73
Pack2Go® Evita NIV ventilation pack with full-face mask NovaStar® TS SE, size S	MP01653	73
Pack2Go® Mini anesthesia pack, L, A, w/ full-face mask ComfortStar®, std., sz. 5	MP01686	75
Pack2Go® Mini anesthesia pack, M, P, w/ full-face mask ComfortStar®, std., sz. 3	MP01685	75
Pack2Go® Mini invasive ventilation pack, A	MP01671	74
Pack2Go® Oxylog 3000 plus NIV ventilation pack with CO_2 cuvette	MP01668	74
Pack2Go® Oxylog 3000/3000 plus NIV ventilation pack	MP01669	74
Pack2Go® Savina invasive vent. Pack w/ breathing circuit VentStar®, basic, 1.8 m	MP01674	74
Pack2Go® Savina invasive vent. pack w/ breathing circuit VentStar®, coax., 1.8 m	MP01673	74
Parking holder for CO_2 sensor	8416352	161
Patient parameter unit Infinity® BISx SmartPod®	MS14796	137
Patient parameter unit Infinity® EEG Pod	5736744	137
Patient parameter unit Infinity® $etCO_2$ and Respiratory mechanics SmartPod®	5740704	139
Patient parameter unit Infinity® $etCO_2$ Microstream SmartPod®	7870947	139
Patient parameter unit Infinity® $etCO_2$ Module	4319310	139
Patient parameter unit Infinity® $etCO_2$ SmartPod®	5740738	139
Patient parameter unit Infinity® Hemo2 Pod	4319435	126
Patient parameter unit Infinity® Hemo4 Pod	4315961	126
Patient parameter unit Infinity® HemoMed Pod	5588822	126
Patient parameter unit Infinity® PiCCO® SmartPod®	MS17441	135
Patient parameter unit Infinity® tpO_2/$tpCO_2$ SmartPod®	5592535	145, 338
Patient parameter unit MultiMed® 12 Pod	5589663	99
Patient parameter unit set Infinity® $etCO_2$ SmartPod® with Sensor	7265114	139
Patient parameter unit set Infinity® Trident® NMT SmartPod®	MS15007	138
Patient parameter unit set Infinity® $etCO_2$ and Respiratory mechanics SmartPod®	7497709	139
Patient part for Aquapor EL	8405029	76
PEEP valve for Oxylog® 1000, disposable, adjustable from 5-20 mbar	2M86832	34
PEEP valve for Oxylog® 1000, reusable, adjustable from 0-10 mbar	8407475	34
Pneumatic medication nebulizer, for Evita® and Evita® 2	8405000	82, 214
Pod adapter SensoNor, for connecting pressure transducer cables, 7-pin	MS23598	128
Pod adapter, 10-pin, for pressure transducer	3375958	128, 135
Pod adapter, for Abbott/Medex pressure transducer	5196998	128
Pod adapter, for Edwards pressure transducer	5196980	128
Pod adapter, for Ohmeda pressure transducer	3375941	128
Pod connection cable, 3 m	3368425	100, 125
Pod connection cable, 30 cm	7257988	100
Pod connection cable, 5 m	5195198	100
Positioning aid Hug it, reusable, size M, for patients up to 1500 g	MP01416	293
Positioning aid Hug it, reusable, size S, for patients up to 800 g	MP01415	293
Positioning aid Nesting, reusable, for patients up to 1200 g	MP01417	293
Positioning aid Set, reusable, 4 small pillows, for patients up to 1000 g	MP01418	293

INDEX

	Press. reducer w/ flowm. OxyLine, G3/4", 200bar, 16L/min, M34x1,5, 9/16, nozzle	MP01104	206
	Pressure difference flow sensor, PPSU, disinfectable and sterilizable	8412034	35, 87
	Pressure gauge f. VarioVac®+ VarioAir®, double scale kPa/mmHg, -100kPa (-1000mbar)	MP00578	233
	Pressure gauge f. VarioVac®+ VarioAir®, double scale kPa/mmHg, -60 kPa (-600 mbar)	MP00580	233
	Pressure gauge for VarioVac®+ VarioAir®, double scale kPa/mmHg, -16 kPa (-160 mbar)	MP00579	247
	Pressure measurement connection set for Babylog® 2000	8411354	304
	Pressure reducer OxyLine, customized configuration of pressure reducers	MP00100	203
	Pressure reducer with NIST OxyLine, G3/4", for 200 bar, NIST	MP01105	206
	Prong BabyFlow, disposable, size 3, 10 pcs.	8418603	299
	Prong BabyFlow, disposable, size 4, 10 pcs.	8418607	299
	Prong BabyFlow, disposable, size 5, 10 pcs.	8418609	299
	Prong BabyFlow, disposable, size 6, 10 pcs.	8418611	299
	Prong BabyFlow, disposable, size L, 10 pcs.	8418531	299
	Prong BabyFlow, disposable, size M, 10 pcs.	8418416	299
	Prong BabyFlow, disposable, size S, 10 pcs.	8418605	299
	Prong BabyFlow, disposable, size XL, 10 pcs.	8418417	299
	Prong BabyFlow, disposable, size XS, 10 pcs.	8418415	299
	Prong BabyFlow, disposable, size XXL, 10 pcs.	8418617	299
	Protection jar, PSU (polysulfone), reus., w/ rail clamp, autoclav. up to 134 °C	2M86758	221, 231, 235, 238
	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616	120, 154, 189, 334
Q	Quartz oscillator for Tropic plus, reusable, autoclavable	2M85794	219, 348
R	Rail clamp for Aquapor EL, for standard rail	8403345	76
	Rail clamp for F&P humidifier	8411074	79, 324
	Rail clamp lever type, for attachment of devices to 25x10 mm standard rail	M25739	255
	Rail clamp lever type, for the attachment of devices to standard rail	2M85049	255
	Rail clamp, for 25x10 mm standard rail, drilling distance 22 mm, for M5 screws	M20650	255
	Rail clamp, for attachment to poles of different diameters	2M85274	255, 357
	Rail holder with clamp, for compact suction unit and secretion jar set	2M86757	235, 238
	Rail holder with clamp, for compact suction unit and secretion jar set	M26842	208, 221, 228, 239, 255, 354
	Rail holder, for 38 mm tube, standard rail profile 10 x 25 mm, 40 cm	2M86185	210
	Rail holder, for catheter receptacle, 12.5 x 8.4 x 18 cm	MP00652	256, 357
	Rail set for Tropic plus, stand, hinged arm, clamp, bottle holder	MP01207	217, 346
	Rail set, attaches to standard rail 10 x 25 mm	G13768	258
	Reading light, glare-free	2M86199	253
	Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls	4711201	145, 339
	Recording paper for S342R, 63 mm, approx. 30 m, 10 rolls	4529038	145
	Rendell-Baker face mask, reusable, size 0, premature baby	M22764	64, 320
	Rendell-Baker face mask, reusable, size 1, neonate	M14631	64, 320
	Rendell-Baker face mask, reusable, size 2, baby	M14632	64, 320
	Rendell-Baker face mask, reusable, w/ hook ring, size 3, infant	M14633	64
	Reserve secretion jar, PSU (polysulfone), reusable, 4 L, with basket	2M85443	235, 237
	Restraining strap, disposable, 10 pcs.	MU06011	289, 291
	RS-232 adapter cable, 9-pin male to 9-pin female, 2 m	8601474	189
	Rubber plug, for immersion tube of water vacuum gauge	2M85139	247

INDEX

S

Sample gas return line for Fabius®, with filter	M32692	144
Sample line for Scio	8290286	144
Sample line, silicone, 4 x 1.5	1190520	26
Sealing cap for humidifier chamber MU06667, disposable, 100 pcs.	MU06668	277
Sealing plug for All-round face masks	M14737	63
Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose	2M85056	208, 221, 227, 239, 349
Secretion jar set, with protection jar and 700 mL secretion jars (2 pcs.)	2M85607	221, 227, 239, 349
Secretion jar set, with rail holder and secretion jar 700 mL	2M85163	239, 245
Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 mL, 25 pcs.	MX23025	221, 229, 351
Secretion jar VacuSmart®, PE (polyethylene), disposable, 700 mL, 25 pcs.	MX23023	221, 229, 351
Secretion jar, PSU (Polysulfone), reusable, 300 mL, autoclavable up to 134°C	2M86207	221, 232, 353
Secretion jar, PSU (polysulfone), reusable, 4 L, autoclavable up to 134 °C	2M85442	235, 237
Secretion jar, PSU (polysulfone), reusable, 4 L, autoclavable up to 134 °C	M25742	238
Secretion jar, PSU (Polysulfone), reusable, 700 mL, autoclavable up to 134°C	2M85594	221, 232, 235, 353
Sensor for respiratory mechanics and flow, disposable, adult/child, 10 pcs.	5957134	143
Sensor for respiratory mechanics and flow, disposable, neonate, 10 pcs.	5957100	143, 337
Sensor for respiratory mechanics, flow and CO_2, disp., adult/child, 10 pcs.	5957126	143
Sensor for respiratory mechanics, flow and CO_2, disposable, child, 10 pcs.	5957142	143
Sensor for respiratory mechanics, flow and CO_2, disposable, neonate, 10 pcs.	5957118	143, 337
Shelf 3020, 30 x 20 cm, max. load 5 kg, weight 1.2 kg	M24678	254
Shut-off valve for VarioVac®, for temporary opening and closing of suction flow	MP00570	221, 232
Silicone face mask, reusable, size 0, small neonate	2121018	65, 321
Silicone face mask, reusable, size 0, small neonate	MP01910	65, 321
Silicone face mask, reusable, size 1, large neonate	2121026	65, 321
Silicone face mask, reusable, size 1, large neonate	MP01911	65, 321
Silicone face mask, reusable, size 2, round, small child	2121034	65, 321
Silicone face mask, reusable, size 2, small child	MP01912	65
Silicone face mask, reusable, size 2, teardrop, small adult	2120194	65
Silicone face mask, reusable, size 3, large child	MP01913	65
Silicone face mask, reusable, size 4, small adult	MP01914	65
Silicone face mask, reusable, size 5, large adult	2120186	65
Silicone face mask, reusable, size 5, large adult	MP01915	65
Silicone hoses for reusable BabyFlow, reusable, 2 pcs.	8418414	297
Simple cylinder trolley, for gas cylinders up to a volume of 11 L	MP00038	208, 210
Sizing gauge for ClassicStar® non-vented/vented NIV nasal masks, 3 pcs.	MP01632	68
Sizing gauge for ClassicStar® SE/AAV NIV full-face masks, 3 pcs.	MP01592	68
Sizing gauge for NovaStar® TS SE/AAV NIV full-face masks, 3 pcs.	MP01591	68
Skin temperature probe 1, disposable, 10 pcs.	MU06933	276, 285
Skin temperature probe 1, reusable	MU06951	276, 285, 288, 290
Skin temperature probe 3, disposable, 10 pcs.	MU11228	282
Skin temperature probe 3, reusable	MU11225	282
Skin temperature probe 4, disposable, 10 pcs.	MU12525	271
Skin temperature probe 5 for kangaroo care, disposable, 1.5 m, 10 pcs.	MU12551	271

INDEX

Skin temperature probe 5, reusable	MU12533	271
Skin temperature probe ThermoTrace, disposable, white, peripheral, 20 pcs.	MX11001	269, 274, 279
Skin temperature probe ThermoTrace, disposable, yellow, near to core, 20 pcs.	MX11000	269, 274, 279
Skin temperature probe, 2.75 m	M35373	189
Skin temperature probe, reusable, with 1/4“ connector, 3 m	5201335	120
Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822	120, 154, 334
Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669	120, 154, 334
Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995	119, 153
Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996	119, 153
Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997	119, 153, 334
Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998	119, 153, 334
SLA battery charger for Infinity® Delta/Delta XL	5597377	146
SLA battery for Infinity® Delta/Delta XL	5592097	146
Smart Capnoline® Plus O_2, adult/intermediate (pack of 25)	MS26188	142
Smart Capnoline® Plus, adult/intermediate pack of 25)	MS26187	142
Soda lime Drägersorb® 800+, for CO_2 absorption, canister, 5 L, 2 pcs.	MX00001	93
Soda lime Drägersorb® Free, for CO_2 absorption, canister, 5 L, 2 pcs.	MX50050	93
Spare parts set SelfTestLung, with locking brace and attachment bolt	MP02401	46
SpO_2 adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	MS16447	108, 183
SpO_2 adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	MS16446	108, 183
SpO_2 adhesive sensor Dräger, foam, disposable, adult, 24 pcs.	MS16445	108, 166, 183
SpO_2 adhesive sensor Dräger, foam, disposable, child, 24 pcs.	MS16444	108, 166, 183
SpO_2 adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.	MS16449	108, 166, 183
SpO_2 adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.	MS16448	108, 166, 183
SpO_2 adhesive sensor Masimo® LNCS Adt, disposable, adult, 20 pcs.	MP00790	115, 150, 169
SpO_2 adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791	115, 150, 169
SpO_2 adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792	115, 150, 330
SpO_2 adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794	115, 150, 330
SpO_2 adhesive sensor Masimo® LNCS Pt, disposable, child, 20 pcs.	MP00793	115, 150, 169, 330
SpO_2 adhesive sensor Masimo® LNOP Adt, disposable, adult, 20 pcs.	7496990	112, 168, 176
SpO_2 adhesive sensor Masimo® LNOP Adt-L, disposable, adult, long, 20 pcs.	5702877	168
SpO_2 adhesive sensor Masimo® LNOP Neo, disposable, neonate, 20 pcs.	7496974	112, 330
SpO_2 adhesive sensor Masimo® LNOP Neo-L, disposable, neonate, long, 20 pcs.	5702879	330
SpO_2 adhesive sensor Masimo® LNOP NeoPt, disposable, premature baby, 20 pcs.	7496966	112, 168, 330
SpO_2 adhesive sensor Masimo® LNOP NeoPt-L, disp., premature baby, long, 20 pcs.	5702878	330
SpO_2 adhesive sensor Masimo® LNOP Pt, disposable, child, 20 pcs.	7496982	112, 168, 176
SpO_2 adhesive sensor Nellcor® Oximax® Max-A, disp., adult, cable 46 cm, 24 pcs.	MX50065	117, 152, 172, 178, 185
SpO_2 adhesive sensor Nellcor® Oximax® Max-AL, disp., adult, cable 91cm, 24 pcs.	MX50071	117, 152, 172, 178, 185
SpO_2 adhesive sensor Nellcor® Oximax® Max-Fast, disp., appl.on forehead, 24pcs.	MX50070	117, 185
SpO_2 adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067	117, 152, 172, 178, 185, 332
SpO_2 adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068	117, 152, 172, 185, 332

INDEX

SpO_2 adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066	117, 152, 172, 178, 185
SpO_2 adhesive sensor Nellcor® Oximax® Max-R, disp., application on nose, 24pcs.	MX50069	117, 185
SpO_2 adhesive sensor set Masimo® LNOP 3 pcs. Adt + 1 pc. Pt	7496941	113, 168
SpO_2 adhesive sensor set Masimo® LNOP, 3 pcs. Neo + 1 pc. NeoPt	7496958	113, 330
SpO_2 adhesive square Masimo®, 12 pcs.	7496875	111, 151, 170, 177
SpO_2 adhesive wrap Masimo® Cleanshield-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	5702218	110, 151, 177, 331
SpO_2 adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496917	110, 151, 170, 177, 331
SpO_2 adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496909	110, 151, 170, 177, 331
SpO_2 adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO_2 sensor, 12 pcs.	5701935	113
SpO_2 adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO_2 sensor, 12 pcs.	7496933	111, 151, 177, 331
SpO_2 adhesive wrap Masimo® Posey-Wrap, for NeoPt-L SpO_2 sensor, 12 pcs.	5702888	331
SpO_2 adhesive wrap Masimo®, for NeoL SpO_2 sensor, 100 pcs.	5702889	331
SpO_2 adhesive wrap Masimo®, for NeoPt SpO_2 sensor, 100 pcs.	7496925	111, 113, 151, 177, 331
SpO_2 clothing clip Masimo®, 5 pcs.	7496883	111, 151, 170, 177
SpO_2 ear sensor Masimo® LNOP TI, reusable	7497006	111, 167, 176
SpO_2 extension cable Dräger, 1.3 m	8201015	182
SpO_2 extension cable Dräger, 2.6 m	8600859	182
SpO_2 extension cable Dräger/ Nellcor®, for MultiMed 5/6 and NeoMed pods, 1 m	3368433	107, 114, 116, 333
SpO_2 extension cable Dräger/ Nellcor®, for MultiMed 5/6 and NeoMed pods, 2 m	3375834	107, 114, 116, 333
SpO_2 finger sensor Dräger, reusable	MS13235	108, 166, 183
SpO_2 finger sensor Masimo® LNCS DCI, reusable, adult	MP00796	115, 150, 169
SpO_2 finger sensor Masimo® LNCS DCIP, reusable, child	MP00795	115, 150, 169
SpO_2 finger sensor Masimo® LNOP DCI, reusable, adult	7270312	110, 167, 176
SpO_2 finger sensor Masimo® LNOP DCIP, reusable, child	7270304	110, 167, 176
SpO_2 finger sensor Nellcor® DURA DS 100A	7262764	116, 152, 171, 178, 184
SpO_2 foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO_2 sensor, 12 pcs.	7496891	110, 151, 170, 331
SpO_2 intermediate cable Dräger/ Nellcor®, for MultiMed Plus/ Plus OR, 1.2 m	MS18683	107, 114, 116, 166, 171, 333
SpO_2 intermediate cable Dräger/ Nellcor®, for MultiMed Plus/ Plus OR, 3 m	MS17330	107, 114, 116, 166, 171, 333
SpO_2 intermediate cable Masimo® LNCS, 1.2 m	MP00800	150
SpO_2 intermediate cable Masimo® LNCS, 1.2 m	MS24303	114, 169
SpO_2 intermediate cable Masimo® LNCS, 3 m	MP00797	150
SpO_2 intermediate cable Masimo® LNCS, 3 m	MS17522	114, 169
SpO_2 intermediate cable Masimo® LNOP, 1.2 m	MS18680	109, 167, 333
SpO_2 intermediate cable Masimo® LNOP, 3 m	MS17041	109, 167, 333
SpO_2 intermediate cable, 1.5 m	M35371	182, 333
SpO_2 intermediate cable, 2.4 m	M35370	182, 333
SpO_2 Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788	115, 150, 169
SpO_2 Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799	115, 150, 169
SpO_2 Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789	115, 150, 169, 330
SpO_2 multisite sensor Masimo® LNOP YI, reusable	7497014	110, 167, 176, 330
SpO_2 multisite sensor Nellcor® Dura-Y™, reusable	MX01004	116, 178, 184
SpO_2 multisite sensor Nellcor® Oxiband™ A/N, reusable, neonate/adult	8201013	186, 332
SpO_2 multisite sensor Nellcor® Oxiband™ P/I, reusable, child	2170205	186
SpO_2 sensor cable Masimo® ProCal, for MultiMed 5/6 and NeoMed pods, 1.5 m	MS13926	109, 333

INDEX

	SpO_2 sensor cable Masimo® ProCal, for MultiMed 5/6 and NeoMed pods, 2 m	7492601	109, 333
	SpO_2 sensor cable Masimo® ProCal, for MultiMed Plus/Plus OR, 2 m	MS20163	109
	Starter kit for patient parameter unit Infinity® CNAP™ SmartPod®	MS17075	125
	Starter kit WaterLock® 2	6872160	144
	Starter package CPAP BabyFlow, reus., with prongs, masks, headbands, US/CA only	8418578	298
	Starter package CPAP system BabyFlow, reus., with prongs, masks, headbands	8418435	298
	Starter package for Caleo®, reusable, incubator cover and positioning aids	MP01426	269, 293
	Starter package for Isolette® C2000/C8000, reus., cover and positioning aids	MP01427	271, 293
	Suction bottle for DU-O-VAC, disposable, 200 mL	MU10175	286
	Suction bottle for DU-O-VAC, reusable, 500 mL	MU10169	286
	Suction bottle with filter and tube, disposable, 800 mL, 20 pcs.	MU10918	272, 284
	Suction bottle with holder, disposable, 40 mL	MU10916	284
	Suction bottle, disposable, 40 mL, 10 pcs.	MU10917	284
	Suction hose holder, suitable for various diameters	2M85239	221, 228, 235, 238, 239, 255, 354
	Suction hose, silicone, reusable, 1.5 m, for medical suction	M25780	231, 353
	Suction set, disp., VacuSmart®, 700 mL and VacuSmart® Tube, 25 pcs. each	MP00061	229, 351
	Suction set, VacuSmart®, 700 mL (1000 pcs.) and secretion jar set (2M85056)	MP00062	229
	Suction tube VacuSmart® Tube, polyethylene, disp., 2 m, w/ finger tip, 25 pcs.	MX23026	221, 229, 351
	Swivel table, reusable, for poles with Ø 38 mm	2M21186	275
T	Table set for Tropic plus, stand, hinged arm, clamp, bottle holder	MP01209	217, 346
	TCC calibration unit	MP00722	145
	T-connector for Aeroneb Pro, 12 mm, with plug, 5 pcs.	MP01037	83, 326
	T-connector, disposable, Ø 15 mm, 25 pcs.	MU10902	284
	Telemetry cable adapter, connects single-pin cable to telemetry transmitter	MS14681	106
	Telemetry transmitter pouch, disposable, 100 pcs.	MS22905	173, 175, 179
	Telemetry transmitter pouch, waterproof, for M300, 10 pcs.	MS18630	173, 175, 179
	Telescopic arm, with curtains (2 pcs.), for visually separating patient beds	MP00498	257
	Temperature probe adapter 900 MR 532, for F&P humidifiers	MP01007	36, 42, 81
	Temperature probe for Aquamod	8408647	76
	Temperature probe for Aquapor EL	8405371	77
	Temperature probe for Babylog® 8000/8000 plus	8410019	307, 308
	Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m	8414989	80, 325
	Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m	8414966	80, 325
	Temperature sensor for Incubator 8000, reusable	2M20277	274
	Test filter	6870281	161
	Test gas cylinder 5 Vol. % CO_2, 95 Vol. % N_2	6850435	161
	Test lung 2-liter bag lung, latex	8403201	46
	Test lung NeoTestLung, N, latex-free, bellows	8409742	37, 38, 39, 46, 305, 306, 307, 308, 310, 311, 315
	Test lung SelfTestLung, latex-free, reusable, max. 1 L	MP02400	46
	Test lung, silicone, N	8403208	46, 304, 315
	Test lung, silicone, N, with hose	8410079	26, 46, 315
	Thermometer for simple temperature monitoring in the breathing circuit	2M13259	77
	Towel doll Cally, reusable, light blue or pink	2M30462	293
	T-piece adapter for MX 300 and MX 300-i, reusable	MP01445	296
	T-piece connector, reusable	8411044	37, 38, 44, 305, 310, 311
	T-piece connector, reusable, for F&P temperature probe	8418405	39, 306

INDEX

	T-piece for sample gas	8600224	29
	T-piece set with plug for Aeroneb Pro, P, 15 mm, w/ adapter 10mm f. neo., 5 pcs.	MP01032	83, 326
	T-piece with plug for Aeroneb Pro, A, ISO 22 mm, 5 pcs.	MP01031	83
	tpO_2-/$tpCO_2$- solid-state electrode	4529988	145, 338
	Trolley for rail accessories, stainless steel, 2 rails (50 cm each), 55x81x47 cm	MP00090	257
	Trolley Oxator 2, for pressure reducer, with 5 drawers, shelf, secretion jar	2M85493	209
	Trolley Tropic plus, w/ stand, hinged arm, clamp, bottle holder	MP01206	217, 346
	Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars	2M85441	235, 237
	Tubing grommet for Caleo®, reusable, angle	2M50385	269
	Tubing grommet for Caleo®, reusable, flap	2M50412	269
	Tubing grommet for Incubator 8000, reusable	2M20434	274, 280
	Tubing grommet for Isolette® C2000 and 8000, reusable	MU12609	272
	Tubing grommet for TI 500 and TI 500 Globetrotter, reusable	MU04366	288, 290
	Two-sided pump ball for air management	MP01590	69, 322
U	Ultrasonic nebulizer Tropic plus, basic unit with all accessories	MP01205	217, 346
	Universal hose clip, for hinged arm Infinity ACS (MP00690)	MP00692	251
	Universal pole mount	7485621	100, 125, 126
V	VAC CS hose 1.5 m (4.9 ft) NIST BS straight	M35404	264
	VAC CS hose 1.5 m (4.9 ft) NIST EN AGASSg straight	M35386	265
	VAC CS hose 1.5 m (4.9 ft) NIST EN BS	M35395	263
	VAC CS hose 1.5 m (4.9 ft) NIST EN DIN	M35498	259
	VAC CS hose 1.5 m (4.9 ft) NIST EN NF	M35422	261
	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36013	260
	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35455	262
	VAC CS hose 3 m (9.8 ft) NIST BS straight	M35405	264
	VAC CS hose 3 m (9.8 ft) NIST EN AGASSg straight	M35387	265
	VAC CS hose 3 m (9.8 ft) NIST EN BS	M35396	263
	VAC CS hose 3 m (9.8 ft) NIST EN DIN	M35499	259
	VAC CS hose 3 m (9.8 ft) NIST EN NF	M35423	261
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36014	260
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35456	262
	VAC CS hose 5 m (16.4 ft) NIST BS straight	M35406	264
	VAC CS hose 5 m (16.4 ft) NIST EN AGASSg straight	M35388	265
	VAC CS hose 5 m (16.4 ft) NIST EN BS	M35397	263
	VAC CS hose 5 m (16.4 ft) NIST EN DIN	M36000	259
	VAC CS hose 5 m (16.4 ft) NIST EN NF	M35424	261
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36015	260
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35457	262
	Vacuum connector, vacuum thread to nozzle connector	M30574	232
	Vacuum connector, vacuum thread to nozzle connector	M30606	232
	Vacuum mattress, reusable	2M17909	287
	Vacuum regulator VarioVac® B AGA, for bronchial suction, gas connection AIR	MP00504	221, 222
	Vacuum regulator VarioVac® B BS, for bronchial suction, gas connection AIR	MP00502	221, 222
	Vacuum regulator VarioVac® B compact, for bronchial suction, gas connection AIR	MP00506	221, 225
	Vacuum regulator VarioVac® B DIN, for bronchial suction, gas connection AIR	MP00501	221, 222
	Vacuum regulator VarioVac® B NF, for bronchial suction, gas connection AIR	MP00503	221, 222
	Vacuum regulator VarioVac® B/OR rail, for bronchial suction, gas connection AIR	MP00505	221, 222

INDEX

	Vacuum regulator VarioVac® B/OR rail, for bronchial suction, gas connection AIR	MP00505	235, 236
	Vacuum regulator VarioVac® D AGA, for continuous+wound drainage, gas connect. AIR	MP00510	239, 240
	Vacuum regulator VarioVac® D BS, for continuous and wound drainage, gas connection AIR	MP00508	239, 240
	Vacuum regulator VarioVac® D DIN, for continuous and wound drainage, gas connection AIR	MP00507	239, 240
	Vacuum regulator VarioVac® D NF, for continuous+wound drainage, gas connection AIR	MP00509	239, 240
	Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connect. AIR	MP00511	239, 240, 352
	Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection NIST	MP00512	239, 241, 245
	Vacuum regulator,compact, for Babytherm®, max.vacuum -90 kPa, gas connection O_2/AIR	2M21189	281, 350
	Ventilation hose holder, reusable, 40 cm	8411075	269, 274
	Ventilation valve for Oxylog® 1000, reusable	2M86800	34
	Ventilation valve for Oxylog® 2000/3000, reusable	8412001	35
W	Wall holder, with fixing screws, f. compact suction unit and secretion jar set	M26859	221, 228, 239, 354
	Warming mattress TransWarmer®, disposable, self warming for approx. 2 h, 6 pcs.	MP01414	294
	Water bag holder 900 MR 290	MP01008	79
	Water container with screw thread + gaskets, for VarioVac® T and VarioAir® T	MP00565	248
	Water container, for continuous drainage system 2-4, w/o screw thread	M20668	247
	Water hose for Aquamod	8409625	76, 307, 308
	Water level controller of water supply for Incubator 8000, reusable	2M22130	275
	Water tank and water transfer hose, for Caleo®, reusable	2M50040	270
	Water transfer hose for Caleo®, disposable, 20 pcs.	MX17018	270
	Water trap for Evita 2 dura®, Evita® 4, Evita® XL, reusable	8413125	70
	Water trap Infinity® ID WaterLock® 2, 12 pcs.	6872020	144
	Water trap MGM	MS13826	144
	Water trap, reusable, A	8404985	28, 30, 31, 36, 44
	Water trap, reusable, N	8409627	29, 30, 32, 37, 38, 39, 44, 305, 306, 307, 308, 309, 310, 311
	Water trap, reusable, P	8404760	32, 309
	Water vacuum gauge, f. thor. drainage, combination w/ VarioVac® D + VarioAir® D	MP00518	239, 245
	Watertrap WaterLock® 2, 12 pcs.	6872130	144
Y	Y-cable CO_2 and analog/sync	MS22259	161
	Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154	119, 153
	Y-connector, 5 mm	2M12754	26
	Y-piece, disposable, A, 22 mm, 10 pcs.	AM00203	43
	Y-piece, disposable, P, 15 mm, 10 pcs.	AM00209	29
	Y-piece, polyamide, reusable, A, angled, without Luer Lock	M25682	42
	Y-piece, polyamide, reusable, A, straight	M25650	42
	Y-piece, polyamide, reusable, A, temperature tap	M30543	42
	Y-piece, polyamide, reusable, A, with angled Luer Lock	M33278	25, 42
	Y-piece, reusable, for Dräger temperature probe	8405435	31, 43
	Y-piece, reusable, for temperature probe adapter 900 MR 532	8412888	28, 33, 36, 42
	Y-piece, reusable, P, angled	8403077	43, 304, 313
	Y-piece, reusable, P, angled, with suction opening	8403075	26, 27, 32, 37, 43, 309, 310, 311, 313
	Y-piece, reusable, P, straight	M27077	27, 29, 42, 313

CORPORATE HEADQUARTERS
Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany

www.draeger.com

REGION EUROPE CENTRAL AND EUROPE NORTH
Dräger Medical GmbH
Moislinger Allee 53–55
23558 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION EUROPE SOUTH
Dräger Médical S.A.S.
Parc de Haute Technologie d'Antony 2
25, rue Georges Besse
92182 Antony Cedex, France
Tel +33 1 46 11 56 00
Fax +33 1 40 96 97 20
dlmfr-contact@draeger.com

REGION MIDDLE EAST, AFRICA, CENTRAL AND SOUTH AMERICA
Dräger Medical GmbH
Branch Office Dubai
Dubai Healthcare City
P.O. Box 505108
Dubai, United Arab Emirates
Tel + 971 436 24 762
Fax + 971 436 24 761
contactuae@draeger.com

REGION ASIA / PACIFIC
Draeger Medical South East Asia Pte Ltd
25 International Business Park
#04-27/29 German Centre
Singapore 609916, Singapore
Tel +65 6572 4388
Fax +65 6572 4399
asia.pacific@draeger.com

Manufacturer:
Dräger Medical GmbH
23542 Lübeck, Germany
The quality management system at Dräger Medical GmbH is certified according to ISO 13485, ISO 9001 and Annex II.3 of Directive 93/42/EEC (Medical devices).

90 66 485 | 09.11-6 | Marketing Communications | AW | LE | Printed in Germany | Chlorine-free – environmentally compatible | Subject to modifications | © 2011 Drägerwerk AG & Co. KGaA

www.o2sensor.ru